

CLIPPER. THE dBASE COMPILER. A WINNING PERFORMANCE EVERY TIME.



nantucket™

Nantucket Corporation 5995 South Sepulveda Boulevard Culver City, California 90230 (213) 390-7923 Outside California call toll-free:

1-800-251-8438 dBase, dBase III, and dBase III Plus are trademarks of Ashton-Tate, Inc. IBM PC, XT, AT, and 3270 are trademarks of International Business Machines Corporation.

Clipper and Nantucket are trademarks of Nantucket Corporation.

Circle no. 220 on reader service card.

MARK WILLIAMS C. AN ENLIGHTENING DEVELOPMENT FOR ATARI ST USERS.

If you've tried your hand at developing applications on the Atari ST, you know the problem. Programming tools aren't only hard to come by, they're hard to use. One might even say primitive. But now for some enlightening news: you can have all the power, portability and versatility of the C language from a leader in professional C programming tools, Mark Williams.

BRING YOUR PROGRAMMING UP TO SPEED.

The Mark Williams C compiler produces fast, dense code and supports the complete Kernighan & Ritchie industry standard C. You'll have access to GEM's AES and VDI libraries for programs using graphics, icons and the Atari mouse. And Mark Williams C lets you take advantage of the full 16 megabytes in Atari's 68000 microprocessor.

STREAMLINE DEVELOPMENT WITH POWER UTILITIES.

Mark Williams C is loaded with everything you'll need for professional development. Bring the power of the UNIX environment to your Atari ST with our

Features

- C compiler
- Complete Kernighan & Ritchie C plus extensions
- Up to eight register variables
- Full access to AES and VDI libraries for programs using graphics, icons and mouse
- Complete UNIX-compatible libraries allow easy portability to and from UNIX development environment.
- Over 300 Atari-specific routines
- One-step compiling, linking with cc command
- · English error messages
- Lint-like error checking

Microshell Command Processor, powerful UNIX style shell includes I/O redirection, pipes, command substitutions

MicroEMACS Full Screen Editor with commented source code included

Make Program Building Discipline Complete symbolic debugger with single-step, breakpoints and stack traceback

Assembler, linker and archiver Powerful Utilities Package: egrep, sort, diff, cmp, pr, tail, uniq, wc and more

Over 600 pages of documentation including 120 sample C programs

Not copy protected

MARK WILLIAMS C FOR THE ATARI ST \$179.95 60 DAY MONEY BACK GUARANTEE Microshell Command Processor including pipes, I/O redirection and more. Edit your program with the highly acclaimed MicroEMACS full screen editor. Accelerate and simplify compiling with *make* which finds and recompiles only those modules affected by your changes. Then, when you're ready for debugging, call on our db Symbolic Debugger with single step, breakpoint and stack traceback functions. Over 40 commands, including a linker and assembler, provide a total development package for your Atari ST.

DEPEND ON A NAME WITH A HISTORY OF PERFORMANCE.

Mark Williams C for the Atari ST is part of our growing line of C compilers. A line that includes the C compiler chosen by DEC, Intel, Wang and thousands of professional programmers. Now our Atari C compiler is earning its own reputation:

"Finally a great C compiler that exploits the power of the ST"—Sigmund Hartmann, President, Atari Software Group

"The all-around best choice for serious software development on the ST."—Douglas Weir of *ANALOG COMPUTING*

GET WHAT YOUR ATARI ST HAS BEEN WAITING FOR.

Mark Williams C is just what your Atari ST was made for: powerful, professional

programming. So now that you can have Mark Williams C for just \$179.95, what are you waiting for?


Ask your Atari dealer about Mark Williams C or order today by calling **1-800-MWC-1700.***

*In Illinois call: 312-472-6659



1430 West Wrightwood, Chicago, Illinois 60614

© 1986, Mark Williams Company UNIX is a trademark of Bell Labs. Circle **no. 102** on reader service card.



Instant Replay

NEW

Synthetic Intelligence Patent Pending

Generates:

DEMOS, TUTORIALS, PROTOTYPES, PRESENTATIONS, TIMED KEYBOARD MACROS, AND MENU SYSTEMS

Instant Replay memorizes how you ran your program and Instantly generates a Demo Replay. Keystrokes and pause times, inserted prompts, pop-ups and prototypes are all memorized.

Screen Painter for creating 100% user designable pop-ups and Menu Windows. "Excellent, intuitive, easiest-to-use screen generator reviewed" PC Magazine.

Run-Time Screen Scanner and File Scanner for creating Menu systems and presentations.

Screen Grabber so you can edit and include any screen.

Text Editor - fast, full function, with pull-down menus that can be tailored. Memorize it and distribute it as a Demo!

200 Page Manual, 4 diskettes, 60 Day money back guarantee.
(Not Copy Protected)

Call or Write. We accept Visa, Amex, Master Card, COD, PO. Dealer Inquiries Welcome.

Instant Replay(tm) \$ 89.95
Demo Diskette \$ 5.00
Dealer Poster \$ 3.00

Nostradamus

Nostradamus Inc. / 5320 South 900 East, Suite 110 SLC, Utah 84117 / Order by phone (801) 261-0769

For IBM PC / XT / AT and True Compatibles

Ask about Programming Libraries


Circle no. 251 on reader service card.

Dr. Dobb's Journal of Software Tools

FOR THE PROFESSIONAL PROGRAMMER

ARTICLES

	ANTIOLLU		
Graphics chips Macintosh graphics 68000 praphics	by Ed McNierney Two new graphics chips, the Intel 82786 and the TI 34010, provide graphics power and complexity previously unknown in PC graphics. They also represent two strikingly different approaches to implementing graphics on a chip. GRAPHICS: A Mandelbrot Program for the Macintosh by Howard Katz The curious new mathematical object the Mandelbrot set is so popular it has its own journal. In implementing this elegant assembly-language application the author bypassed the Macintosh SANE floating-point package and used fixed-point ROM routines for greater speed.		
Hints for beginners Ada, Modula-2, and Pascal	by Allen Holub Allen implements sets in C and discusses Version 4 of Microsoft's C compiler and the CodeView debugger. This column also marks the debut of Flotsam and Jetsam, a series of hints for both experienced and novice C programmers.		
The lost > generation	matrices, virtual matrices, and ematrices. FORUM EDITORIAL 6 by Michael Swaine RUNNING LIGHT 8 by Nick Turner ARCHIVES 8	PROGRAMMER'S SERVICES DR. DOBB'S CATALOG: 107 DDJ books and software OF INTEREST: 128 What's new out there CAREER	



About the Cover

Nick Turner generated the color pixels on a plain old Apple II; Michael Hollister and photographer Michael Carr transferred them to the glistening surface of a halfpound of liquid mercury to simultaneously symbolize and achieve the blending of technology and art.

This Issue

The release of the Apple IIGS this fall (see Nick's brief report in Running Light, page 8) is sparking consumer interest in computer graphics, but to programmers the arrival of graphics chips that can provide up to 10,000-fold speed increases may be even more intriguing. Our lead article shows how to use the new chips from Intel and TI in your programs. We also present a digital dissolve routine that selects the most appropriate from among three algorithms, and a clever Macintosh graphics application in 68000 assembly language.

Next Issue

December is Operating Systems month at *DDJ*. The new 80386-based computers have got us intrigued with multitasking, and next month we'll publish the task scheduler component of a multitasking operating system for PC-class machines.

I'm sure

BASIC,

LETTERS

SWAINE'S FLAMES

by Michael Swaine

by you

10

136

OPPORTUNITIES:

ADVERTISER INDEX:

Where to find that ad

Jobs in software

71a

YOUR
COMPUTER LANGUAGE
IS QUIETLY
BREEDING REAL BATS
IN YOUR
BELFRY.

LANGUAGES THAT ARE CAUSING THE BIGGEST PROGRAMMING BACKLOG IN HISTORY ARE ALS

Whether it's BASIC, COBOL, Pascal, "C", or a data base manager, you're being held back.

Held back because the language has frustrating limitations, and the programming environment isn't intuitive enough to keep track of what you're working on.

In the real world, there's pressure to do more impressive work, in less time, and for more clients.

We've been given some incredibly powerful hardware in recent times, but the languages aren't a whole lot better than they were 20 years ago.

So, whatever language you have chosen, by now you feel it's out to get you — because it is.

Sure, no language is perfect, but you have to wonder, "Am I getting all I deserve?"

And, like money, you'll never

have enough.

Pretty dismal, huh? We thought so, too. So we did something about it. We call it CLARION.™ You'll call it "incredible." Distributed on 7 diskettes.

CLARION consists of over 200,000 lines of code, taking 3+ years to hone to "world-class" performance.

With CLARION you can write, compile, run and debug complex applications in a New York afternoon.

Even if you're in Savannah. It gives you the power and speed to create screens, windows and reports of such richness and clarity you would never attempt them with any other language.

Because you would have to

write the code

With CLARION you simply design the screens using our SCREENER utility and then CLARION writes the source code AND compiles it for you in seconds.

Likewise, you can use REPORTER to create reports.

Remember, only CLARION can recompile and display a screen or report layout for modification. And with no time wasted.

All the power and facilities you need to write great programs, faster than you ever dreamed of.

Programs that are easy to use. Programs that are a pleasure to

And to you that means true satisfaction.

You've coveted those nifty pop-up help windows some major applications feature. But you can't afford the time and energy it takes to write them into your programs.

That's the way it used to be.

So we fixed that, too. CLARION'S HELPER is an interactive utility that let's you design the most effective pop-up help screens that you can imagine. And they're "context sensitive," meaning you can have help for every field in your application.

Unlike the other micro languages, CLARION provides declarations, procedures, and functions to process

dates, strings, screens, reports, indexed files, DOS files and memory tables.

Imagine making source program changes with the CLARION EDI-TOR. A single keystroke terminates the EDITOR, loads the COM-PILER, compiles the program, loads the PROCESSOR and executes the program. It's that easy!

Our data management capabilities are phenomenal. CLARION files permit any number of composite keys which are updated dynami-

cally.

A file may have as many keys as it needs. Each key may be composed of any fields in any order. And key files are updated when-

ever the value of the key changes.
Like SCREENER and REPORTER, CLARION'S FILER utility also has a piece of the CLARION COMPILER. To create a new file, you name the Source Module. Then you name the Statement Label of a file structure within it.

FILER will also automatically rebuild existing files to match a changed file structure. It creates a new record for every existing record, copying the existing fields and initializing new ones.

Sounds pretty complicated, huh? Not with CLARION's documentation and on-line help screens. If you are currently competent in BASIC, Pascal or "C" you can be writing CLARION applications in a day. In two days you won't believe the eloquence of your CLARION programs. Okay, now for the best part of

all. You can say it in CLARION for \$295.00-plus shipping and handling. All you need is an IBM® PC, XT, AT or true compatible, with 320 KB of

memory, a hard disk drive, and a parallel port.
And we'll allow a full 30 day evaluation period. If you're not satisfied with CLARION, simply return it in its

original condition for a full refund. If you're not quite ready to take advantage of this no-risk opportunity, ask for our detailed 16 page color brochure. It vividly illustrates the elegance of CLARION. Consider it a preview of programming in the fast lane.

Either way, the 800 call's a freebie.

SAY IT IN

BARRINGTON SYSTEMS, INC. 150 EAST SAMPLE ROAD POMPANO BEACH FLORIDA 33064 305/785-4555

EDITORIAL


im Anderson, the president of Digitalk, wrote to say that the classification system of his Smalltalk/V solves a problem posed in my Swaine's Flames column in August. Specifically, he says, it allows the programmer to handle physical units such as tempera-

ture and humidity realistically. He's right, but the scheme I was passing along in that column, and it's not a new idea, was to build into a compiler the constraints and checks that people working with physical quantities have to deal with. Things such as not being able to add apples and oranges, having feet times feet yield square feet, and having the units in a complex calculation multiply and divide and cancel out independently of (or in parallel with?) the quantities.

Built into the compiler, such features would constrain the programmer even more than the strong data typing of Modula-2. Laid on top of data-type constraints would be constraints that allowed multiplying two quantities but not adding them, and perhaps automatic rescaling that would take some control of numeric precision out of the programmer's hands. Why consider such constraints? The benefits would seem to be increased programmer productivity and increased program maintainability. The costs would be in generality and programmer control. These sound like the trade-offs of fourthgeneration-language design.

Most 4GLs are specialized languages, appropriate in only a limited domain. They at least discourage, if not prohibit, low-level access to machines. They are designed to produce easily maintained code quickly.

If we believe Prentice-Hall's human book machine, James Martin, most 4GLs are remarkably unknown among those who know the most



about programming. Martin recently polled "experts on programming languages" (including, I assume, professional software developers) and found few who even recognized the names of the most powerful fourthgeneration languages. Why?

If fourth-generation languages are perceived as being bad languages in some sense—if, for example, they are seen as imposing too great a performance cost—maybe that explains their being ignored. Unfortunately, their being ignored means in turn that if the perception is wrong it will get corrected only slowly and if it is right the 4GLs' problems will get corrected slowly, because they won't benefit from the useful feedback of those experts who understand their faults.

There are signs that fourth-generation languages may have been changing while unobserved and may deserve another look. Fourthgeneration languages are no longer restricted to mainframes and minicomputers. Vendors of fourth-generation languages for micros acknowledge some performance limitations of past 4GLs but claim that today's products produce fast, efficient code. They claim that any perception that fourth-generation languages are unworthy of the attention of serious software developers, if it was ever correct, is no longer.

Perhaps we should all take a look at this claim and at modern fourth-generation languages. At the very least, we should recognize that 4GLs need not be just elaborated database managers.

Michael Swans

Michael Swaine editor-in-chief

Dr. Dobb's Journal of **Software Tools**

Editorial

Editor-in-Chief Michael Swaine Managing Editor Vince Leone

Assistant Editor Sara Noah Ruddy Technical Editor Allen Holub Contributing Editors Ray Duncan

Michael Ham Allen Holub Namir Shammas

Copy Editor Rhoda Simmons Electronic Editor Levi Thomas

Production

Production Manager Bob Wynne Art Director Michael Hollister Assoc. Art Director Alida Hinton

Typesetter Jean Aring Cover Artist Michael Carr Circulation

Newsstand Sales Mgr. Stephanie Barber Circulation Director Maureen Kaminski Book Marketing Mgr. Jane Sharninghouse Circulation Assistant Kathleen Shay

Administration

Finance Director Kate Wheat Business Manager Betty Trickett Accounts Payable Supv. Mayda Lopez-Quintana

Acets. Pay. Coordinator Kathy Robinson Accounts Receivable Mgr. Laura Di Lazzaro Accts. Receivable Asst. Denise Giannini

Adm. Coordinator Kobi Morgan **Advertising Director** Robert Horton (415) 366-3600 **Account Managers**

Michele Beaty (317) 875-8093 Lisa Boudreau (415) 366-3600 Gary George (404) 897-1923 Michael Wiener (415) 366-3600 Cynthia Zuck (718) 499-9333

Promotions/Srvcs.Mgr. Anna Kittleson Advertising Coordinator Charles Shively

M&T Publishing, Inc.

Chairman of the Board Otmar Weber Director C.F. von Quadt President and Publisher Laird Foshay

Dr. Dobb's Journal of Software Tools (USPS 307690) is published monthly by M&T Publishing, Inc., 501 Galveston Dr., Redwood City, CA 94063; (415) 366-3600. Second-class postage paid at Redwood City and at additional entry points.

Article Submissions: Send manuscripts and disk (with article and listings) to the Assistant Editor.

Address Correction Requested: Postmaster: Send Form 3579 to Dr. Dobb's Journal, P.O. Box 27809, San Diego, CA 92128

Customer Service: For subscription problems call: outside CA (800) 321-3333; within CA (619) 485-9623 or 566-6947. For order problems call (415) 366-3600.

Subscription Rates: \$29.97 per year, U.S. Foreign rates: \$63.97, air; \$51.97, surface. Foreign subscriptions must be prepaid in U.S. dollars, drawn on a U.S. bank. For foreign subscriptions, TELEX: 752-351.

Foreign Newsstand Distributor: Worldwide Media Service, Inc., 386 Park Ave. South, New York, NY 10016; (212) 686-1520 TELEX: 620430 (WUI).

Entire contents copyright © 1986 by M&T Publishing, Inc.; unless otherwise noted on specific articles. All rights reserved.



People's Computer Company

Dr. Dobb's Journal of Software Tools is published by M&T Publishing, Inc. under license from People's Computer Company, 2682 Bishop Dr., Suite 107, San Ramon, CA 94583, a nonprofit corporation.



The C for Microcomputers

PC-DOS, MS-DOS, CP/M-86, Macintosh, Amiga, Apple II, CP/M-80, Radio Shack, Commodore, XENIX, ROM, and Cross Development systems

MS-DOS, PC-DOS, CP/M-86, XENIX, 8086/80x86 ROM

Manx Aztec C86

"A compiler that has many strengths ... quite valuable for serious work"

Computer Language review, February 1985

Great Code: Manx Aztec C86 generates fast executing compact code. The benchmark results below are from a study conducted by Manx. The Dhrystone benchmark (CACM 10/84 27:10 p1018) measures performance for a systems software instruction mix. The results are without register variables. With register variables, Manx, Microsoft, and Mark Williams run proportionately faster, Lattice and Computer Innovations show no improvement.

	Execution Time	Code Size	Compile/ Link Time
Dhrystone Benchmark			
Manx Aztec C86 3.3	34 secs	5,760	93 secs
Microsoft C 3.0	34 secs	7,146	119 secs
Optimized C86 2.20J	53 secs	11,009	172 secs
Mark Williams 2.0	56 secs	12,980	113 secs
Lattice 2.14	89 secs	20,404	117 secs

Great Features: Manx Aztec C86 is bundled with a powerful array of well documented productivity tools, library routines

and features.
Optimized C compiler
AS86 Macro Assembler
80186/80286 Support
8087/80287 Sensing Lib
Extensive UNIX Library
Large Memory Model
Z (vi) Source Editor -c
ROM Support Package -c
Library Source Code -c
MAKE, DIFF, and GREP -c
One year of updates -c

Symbolic Debugger LN86 Overlay Linker Librarian Profiler DOS, Screen, & Graphics Lib Intel Object Option CP/M-86 Library -c INTEL HEX Utility -c Mixed memory models -c Source Debugger -c CP/M-86 Library -c

Manx offers two commercial development systems, Aztec C86-c and Aztec C86-d. Items marked -c are special features of the Aztec C86-c system.

Aztec C86-c Commercial System	\$499
Aztec C86-d Developer's System	\$299
Aztec C86-p Personal System	\$199
Aztec C86-a Apprentice System	\$49

All systems are upgradable by paying the difference in price plus \$10.

Third Party Software: There are a number of high quality support packages for Manx Aztec C86 for screen management, graphics, database management, and software development.

Greenleaf \$185
PC-lint \$98
Amber Windows \$59
Windows for C \$195
FirsTime \$295
C Util Lib \$185
Plink-86 \$395

MACINTOSH, AMIGA, XENIX, CP/M-68K, 68k ROM

Manx Aztec C68k

"Library handling is very flexible ... documentation is excellent ... the shell a pleasure to work in ... blows away the competition for pure compile speed ... an excellent effort."

Computer Language review, April 1985

Aztec C68k is the most widely used commercial C compiler for the Macintosh. Its quality, performance, and completeness place Manx Aztec C68k in a position beyond comparison. It is available in several upgradable versions.

Macro Assembler
Overlay Linker
Resource Compiler
Debuggers
Librarian
Source Editor
MacRam Disk -c
Library Source -c

Creates Clickable Applications
Mouse Enhanced SHELL
Easy Access to Mac Toolbox
UNIX Library Functions
Terminal Emulator (Source)
Clear Detailed Documentation
C-Stuff Library
UniTools (vi,make,diff,grep) -c
One Year of Updates -c

Items marked -c are available only in the Manx Aztec C86-c system. Other features are in both the Aztec C86-d and Aztec C86-c systems.

Aztec C68k-c Commercial System	\$499
Aztec C68d-d Developer's System	\$299
Aztec C68k-p Personal System	\$199
C-tree database (source)	\$399
AMIGA, CP/M-68k, 68k UNIX	call

Apple II, Commodore, 65xx, 65C02 ROM

Manx Aztec C65

"The AZTEC C system is one of the finest software packages I have seen"

NIBBLE review, July 1984

A vast amount of business, consumer, and educational software is implemented in Manx Aztec C65. The quality and comprehensiveness of this system is competitive with 16 bit C systems. The system includes a full optimized C compiler, 6502 assembler, linkage editor, UNIX library, screen and graphics libraries, shell, and much more. The Apple II version runs under DOS 3.3, and ProDOS, Cross versions are available.

The Aztec C65-c/128 Commodore system runs under the C128 CP/M environment and generates programs for the C64, C128, and CP/M environments. Call for prices and availability of Apprentice, Personal and Developer versions for the Commodore 64 and 128 machines.

Aztec C65-c ProDOS & DOS 3.3 \$399 Aztec C65-d Apple DOS 3.3 \$199 Aztec C65-p Apple Personal system \$99 Aztec C65-a for learning C \$49 Aztec C65-c/128 C64, C128, CP/M \$399

Distribution of Manx Aztec C

In the USA, Manx Software Systems is the sole and exclusive distributor of Aztec C. Any telephone or mail order sales other than through Manx are unauthorized.

Manx Cross Development Systems

Cross developed programs are edited, compiled, assembled, and linked on one machine (the HOST) and transferred to another machine (the TARGET) for execution. This method is useful where the target machine is slower or more limited than the HOST, Manx cross compilers are used heavily to develop software for business, consumer, scientific, industrial, research, and educational applications.

HOSTS: VAX UNIX (\$3000), PDP-11 UNIX (\$2000), MS-DOS (\$750), CP/M (\$750), MACINTOSH (\$750), CP/M-68k (\$750), XENIX (\$750).

TARGETS: MS-DOS, CP/M-86, Macintosh, CP/M-68k, CP/M-80, TRS-80 3 & 4, Apple II, Commodore C64, 8086/80x86 ROM, 68xxx ROM, 8080/8085/Z80 ROM, 65xx ROM.

The first TARGET is included in the price of the HOST system. Additional TARGETS are \$300 to \$500 (non VAX) or \$1000 (VAX).

Call Manx for information on cross development to the 68000, 65816, Amiga, C128, CP/M-68K, VRTX, and others

CP/M, Radio Shack, 8080/8085/Z80 ROM

Manx Aztec CII

"Tve had a lot of experience with different C compilers, but the Aztec C80 Compiler and Professional Development System is the best I've seen."

80-Micro, December, 1984, John B. Harrell III

Aztec C II-c (CP/M & ROM)	\$349
Aztec C II-d (CP/M)	\$199
C-tree database (source)	\$399
Aztec C80-c (TRS-80 3 & 4)	\$299
Aztec C80-d (TRS-80 3 & 4)	\$199

How To Become an Aztec C User

To become an Aztec C user call 1-800-221-0440 or call 1-800-832-9273 (800-TEC WARE). In NJ or outside the USA call 201-530-7997. Orders can also be telexed to 4995812.

Payment can be by check, COD, American Express, VISA, Master Card, or Net 30 to qualified customers.

Orders can also be mailed to Manx Software Systems, Box 55, Shrewsbury, NJ 07701.

How To Get More Information

To get more information on Manx Aztec C and related products, call 1-800-221-0440, or 201-530-7997, or write to Manx Software Systems.

30 Day Guarantee

Any Manx Aztec C development system can be returned within 30 days for a refund if it fails to meet your needs. The only restrictions are that the original purchase must be directly from Manx, shipped within the USA, and the package must be in resalable condition. Returned items must be received by Manx within 30 days. A small restocking fee may be required.

Discounts

There are special discounts available to professors, students, and consultants. A discount is also available on a "trade in" basis for users of competing systems. Call for information.




To order or for information call:

800-221-0440


RUNNING LIGHT

pple's new IIGS, the high-end Apple II system, has just been introduced. The first batch of these platinum-cased beauties, with their 65816 processors and 256K memories, have even been signed by Steve Wozniak himself. "GS" stands for graphics



In every issue of DDJ, toward the middle of the magazine, there's an insert with some tear-out cards. The top two cards are subscription cards. (You don't have a subscription? You know what to do.) The third card is very special: it's where you have a chance to talk directly to us. Your comments on that card are collected every month into a stack. The problem is, each month the stack is only about an inch high. We would love to see that stack grow to a medium-size mound, or even a small hill. So get out your pen or pencil and rip out that little card. We want to know what you think of the magazine, and we promise to read all the cards.

We have some really interesting themes coming up in future issues. Our May issue, for example, will focus on computer music. Who makes the best computer music? What machines are the most musical? Is MIDI the only way to interface? What's hottest and newest? We've never done a music issue before, so we especially need to hear from authors and experts as soon as possible. Call



me at (415) 366-3600 if you have any ideas.

In June we'll be looking at telecommunications. A lot has happened since our last telecom issue. If you're working on something new and interesting, perhaps you have an article to write for us? We're especial-

ly interested in material about highspeed communications. Is there anybody who would like to write about fiber optics? What about a piece on how to program a signal processor CPU? Anything new in data compression or error detection/correction? Call me with ideas.

Our July issue, once again, will be full of Forth. We encourage all you dedicated and persistent Forthians to take part as you have in the past. Recently we've been able to increase our coverage of Forth—Michael Ham's contributions in particular have added a special flavor to the magazine (thank you, Mike!). Let's put together a really great seventh annual Forth issue.

August will be our C issue, and September will deal with algorithms. We're also thinking about covering fourth-generation languages in September. What do you think? Should we cover them? Would you like to write an article?

All in all, 1987 promises to be a banner year for *DDJ*. We're consistently receiving more high-quality article submissions than ever before. Your voices are being heard, both in the Letters column and in your direct phone calls to me. Let's keep improving together.

Mak Jum

Nick Turner editor

ARCHIVES

DDJ Looks at the IBM PC

"On August 12, IBM announced the IBM Personal Computer, a small home machine. It will be sold... through Computerland stores and Sears Business Machines outlets.

"The prices quoted for the machine ranges from \$1600 for a 16K starter system up to \$6300 for a machine with two disks and 256K of storage.... we're exited about this announcement. IBM's presence in the market will intensify competition; the standards of support and documentaion will go up and the prices will go down as the other makers prepare to meet the challenge."—Dave Cortesi, DDJ, October 1981.

"We've had our hands on an IBM Personal Computer for a few days now. It's just a computer, after all."—Dave Cortesi, DDJ, June 1982

CP/M-80 was a sturdy little tyke, but by no means was it a complete operating system. After examining these descendants of CP/M-80, my strongest feeling is one of disappointment. It disappoints me that two high-powered software houses have worked so hard to produce only . . . two more CP/Ms. —CP/M vs. MSDOS: A Technical Comparison, *Dave Cortesi*, DDJ, *July*, 1982.

DDJ Looks at its Readers

"We were amazed at how rapidly many of our readers have aquired IBM's Personal Computer. Equally interesting was that the 68000 chip has a greater following among our readers than the 8606/8088, although the margin is not overwhelming. Among topics eliciting very favorable response were CP/M, algorithms, assembly language, compilers and the Z80/8080. Pascal and Small-C/C were among the languages of evident enthusiasm, and multi-user systems are becoming worthy of more editorial attention."—Marlin Ouverson, DDJ, August 1982.

Ten Years Ago in DDJ

DDJ SEEKS SUPER LOGO! Like all massive organizations intent upon changing the fabric of society, Dr. Dobb's Journal has concluded that it should have a logo—a symbol by which all people may instanly recognize us. It might be our current title masthead...but that's SO longwinded. Ideally, it should be a symbol or figure that in some sense illustrates our activities (now, now—be nice)."—DDJ, November/December 1976.

"The Poly-88 system—which has replaced my Altair 8800 and my IMSAI 8080—has but two controls on the box. An on/off switch with a power indicator light, and a reset button with a halt light. That's all you get; that's all you need. It surely doesn't look impressive. Sort of like a toaster ..."—Jef Raskin, DDJ, November/December 1976.



Large model C compiler performs like big-name brands includes free C tutorial

"As good as or better than most of the heavyweights..."

DR. DOBB'S, August 1986

The DATALIGHT C COMPILER is a full-implementation of the C language as defined in *The C Programming Language* by Kernighan and Ritchie. Supporting five memory models, DATALIGHT C has very fast compile, link, and execution times with a minimum of memory required. Our special introductory price is only \$99 for the DEVELOPER'S KIT.

Optimize Your Code Generation

Now you can produce highly optimized code in the standard Intel object module format. The optimizations performed include common subexpression elimination, branch optimizations, constant folding, strength reductions, dead-code eliminations, and switch table compaction.

Five Memory Models Supported

DATALIGHT C provides five memory models so you can use the model that best suits your application.

Memory Models

Model	Code	Data
Compact	64k	total code & data
Small	64k	64k
Program	1M	64k
Data	64k	1M
Large	1M	1M

Compiling, One step...

Now with the one step DLC program you can compile, link, and create a .COM file. Also, one or more files can be compiled and linked using DLC.

Complete Library Includes Source Code

The UNIX compatible library includes complete source code. Experienced programmers can use the source code to configure and rebuild the library to suit the application.

Concise Documentation Included

The DATALIGHT C COMPILER and DEVELOPER'S KIT include a concise, to the point, programmer's manual. The 210-page manual is contained in an IBM-style three-ring binder which includes nine chapters, appendices, index, and easy to follow examples.



BOX 82441 KENMORE, WA 98028 (206) 367-1803

30-DAY MONEY-BACK GUARANTEE

Try our DEVELOPER'S KIT for 30 days, and if you do not find it to be equal to, or better than, any compiler you have, or are using, then you may return it for a full refund. Also, if you return the compiler within 30 days, you may keep the C tutorial, a \$39 value, for trying our DEVELOPER'S KIT.


Introductory Prices

DATALIGHT C without source \$60 (compact & small memory model support)

DEVELOPER'S KIT with source \$99 (five memory models supported)

Not Copy Protected

ORDER TOLL-FREE TODAY!



VA

*SPECIAL OFFER!

ORDER the DEVELOPER'S KIT by December 31, 1986 and receive FREE...



"Combines print and software technology to create the most integrated new type of training system I have ever seen."

ADAM GREEN, INFO WORLD January 27, 1986

"C:A Programming Workshop" is a complete C language learning package with an integrated compiler and screen editor. Learn the C language with tutorials, quizzes, and program exercises.

Add \$5 for shipping in US/\$15 outside US COD (add \$2.50)

*Limited offer available exclusively to readers who purchase directly from DATALIGHT.

Magazine Reviewers Shocked by DATALIGHT'S PERFORMANCE...

"Reviewing this compiler was quite a surprise for us. For such a low price, we were expecting a "lightweight" compiler. What we got was a package that is as good as or better than most of the "heavyweights." DATALIGHT C implements a complete C language. It also compiles quickly, doesn't take up much disk space, and looks impressive in the benchmarks."

DR. DOBB'S, August 1986

"This is a sharp compiler! . . . what is impressive is that DATALIGHT not only stole the compile time show completely, but had the fastest Fibonacci executable time and had excellent object file sizes to boot!"

Chris Skelly, COMPUTER LANGUAGE February 1986

DEVELOPER'S KIT (VERSION 2.12)

- ♦ Full UNIX System 5 C language plus ANSI extensions.
- Fast/tight code via powerful optimizations including common sub-expression elimination.
- DLC one step compile/link program.
- Multiple memory model support.
- UNIX compatible library with PC functions.
- Compatible with DOS linker and assembler.
- Third-party library support.
- Automatic generation of .COM files.
- Supports DOS pathnames, wild cards, and Input/ Output redirection.
- Compatible with Lattice C version 2.x.
- Interrupt handling in C.
- Debugger support.
- ROMable code support/start-up source.

MAKE Maintenance Utility

- · Macro definition support.
- MS-DOS internal commands.
- Inference rule support.
- TOUCH date manager.

Tools in Source Code

- cat—UNIX style "type"
- diff—Text file differences
- fgrep—Fast text searchpr—Page printer
- pwd-Print working directory
- wc-Word count



LETTERS



July Forth

Dear DDJ,

Thank you for the Forth issue, with some interesting and thought-provoking essays. I was even more gratified by the promise of more to come. I am sure you realize the vacuum we of the Forth community are discovering ourselves in. The language is far from dead, but meaningful forums appear to be on the endangered list.

Thank you for Mike Ham's column. Mike is one of the truly erudite spokesmen for Forth. It is a pleasure to see he has a platform as respected as *DDJ* from which to share his views.

I might add I have enjoyed comments from both Mike and Ray Duncan on the DDJ Forum on Compuserve. I look forward to seeing their insight on future pages of DDJ.

Again, thank you. Gary Smith P.O. Drawer 7680 Little Rock, AR 72217

Dear DDJ,

The first sentence of George W. Shaw II's "Extended Control Structures" (July 1986), "The control structures in the Forth 83 Standard leave something to be desired," is an opinion that I stated three years ago in my paper referenced by Shaw. Since then I have realized that it was not the control structures that left something to be

desired but my knowledge of how to use them to write clear and understandable programs. The standard control structures are just fine, and new structures are unnecessary.

Shaw is making the same mistake that I made three years ago. Because Forth does not have all the control structures that other structured languages have, I thought something was missing. But Forth does not need other control structure words.

Shaw's examples of extended logical structures are all instances of unsimple logic. He acknowledges that they are useful only 10 percent of the time. In Forth, when the logic becomes the least bit complicated, it is time to factor the complication out and give

it a name telling what it does (but not how it does it). This is also a good idea in other languages. If this is done to Shaw's examples involving *BEGIN* and *IF*, his *LEAVES* can simply become *EXIT THEN*.

In traditional Forth systems, the same factoring cannot be done with examples involving DO. The selfstyled Forth 83 Standard says that EXIT "may not be used within a DO loop." Rather than introduce new, novel, little-used, and hard-to-teach logic structures, let's stick to the structures that are already provided but remove the above-mentioned clause and allow EXIT to be used anywhere in a definition. This is easy to implement-either check compiler security or increment

a counter for each *DO*, decrement it for each *LOOP* or +LOOP, and make *EXIT* smart enough to know how many loops to undo. It will also remove a restriction in the language and make Forth easier to learn and use. The awkwardness that Shaw ascribes to handling his tithe of logic disappears by removing narrow restrictions imposed on existing words, not on defining new words.

Without giving any justification, Shaw asserts that the new Forth 83 DO loop is better than the Forth 79 DO loop. There are many who disagree. I do agree that the immediate LEAVE is better-it makes it convenient to observe the restrictions of structured programming. I also agree that LEAVE should work with BEGIN as well as with DO. But Shaw's argument that LEAVE is always followed by THEN and so should have a variation that implies THEN also applies to EXIT, QUIT, and ABORT. Rather than select one, some, or all of them for special consideration, leave well enough alone. The invariable THEN aids the reader to see the overall logical structure in a definition.


The natural meaning of *LEAVES*, found in some Forths, is that *2 LEAVES* escapes two loops, *3 LEAVES* escapes three loops, and so on.

Shaw's scheme for extending *IF* is intended to be general, but it does not allow nesting.

Wil Baden 339 Princeton Dr. Costa Mesa, CA 92626

Software Taxation

Dear *DDJ*,
I read with interest the edi-



DIGITAL DISSOLVE EFFECTS ON

Bit mapped screens

Feel the power of VAX/VMS° for a lot less...

PCVMS.



If you've written applications software on a VAX computer system, you already know about the power and flexibility of DEC's VMS operating system. Now, PCVMS puts the features of VAX/VMS on the IBM PC.

Designed specifically for applications programmers, PCVMS is a true multitasking, multiuser operating system that supports the most popular programming languages with resources you won't find in any other system for the same price. As powerful as it is easy to use, PCVMS offers a rich set of commands with easy-toremember names like ALLOCATE, ASSIGN, COPY and DELETE. Like VAX/VMS it has a HELP command, which provides on-line documentation about commands, services and other topics. It also has built-in command prompting, so if you don't give all the information required for a command, the system will prompt you for the information you left out.

In addition to its powerful command set, PCVMS has over 80 system services, including enhanced system services that can be called from high level languages like BASIC, Fortran, Pascal, and C. as well as from assembly language. Using these enhanced services, you can create multiuser database, spreadsheet, and word processing programs that take full advantage of VAX/VMS system services. At the same time, PCVMS gives you multilevel protection that prevents services called by one process from inadvertently affecting or destroying other processes.

What it finally comes down to is this: if a VAX computer is out of your reach, now you can reach out and grab the power of a VAX for your PC with PCVMS.

PCVMS. From Wendin. Only \$99.

BOX 266

Ask about our other products for the IBM PC and true compatibles.

PCNXTM

True multitasking, multiuser operating system similiar to AT&T's popular UNIX® operating system.

OPERATING SYSTEM TOOLBOX**

Complete software construction set that lets you build your own multitasking, multiuser operating systems.

XTC®

The ultimate programmer's editor. Multitasking macro language plus multiple linkable windows and buffers.

All products priced at \$99 with source code included.

DEALER INQUIRIES WELCOME

Foreign orders inquire about shipping.
Domestic orders add \$5.00/1st item, \$1.00 each
additional item for shipping, handling, and
insurance. We accept Visa/MC, American
Express, COD, and Bank Drafts drawn on
U.S. Banks.

Washington residents add 7.8% sales tax.

ORDER HOTLINE

(509) 235-8088 (MON.-FRI., 8-5 PACIFIC TIME)

VISA



Circle no. 112 on reader service card



MS is a trademark of Microsoft, PC-DOS is a trademark of IBM. UNIX is a trademark of AT&T. VAX/VMS is a registered trademark of Digital Equipment Corporation.

Wendin and XTC are registered trademarks of Wendin, Inc. PCNX, PCVMS, Operating System Toolbox, and Personal Operating System are trademarks of Wendin, Inc.

(continued from page 10)

torial and the lead letter in the July 1986 DDJ. The former complains that software is not enough of a "thing" that its sale should be subject to sales tax. The latter observes that software is enough of a thing that we can talk of the rights of ownership in it.

A software author's primary concern should be that the state recognize and protect his relationship to the thing he has created. To the extent that a state protects this relationship, the author has a "property" interest. If the author transfers all or part of that right to another person, he has transferred a thing, albeit an intangible one. Once the state recognizes the existence of a thing and defines the rights that a person has in that thing, assorted laws can come into play. The state may invoke its criminal laws to protect the owner from wrongful deprivation of the right to use and enjoy the software. The owner may invoke conversion, trespass, or a host of other civil actions to recover exclusive use and enjoyment or to force the wrongdoer to pay for his deed. The alternative is to hold that property rights do not attach to software. If the state will not protect any person's relationship to a given piece of software, it may be freely "transferred" in voluntary and in-(unilateral) voluntary transactions.

Once we determine that property has been transferred in a commercial transaction, the decision to apply or not to apply a state sales tax becomes a policy decision. Perhaps there are reasons that the states should not tax commercial transactions in software. I

find the blatant assertion that it is "grossly unfair" to be unconvincing. It is not immediately evident that a sales tax on software is more or less invidious that the same tax on file cabinets or electricity.

My own crusade is to persuade legislatures and courts that laws should be written and interpreted to break away from the eighteenth-century notion that the law protects only tangible things. For that reason I applaud laws and regulations that treat software as a thing in which individuals can have property rights. Those of us who create and use software stand to gain much more than we lose.

Simon B. Buckner 1605-D Jefferson Heights Jefferson City, MO 65101

The Last Square Root Letter?

Dear DDJ,

The July 1986 Letters column contained a letter by Dorothy Wolfe that concerns my "Square Roots on the NS32000" article published in The Right to Assemble, March 1986. Wolfe has a criticism to which I would like to respond.

Wolfe points out that, according to my definition of the (integer) square root as the smallest of two nearly equal factors, "the square root of 17 (or of any prime number) would be 1." The following should apply to any prime number; I will use the example of 17.

The problem seems to involve the meaning of the word *integer*. In the context of integer arithmetic, the term *integer* implies a number that may have a nonzero decimal component, but the decimal component is not represented—that is, 17 divided by 4 equals 4. In the context of prime numbers, the term

integer implies a number that has a zero decimal component that is represented. In this context Wolfe's comment is valid. The only integer factors of 17 are 1 and 17—that is, 17 divided by 4 equals 4.25.

However, there are many factors of 17—1 and 17, 2 and 8.5, 3 and 5.666..., 4 and 4.25, 5 and 3.4, 6 and 2.833..., for example. The two "most nearly equal factors" above are 4 and 4.25, of which 4 is the smallest and is therefore the integer square root of 17. The "exact" square root of 17 is 4.12310...—this is, of course, another factor.

Richard A. Campbell 198 Washington Hwy. Snyder, NY 14226

Update

Dear DDJ,

Let me compliment you on your commitment to providing in-depth coverage of MS-DOS C compilers. I eagerly awaited this year's August offering and read it with great interest and in great detail.

I discovered that "Benchmarking C Compilers" by Richard Relph et al. unfortunately provided uneven coverage of the important issues and omitted information about many of the advanced features of Mark Williams Co.'s C compiler products.

A few of the product features omitted from the discussion of MWC's C Programming System were:

- 1. Full support for recent extensions to C, including *void*, *enum*, and structure rule extensions.
- 2. A powerful make utility and a Unix-style *cc* command that provides one-step compiling and linking and accepts wildcards.
- 3. An automated install procedure that provides

unparalleled ease of installation.

- 4: An environment variable that provides full search path capabilities.
- 5. An assembler, linker, and archiver, all included at no extra charge.
- 6. A set of advanced, Unixstyle file utilities, including diff, egrep, cmp, sort, tail, pr, and many others.

Mark Williams Co. provides cross compilers, C compilers, and operating systems to many of the largest computer manufacturers for 8086, 68000, Z8000, Z80, VAX, and other types of hardware.

Barry D. Bowen Mark Williams Co. 1430 W. Wrightwood Chicago, IL 60614

We will publish updates about the C compilers we have reviewed as often as is necessary. The DDJ Electronic Edition on Compuserve will contain even more information about these products.—eds.

Correction

Dear DDJ,

Ray Duncan's July 1986 16-Bit Software Toolbox contains a statement that Computer Innovations' Version 1.31 C compiler is now in the public domain. This is incorrect. As I'm sure you realize, the ramifications of announcing free software to the public, when in truth it is not, only adds to the problem of preventing software piracy. It also is quite distracting for us because readers have been calling and asking for copies.

I appreciate your cooperation in this matter.

Keith Wimberley Computer Innovations Inc.

980 Shrewsbury Ave. Tinton Falls, NJ 07724 (201) 542-5920

DDJ

SAS Institute Inc. Announces

Lattice C Compilers for Your IBM Mainframe

Two years ago...

SAS Institute launched an effort to develop a subset of the SAS® Software System for the IBM Personal Computer. After careful study, we agreed that C was the programming language of choice. And that the Lattice® C compiler offered the quality, speed, and efficiency we needed.

One year ago...

Development had progressed so well that we expanded our efforts to include the entire SAS System on a PC, written in C. And to insure that the language, syntax, and commands would be identical across all operating systems, we decided that all future versions of the SAS System—regardless of hardware—would be derived from the same source code written in C. That meant that we needed a C compiler for IBM 370 mainframes. And it had to be good, since all our software products would depend on it.

So we approached Lattice, Inc. and asked if we could implement a version of the Lattice C compiler for IBM mainframes. With Lattice, Inc.'s agreement, development began and progressed rapidly.

Today...

Our efforts are complete—we have a firstrate IBM 370 C compiler. And we are pleased to offer this development tool to you. Now you can write in a single language that is source code compatible with your IBM mainframe and your IBM PC. We have faithfully implemented not only the language, but also the supporting library and environment.

Features of the Lattice C compiler for the 370 include:

- Generation of reentrant object code. Reentrancy allows many users to share the same code. Reentrancy is not an easy feature to achieve on the 370, especially if you use non-constant external variables, but we did it.
- Optimization of the generated code. We know the 370 instruction set and the various 370 operating environments. We have over 100 staff years of assembler language systems experience on our development team.
- Generated code executable in both 24-bit and 31-bit addressing modes. You can run compiled programs above the 16 megabyte line in MVS/XA.
- Generated code identical for OS and CMS operating systems. You can move modules between MVS and CMS without even recompiling.
- Complete libraries. We have implemented all the library routines described by Kernighan and Ritchie (the informal C standard), and all the library

routines supported by Lattice (except operating system dependent routines), plus extensions for dealing with 370 operating environments directly. Especially significant is our byte-addressable Unix®-style I/O access method.

Built-in functions. Many of the traditional string handling functions are available as built-in functions, generating in-line machine code rather than function calls. Your call to move a string can result in just one MVC instruction rather than a function call and a loop.

In addition to mainframe software development, you can also use our new cross-compiler to develop PC software on your IBM mainframe. With our cross-compiler, you can compile Lattice C programs on your mainframe and generate object code ready to download to your PC.

With the cross-compiler, we also offer PLINK86™ and PLIB86™ by Phoenix Software Associates Ltd. The Phoenix linkeditor and library management facility can bind several compiled programs on the mainframe and download immediately executable modules to your PC.

Tomorrow...

We believe that the C language offers the SAS System the path to true portability and maintainability. And we believe that other companies will make similar strategic decisions about C. Already, C is taught in most college computer science curriculums, and is replacing older languages in many. And almost every computer introduced to the market now has a C compiler.

C, the language of choice...

C supports structured programming with superior control features for conditionals, iteration, and case selection. C is good for data structures, with its elegant implementation of structures and pointers. C is conducive to portable coding. It is simple to adjust for the size differences of data elements on different machines.

Continuous support...

At SAS Institute, we support all our products. You license them annually; we support them continuously. You get updates at no additional charge. We have a continuing commitment to make our compiler better and better. We have the ultimate incentive—all our software products depend on it.

For more information...

Complete and mail the coupon today. Because we've got the development tool for your tomorrow.

SAS.

SAS Institute Inc. SAS Circle, Box 8000 Cary, NC 27511-8000 Telephone (919) 467-8000 x 7000

 □ the C compiler for MVS s □ the C compiler for CMS s □ the cross-compiler with P 	oftware developers LINK86 and PLIB86		
todayso I'll be re	ady for tomorro	w	
Please complete or attach you	ur business card.		
Name			
Title			
Company			
Address			
City	State	ZIP	
Telephone			۸.

Sets and Microsoft C, Version 4

Sets in C

I've been writing a book on compiler design of late. Unlike most such books, this one is going to include a lot of code. It will explain how various algorithms work by presenting real code to implement those algorithms. Not wanting to secrete all this useful stuff until the book is finally published, I'm going to publish an occasional excerpt from time to time, starting this month.

Many of the operations involved in compiler writing, such as creating state-machine tables from regular expressions, involve operations on sets, and C, unlike Pascal, doesn't have a built-in set capability. Fortunately, it's not too hard to implement sets in C by means of bit maps—as several people pointed out to me when bit-map routines were first published in this column (DDJ, June 1985). In fact, the Pascal implementations I've seen actually use bit maps to implement their sets. The bit-map routines that were printed last year aren't quite general-purpose enough for real set applications, so I've expanded them into the routines presented this month.


To use the set routines, you have to #include set.h (Listing One, page 58) at the head of your program. Most of the set functions are macros that evaluate to workhorse-function calls. The macros and subroutines are shown in Tables 1 and 2, page 20.

All the elements in the set must have numeric values, though in many instances any arbitrary number will do. Enumerated types are almost ide-

by Allen Holub

al for this purpose, though #defines can be used too. For example:

typedef enum { JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP,



OCT, NOV, DEC

MONTHS;

creates 12 potential elements of a set. You can now create two sets called *winter* and *spring* by using the set operations:

#include <set.h>

SET *winter, *spring;

winter = newset();
spring = newset();

add(JAN, winter); add(FEB, winter); add(MAR, winter); add(APR, spring); add(MAY, spring); add(JUN, spring);

Set operations can now be performed using the other macros in set.h. For example, <code>disjoint(winter,spring)</code> evaluates to true because the sets have no elements in common; <code>equivalent(winter,spring)</code> evaluates to false for the same reason. A third set that contains the union of <code>spring</code> and <code>winter</code> can be created with:

half_year = newset();
union(half_year, winter, spring);


Intersection(half_year, winter, spring); creates a null set because there are no common elements. The test() and main() routines in set.c (lines 261–332 of Listing Two, page 62) contain additional examples.

Complemented sets present a particular problem. You'll notice that the

eventual size of the set doesn't have to be known when the set is created. The set size is just expanded as elements are added to it. This can cause problems when you complement a set because the complemented set should contain all possible elements except those that are in the equivalent, uncomplemented set. For example, if you're working with a "language" that's composed of the set of symbols {A, B, C, D, E, F, G} and you create a second set {A,C,E,G} from elements of the language, the complement of this second set should be {B,D,F}. That is, the complement should be all the symbols in the language except those that are in the original, uncomplemented, set.

All sets are represented as bit maps, and these maps are of finite size. Moreover, the actual size of the map grows as elements are added to the set. You can complement a set by inverting the sense of all the bits in the bit map, but now you can't expand the set's size dynamically any more (at least not without a lot of work). To guarantee that a complemented set contains all the potential elements, you have to first expand the set size by adding an element that's one larger than any possible legitimate element and then complement the expanded set. A second problem has to do with extra elements. The bit-map size will usually be a little larger than the number of potential elements in the set. If you just complement bits, you will effectively add members to the set. On the plus side, set operations (union, intersection, and so on) are much easier if you physically complement the bits in a map.

An alternate method of complementing the set is to have negative-true sets and positive-true sets. Here you can just mark a set as negative or positive by setting a bit in a header. You don't have to modify the bit map at all. When you test for member-



UNIFY DBMS/DOS. The UNIX World Leader Brings A New Dimension To DOS Application Development.

What happens as the DOS world expands? As a new generation of hardware takes over? As networking becomes more important? The potential is enormous. But until now, the tools to achieve it have been limited.

Now a leader from another world unleashes that potential: UNIFY® DBMS. The leading relational DBMS in the UNIX™ world. And now, the most advanced set of application development tools in the DOS world.

With UNIFY DBMS, DOS developers have new power to build more sophisticated applications than ever before possible.

The power to write high performance "C" programs that will access the data base, using Unify's Direct Host Language Interface.

The power of an industry standard

query language-SQL.

The power of unmatched speed in production applications. Only UNIFY DBMS is specifically engineered for transaction throughput. With unique performance features like PathFinder™ Architecture multiple access methods, for the fastest possible data base access.

See us at /Fall '86

November 10-14, 1986

Las Vegas Convention Center

Las Vegas, Nevada

The power of comprehensive program development and screen management tools. Plus a state-of-the-art fourth generation

report-writer.

What's more, with UNIFY DBMS, the potential of networked applications becomes a reality. Unlike DBMS systems which were originally single-user (and which have a long stretch to accommodate more users), UNIFY DBMS is a *proven* multi-user system.

And because UNIFY DBMS/DOS is the best of two worlds, it offers you the most powerful benefit of all: DBMS applications that can grow as your needs grow. From single user DOS. To networked DOS. To multi-user UNIX. All without changing your applications.

Call the Unify Information Hotline for our free booklet: The New DOS World. (503) 635-7777

UNIFY CORPORATION

4000 Kruse Way Place Lake Oswego, OR 97034

Tech Personal Computer's

Tech PC Twin Multiuser Starting From \$1699

Tech PC/XT base unit with 640K, and two 360K disk drives. Two high resolution monitors, two selectric style Hi-Tek

keyboards, 50 feet of shielded cable to separate the two stations.

System supports up to six printers.

Full software support with multi-level file, security, electronic message facility to send and receive messages between users, password logon system, and system operator command level. System supports all popular software such as Wordstar, dBaseIII, Lotus 123, Multimate, etc.

Tech PC Triad Multiuser Starting From \$2599

Tech PC/XT base unit with 640K, and two 360K disk drives.

Separate Intel 80188 microprocessor running at 8 MHz and 512K for each terminal.

Three high resolution monitors, three Selectric style Hi-Tek keyboards, 50 feet of shielded cable to separate the three stations.

System expandable to 32 workstations.

System supports up to six printers.

Full support for multitasking multiterminal use with print spooling for multiple printers, background monitoring of the system, dial up bulletin board support, passwork protection, and file/record locking supporting PC Network protocol.

System supports all popular software such as Wordstar, dBaseIII, Lotus 123, Multimate, etc.

THIRD PARTY MAINTENANCE AVAILABLE THROUGH MOMENTUM SERVICE CORPORATION



Multiuser Systems...

Tech PC Quad Multiuser Starting From \$4499

Tech Turbo PC/AT base unit in portable or desktop configuration with 512K, multiple serial ports, three Tech PC terminals, connecting cables, and networking software.

Four users expandable to nine users over dumb terminals or PC's with terminal emulation software.

Capacity for up to 16 printers at remote sites with up to 6 local printers attached to the main unit.

Each user can access 512K of RAM with memory expansion boards.

Full support for multitasking multiterminal use with print spooling for central or terminal printing, background monitoring of the system, dial up bulletin board support, password protection, and File/Record locking using PC etwork protocol.

System supports all popular software such as Wordstar, dBaseIII, Lotus 123, Multimate, etc.

Tech PC Turbo Quad Multiuser Starting From \$5999

Tech PC/XT base unit in portable or desktop configuration with 640K, multiple serial ports, three Tech PC terminals, connecting cables, and networking software.

Separate NEC V20 8088 Intel compatible 8 MHz CPU and up to 1 MB RAM for each terminal on the system.

Two fully functional serial ports per terminal.

Four users expandable to 32 users over dumb terminals or PC's with terminal emulation software. Capacity for unlimited number of local printers.

Full support for multitasking multiterminal use with print spooling for multiple printers, background monitoring of the system, dial up bulletin board support, password protection, and File/Record locking supporting PC Network protocol.

System supports all popular software such as Wordstar, dBaseIII, Lotus 123, Multimate, etc.



TECH PC 714/385-1711

1911 Betmor Lane, Anaheim, California 92805 Telex 272006 Answer Back - TECH FAX: 714-5568325

Users only circle no. 279 on reader services card. Dealers only circle no. 245 on reader service card.

C CHEST

(continued from page 14)

ship, if a set is marked negative-true, you can just reverse the sense of the test (evaluate to true if the requested bit is not set). Though this takes care of all the size problems, operations on negative-true sets are much harder to perform.

Because the two representations are both useful but in different applications, I decided to implement both methods. The invert(d,s1) macro performs a one's-complement on all bits

currently in the set's bit map. Note that if new elements are added, the new bits won't be complemented. You should always expand a set out to the maximum number of elements (by adding and then removing the largest element) before inverting it. The complement(d) macro implements the second method discussed earlier. It doesn't modify the bit map at all; rather it sets a bit in a header to mark a set as negative-true.

Because there are two different classes of sets (those that are complemented and those that are inverted).

there are also two different macros for testing membership. *Ismember(x,s)* evaluates to 1 only if the bit corresponding to the requested element is actually set to 1. *Ismember(x,s)* can't be used reliably on complemented sets. The test(x,s) macro can be used with complemented sets. If a set is complemented, the sense of the individual bits is reversed as part of the testing process. If the set isn't complemented, test(x,s) works just like test(x,s) does (though it's a little larger and takes a little longer to evaluate).

Note that the various set operations (union, intersection, and so on) are valid only on inverted sets. The $set_op()$ routine ignores the complement bit in the SET header, treating all operands as if they were positive-true sets. Use invert() if you're going to perform subsequent operations on the inverted set.

Implementation

Sets are represented as *SET* structures, defined on lines 9–17 of Listing One as:

The set itself is represented as a bit map, pointed to by the map field of the structure. Initially map points at the defmap array. If more elements are added to the set than can fit into defmap, a larger bit map is allocated automatically and map is made to point at the larger bit map. This way you don't have to worry in advance about the maximum size of a set. The bit-map size is automatically increased as the set grows larger. The bit map is not made smaller if elements are removed, however. Nbytes and nbits keep track of the number of bits and bytes in the map. Nbits is always nbytes * 8. The compl field is used to mark a set as negativetrue (it's 1 for negative-true sets, 0 for positive-true sets).

The add, remove, ismember, and test macros all access the bit map di-



It minds the phone while you do your work

No more interruptions! Because now SideTalk can transfer your files or receive your mail while you're using your computer for other important matters. And SideTalk is programmable with its own BASIC-like language. What's more, you're never more than a keystroke away from all of the power of SideTalk.

When we say SideTalk is the best telecommunications program on the market, we're not just talking out of the side of our mouth.



ACTOR WILL DO WINDOWS.

If you've been wondering how you're going to explore Microsoft® Windows and then work it into your programs, what you need has just arrived.

ACTOR™

ACTOR is a new programming system, and there are two reasons why it's so good with Windows.

First, ACTOR is an ideal programming environment. It shows you all your work through



ACTOR™ is a new, interactive programming system, the first with Microsoft® Windows. You have Windows when you write a program, and users have Windows when they run it.

Thanks to a new method of "in-


memory like other advanced languages.

cremental garbage collection," ACTOR


never has to slow down to clean up

trol. It's that fast.

You can even use it for real-time con-



Moreover, ACTOR is a new, objectoriented programming language. Winding objects up and turning them loose is a lot easier, more productive, and more fun than old fashioned programming.



ACTOR offers all the features of an ideal artificial intelligence language, but in a familiar, Pascal-style syntax. Which makes artificial intelligence programming easier. And what could be smarter than that?

Windows. Any part of the program you're writing, its output as it runs, error diagnostics and tracing, catalogs of routines, and, in fact, just about anything you like-they can all be visible on the screen and accessible at the same time, in their own windows.

So it's easier to see what vou're doing.

Second, ACTOR is an object-oriented programming language. Everything in an ACTOR program is a self-contained package with its own data and procedures. That is, an object. And the objects pass messages to each other while the program runs.

With ACTOR, you don't write lists of instructions. Instead, you define what classes of objects do. Which is especially easy because they inherit most of their behavior from other classes. That means there's less

for you to worry about.

And when you create an object, you just choose its name and starting values. After that it pretty much takes care of itself.

What's important here is

that windows are objects like everything else in the language. You make as many as you need, and they do what they're supposed to, mostly on their own.

So it's natural and easy to put windows in your application programs. And users will benefit from Windows when your programs run, as much as you do when you write them.

To order, just send in the coupon. Or call 312-491-2370 for more information. You'll see that ACTOR will do Windows, and more.

Please send me more information about ACTOR.	☐ I'd like to place an order while I'm at it. (ACTOR in protected and has a 60-day money back guarantee.)	
Name	pricing is available. ACTÓR requires an IBM PC/2 equivalent. 640K and hard disk is recommended.)	
AddressStateZip	☐ copies of ACTOR with Windows runtime sup at \$495 each.	port \$
Daytime phone	☐ copies of ACTOR, including Windows complete with MS-DOS Executive, at \$550 each.	\$
\Box Check or money order enclosed. \Box Bill my VISA. \Box Bill my MasterCard.	■ Please add \$5 for shipping within the U.S., \$30 overseas.	\$
Card numberExp. date	■ Total.	\$



The Whitewater Group[®]

Technology Innovation Center 906 University Place, Evanston, IL 60201

C CHEST

(continued from page 18)

rectly. They are all passed a bit number and a pointer to a SET. Most of the work is done in the GBIT macro (on line 46), which is passed a set pointer. bit number, and an operator. The ((s)->map)/(x) >> 3 part of the macro selects the proper byte of the bit map. The right shift is a divide-byeight. Note that the right shift would have caused problems if I hadn't defined the bit map as unsigned char. There would have been sign extension if the high bit happened to be set. The second part of the macro, 1 << ((x) & 0x07), creates a mask that corresponds to the requested bit by shifting the number 1 x % 8 bits to the left by (the MOD is done with a bitwise AND operation here). Note that it's the

number 1 that's being shifted, not the contents of the bit map. The actual operation is then performed by applying a specific operator to the mask. If the operator is l = 1, a bit is set in the map. If the operator is &, a bit is tested for true. If the two operators &= and ~ are passed, then a bit is cleared.

The three macros that use GBIT test to see if a bit is legal (if the bit number is too large, 0 is returned). If the number is in range, they invoke the GBIT macro, passing it the correct operator. Add is an exception. If the requested bit number is too large, it evaluates to a call to the subroutine addset(), which increases the size of the set and then invokes the GBIT macro to set the proper bit in the newly expanded bit map (addset is on lines 84-94 of Listing Two). Note

that test just evaluates to an ismember invocation, inverting or not inverting the result depending on whether (s) -> compl is true. Also note that had I said:

(s) -> compl?! ismember(x,s) : ismember(x,s)

the macro would expand to almost twice as much code as it does in its current form.

The assignment operations all evaluate to set_op() calls, and the test operations all evaluate to set_cmp() calls. $Set_op()$ is on lines 181-229 of Listing Two. It goes through the bit map, one byte at a time, performing various bitwise operations as needed. A bitwise AND does an intersection operation, OR does a union, and so on. Note that symmetric difference is an exclusive-OR (x is an element of set1 and is not an element of set2). Set_op() normalizes the set sizes before the operations are performed. That is, all three sets will be made as large as the largest of the three. This normalization can cause problems if you use the invert operation because invert just reverses the sense of all bits in the map. This means that elements are effectively added to the set if its size has been increased and these elements will all have a zero value.

The set_cmp() routine (Listing Two, lines 121-152) is a little trickier than set_op(). It also normalizes the set sizes and goes through the bit maps one byte at a time. If the while loop on line 140 terminates with disj still set to 0, then the sets are exactly equivalent (the test on line 142 will fail for all bytes in the map). The exclusive-OR operation on line 144 is being used as a bitwise not-equals operator. The test evaluates to 0 only if no two bits in the same position in both bytes are set.

The Microsoft C Compiler, Version 4.0

First the good news. I've finally received my copy of Microsoft C, Version 4.0, and am quite pleased with it. It's a significantly better product than is Version 3.0; in fact, all the problems I had with Version 3.0 have been addressed in 4.0. All the bugs that I know about (including ones that various readers mentioned to

void SET	delset (s) *s;	Deletes a set created with a previous newset() command.
SET	*newset()	Creates a new set and returns either a pointer to the set or <i>NULL</i> if there wasn't enough memory.
int SET	num_ele (s) *s;	Returns the number of elements in the set—0 if the set is empty.
int SET	set_cmp (s1, s2) *s1, *s2;	The workhorse function used by the <i>equivalent()</i> and <i>disjoint()</i> macros. Compares two sets; returns 0 if they're equivalent, 1 if they're disjoint, 2 if they intersect but aren't equivalent.
void int SET	set_op(op, d, s1, s2) op; *d, *s1, *s2;	Another workhorse function, used by the various other macros defined in Table 2. You should use these macros rather than calling this function directly.
int SET	subset (s1, s2); *s1, *s2;	Returns true if s1 is a subset of s2. Always returns true when s1 is empty.

Table 1: Set subroutines

assign(d,s1)	Copies s1 into d.
clear(d)	Clears all elements of d yielding the empty set.
complement(d)	Complements set d (see text).
difference(d,s1,s2)	$d = s1 \hat{s}2$ (symmetric difference).
disjoint(s1,s2)	Evaluates to 1 if s1 and s2 are disjoint (have no elements in common).
equivalent(s1,s2)	Returns 1, if the two sets are equivalent.
invert(d,s1)	Does a one's complement of all bits in bit map.
fill(d)	Sets all elements of d to 1.
intersection(d,s1,s2)	d = the intersection of $s1$ and $s2$.
union(d,s1,s2)	d = the union of $s1$ and $s2$.

invocations and so on as either argument.

add(x,s)Adds a member, x, to set s. remove(x,s) Removes element x from set s.

ismember(x,s) Evaluates to true if x is a member of set s.

Like ismember() but works on both complemented and non-

complemented sets (see text).

Table 2: Set macros

test(x,s)

First High-Speed DBMS written exclusively for C applications is also Transportable

"db_VISTA™ lets you easily build complex databases with many interconnected record types..." Dave Schmitt, President, Lattice, Inc.

igh-Speed data retrieval and access, are the result of db_VISTA's unique database model. db_VISTA is designed exclusively for C application programmers and developers. Now your applications can retain key benefits of C such as speed, transportability and efficiency.

Independent Benchmark proves High-Speed model 2.76 times faster

An independent software developer benchmarked db_VISTA against a leading competitor. Eleven key retrieval tests were executed with sequentially and randomly created key files.

*Result of 11 Key Retrieval Tests

db VISTA :671.24 seconds Leading Competitor :1,856.43 seconds

db_VISTA's high-speed database model lets you precisely define relationships to minimize redundant data and only those functions necessary for operation are incorporated into the run time program.

Transportable DBMS Applications with db VISTA

To give your applications maximum transportability every line of code for db_VISTA is written in C and complete source code is available. db_VISTA operates on most popular computers with over 10 operating systems supported. So whether you write applications for micros, minis, or mainframes...db_VISTA is for you.

How db_VISTA works...

db VISTA uses your C compiler to build the run-time program. The programmer's interface to db_VISTA is syntactically consistent with the C language.

To use db_VISTA design then compile the

schema with the database definition language processor (DDLP). Test your design with the Interactive Database Access program provided. Design your C application with appropriate calls to db_ VISTA. Compile and link your C program with the db_VISTA run-time library, and your application is ready to run.

Multi-user and LAN capability

Information often needs to be shared. db_VISTA has multi-user capability and supports simultaneous users in either multi-tasking or local area networking environments, allowing the same C appli-cations to run under UNIX and MS-DOS.

db QUERY™lets you ask more of your database

db QUERY is a linkable, SQL-based ad hoc query and report writing facility. It's



3055-112th Avenue N.E. Bellevue, WA 98004 USA (206) 828-4636 Telex: 9103330300

Royalty-Free Run-Time

Whether you're developing applications for a few customers, or for thousands, the price of db_VISTA is the same. If you are currently paying royalties for a competitor's database, consider switching to db_ VISTA and say goodbye to royalties.

FREE Technical Support For 60 days

Raima's technical support program includes 60 days of free telephone support, 60 days of free software updates, and complete documentation. Technical support personnel are available to answer questions about our software or yours. Extended technical support available.

Order Schedule

	db_VISTA	db_QUE
☐ Single-user	\$195	\$195
☐ Single-user with Source	\$495	\$495
☐ Multi-user	\$495	\$495
☐ Multi-user with Source	\$990	\$990

Not Copy Protected

30-Day Money-Back Guarantee

Try db VISTA for 30 days and if not fully satisfied, return it for a full refund.

Call Toll-Free Today!

Order Line Information Line 1-800-327-2462 1-206-828-4636





Read what others say about db_VISTA

"If you are looking for a sophisticated C programmer's database, db_VISTA is it. In either a single or multi-user environment, db_VISTA lets you easily build complex databases with many interconnected record types. The multi-user implementation handles data efficiently with a LAN, and Raima's customer support and documentation are excellent. Source code availability and a royalty-free run-time is a big plus."

Dave Schmitt, President

Lattice, Inc.

"Not 'yet another user-friendly database', it is a DBMS aimed at the technical C programmer instead of the non-technical end-user'

Hal Schoolcraft, Data Based Advisor March, 1985

"On the whole, I have found db_VISTA easy to use, very fast with a key find, and powerful enough for any DBMS use I can imagine on a microcomputer."

Michael Wilson, Computer Language September, 1985

db_VISTA Version 2.11

Database Record and File Sizes

- Maximum record length limited only by accessible RAM
- Maximum records per file is 16,777,215
- No limit on number of records or set
- Maximum file size limited only by available disk storage

 Maximum of 255 index and data files

Keys and Sets

- · Key length maximum 246 bytes
- No limit on maximum number of key fields per record—any or all fields may be keys with the option of making each key unique or duplicate
- No limit on maximum number of fields per record, sets per database, or sort fields per set
- · No limit on maximum number of member record types per set

- Operating System & Compiler Support Operating system's MS-DOS, PC-DOS, UNIX, XENIX, SCO XENIX, UNOS, ULTRIX, VMS
- compiler's Lattice, Microsoft, DeSmet, Aztec, Computer Innovations, Xenix and Unix

Features

- Multi-user support allows flexibility to run on a local area network
- File structure is based on the B-tree indexing method and the network database model
- Run-time size, variable—will run in as little as 64K, recommended RAM size is 256K
- Transaction processing assures multi-user database consistency
- File locking support provides read and write locks on shared databases SQL-based db_QUERY is linkable File transfer utilities included for ASCII, dBASE optional

Utilities

- Database definition language processor
 Interactive database access utility
- Database consistency check utility
- Database initialization utility Multi-user file locks clear utility
- Key file build utility
- Data field alignment check utility
- Database dictionary print utility
- Key file dump utility
- ASCII file import and export utility

*The benchmark procedure was adapted from "Benchmarking Database Systems: A Systematic Approach" by Bitton, DeWitt and Turbyfill, December 1983.

Order Toll-Free 1 (800) 327-2462

High-Speed Programming Tools Transportable by Design

(continued from page 20)

me) have been fixed. Spawn() now works as it's supposed to, ^Z doesn't cause problems with the input functions or fseek(), and the correct code is generated in mixed-model programs. Many of the inexplicable and hard-to-duplicate bugs in the shell have magically disappeared. I recompiled the shell and utilities with no difficulties. In fact, the shell became about 2K smaller and noticeably faster in places. Because I could dispense with the spawn() work-around, batch file execution sped up by about 25 percent.

The error recovery has improved

dramatically (it's now among the best I've seen), and the error messages are more informative. The *User's Guide* has been improved too. Some of the excess verbiage has been removed, and it now includes a very adequate explanation of how to use the *near* and *far* keywords.

Because the start-up module sources are now included, you can make ROMable code if you want. Microsoft says it will provide absolutely no support to aid you in this endeavor, however, so you're probably still best off using the Aztec C compiler if ROMability is an issue. The same goes if you're planning to port to another environment. None of the library source code is available from Micro-

soft.

The compiler comes with the usual utilities (lib, link, and so on), and a version of make is now included as well. The make is not a full implementation of the Unix make, but it's adequate (it supports generic dependencies [.c.obj] and the \$* and \$@ macros—the version that shipped with MASM didn't).

The most important addition to the package is the CodeView debugger. In the past, I've shied away from debuggers when I've written high-level-language programs. They're just too much work; adding a few *printf()* statements takes less time and is more informative than messing with debuggers. Even "symbolic" debuggers

Flotsam and Jetsam

Starting this month I'm adding a new feature to C Chest, a sort of Holub's helpful hints for C programmers. Every month (hopefully) there will be a short inset article that discusses some part of the language that's liable to be useful to both beginning and advanced C programmers. If you've a helpful (and short) hint of your own, send it in. This month I'm going to look at the problem of nested comments and at how to get rid of all those unsightly #ifdef DEBUGS that clutter up your code.

Comments don't nest in C. Consequently, a fragment such as:

```
/* code(); /* comment */ more();
```

won't perform as expected. The */
on the second line will terminate the
/* on the first line. The *more()*; subroutine will be compiled, and the */
on line 4 will generate a "missing
open comment" error message. This
problem is usually circumvented using the mechanism:

```
#ifdef NEVER
  code(); /* comment */
  more();
#endif
```

Here, provided that NEVER is not #defined anywhere, the code between the *ifdef and *endif won't be compiled. Just "never say NEVER" to quote Romeo Void. The same mechanism is used to disable debugging diagnostics, as in:

#ifdef DEBUG
printf("Debug diagnostic");
#endif

I always seem to delete a diagnostic message five minutes before I need to use it again. An #ifdef lets me get rid of it without actually deleting it.


A problem here is code readability. For portability reasons the # must be in the leftmost column and there can be no space between the # and the *ifdef*. Consequently, the #*ifdef*s mess up all your careful indenting. Moreover, three lines are now required for every debugging diagnostic. These problems can be solved by using the macro mechanism more intelligently. Consider the following:

#ifdef DEBUG #define D(x) x #else #define D(x) #endif

If DEBUG is **defined*, then the D() macro expands to its own argument. If DEBUG is not **defined*, then the D() macro expands to a null string, to nothing. That is, the entire D(arg) macro invocation, along with the ar-

gument, is ignored. The argument can be any legitimate C operation. For example, D(printf("hi");) expands to printf("hi"); when DEBUG is *defined. The whole statement, including the printf() call, is discarded when DEBUG isn't *defined. Because D() is a macro expansion, as compared to a definition, none of the pound-sign-must-be-in-the-left-column restrictions apply. The D can be at any indent level. An example of the D() macro is in this month's Listing Two on line 65.

There are three caveats. First, don't put a semicolon after the) in the macro invocation. A semicolon by itself is a legitimate statement in C (it doesn't do anything but it's legal). If there's a semicolon following the), it will still be around even if the macro expands to a null string, and it can cause problems with if/else statements binding incorrectly. Second, be careful of the comma operator. This is not much of a problem because the comma operator isn't used very often, but the C preprocessor can't distinguish between a comma operator and the comma that separates macro arguments. You'll probably get an error message if you use a comma operator inside a D() invocation. Finally, many compilers won't accept macro invocations that are longer than one line, so the entire macro should be on a single line.



eatch

It's becoming an epidemic . . . everyone is switching to C! First there

were a few hackers, then came the college students, next the major software houses, and now the rest of the programming world. Programmers everywhere are infected with the desire for SPEED, POWER, and PORTABILITY.

It's time to face the inevitable. You're going to catch the fever too! When you do, give us a call. We've got the best cure — an illustrated guide to the C language, plus a complete program development system. Everything you need to master the C programming language . . . all at a price that's less than the cost of a book!

But don't let this price fool you. Our system is powerful; it compiles twice as fast as the others, is completely standard, and it's very easy to use. Most C compilers are designed for wizards. We have designed ours for you!

that supports all data types and the latest features like bit fields, enumerations, structure assignment, and passing/returning structures.

that loads separately compiled files, searches libraries, and builds an executable program.

standard C functions and the computer specific functions that provide direct access to the operating system and BIOS).

your programs for minimal space or

maximum speed.

Operators are standing by . . . Please use this Number for ORDERS ONLY!

IN TEXAS, PLEASE CALL TOLL FREE 1-800-622-4070 For Technical Support Please call 1-214-783-6001

MIX Software, Inc. / 2116 E. Arapaho / Suite 363 / Richardson, Texas 75081

Or contact our Worldwide Distributors direct in:

Canada: Saraguay Software 1-416-923-1500 Switzerland: DMB Communication CH-1-825-53-29 Australia: Techflow France: Info/Tech

Split Screen Text Editor

Incredible Value

Money-Back Guarantee

Our high powered editor is great for editing high level languages. It works just like Micropro's Wordstar, but macros allow you to create your own custom editor, and the split-screen feature lets you edit two files at the same time.

ONLY



The MSDOS/PCDOS version is loaded with special features:

- Execute any DOS command or RUN other programs from the editor.
- Quickly edit files as large as 300,000 characters
- Compile MIX C programs directly from memory. The editor automatically positions the cursor to the first error in your program.



Call assembly language routines from your C programs. The ASM utility works with Microsoft's MASM or M80 assem-bler. Macros make it easy! Works just as if you were calling a C function, and you can even call C functions from assembly lan-guage. Lots of useful assembly language functions are included as examples.

C COM Buy both for an even greater value. Limited Time Only

List Price!			Lund	
Description	Quantity	PRICE	Total Order	
Split-Screen Text Editor		\$29.95	\$	
C Compiler .		\$39.95	\$	
C and Text Editor (Special)		\$54.95	\$	
ASM Utility		\$10.00	\$	
Texas Residents Add	d 6.125%		•	

Shipping Charges (See at Right) TOTAL OF YOUR ORDER: \$

Please check method of payment: ☐ Check☐ Money Order☐ MasterCard/VISA

Your Card #: ___

EPLY ORDER FORM!

Shipping Charges: (No charge for ASM Utility)

In the U.S.A.: Add \$5.00 per Order. In CANADA: Add \$10.00 per Order. OVERSEAS: Add \$10.00 per Text Editor. Add \$20.00 per C Compiler. Add \$30.00 for combined C Compiler and Text Editor.

Operating System: (Check one) ☐ CP/M Z80 ☐ MSDOS/PCDOS

Specify Your Computer Name ____

Specify Disk Format ____

NAME

Telephone A/C (_____) ____

State_ _ZIP_ Country.

2116 East Arapaho Suite 363 software Richardson, Texas, 75081

Ask about our Volume Discounts! Call 1-214-783-6001

The Peak of Performance



OF PRODUCTIVITY

Sure, you've proven that in your hands a computer is a productive tool. But if you haven't teamed up with a SemiDisk you have heights yet to climb!

IT'S NO MERE RAMDISK

SemiDisk has been leading the way for Disk Emulators since their inception. If you've seen RAMdisks you know what it's like to load programs in an

SEMIDISK

SemiDisk Systems, Inc. P.O. Box GG, Beaverton, Oregon 97075 503-626-3104

instant, and read or write files without delay. Unlike alternatives, the SemiDisk offers up to 8 megabytes of instant-access storage while leaving your computer's main memory free for what it does best - computing!

KEEP A GRIP ON DATA

Go ahead, turn off your computer. Take a vacation. With the battery backup option, your valuable data will be there in the morning even if you aren't. You'll sleep better knowing not even a 5 hour blackout will sabotage vour files.

NEW LOWER SEMIDISK PRICES THAT WON'T **SNOW YOU UNDER**

	512K	2Mbyte
IBM PC, XT, AT	\$495	\$995
Epson QX-10	\$595	\$995
S-100, SemiDisk II	\$799	\$1295
S-100, SemiDisk I	\$595	*
TRS-80 II, 12, 16	\$695	\$1295
Battery		
Backup Unit	\$130	\$130

Software drivers available for CP/M 80, MS-DOS, ZDOS, TurboDOS, and VALDOCS 2.

(continued from page 22)

aren't that useful because they don't give you access to local variables.

CodeView is a whole other ball game. It's wonderful. First of all, it's a true source-code debugger. The source code is right there in front of you on the screen. You can set breakpoints in the source code, page around in the code with either a mouse or the cursor keys, even go look at other files if you like. If control passes to a subroutine in another file. the second file is read automatically so the correct source is still displayed. You can do things such as position the cursor at a line in the source code and then execute up to that line with the push of a button. If you want to see the assembly language, push F3 and it's right there in front of you (with the source code interspersed as comments, no less). Push F2, and a registers window appears (which remains active while the code is running so you can actually see the registers change). The line being executed is highlighted in reverse video so the control flow is visible in front of your very eyes. In slow execution mode, vou can actually watch a for statement loop and you can watch control skip over an else clause.

Among the nicest features of Code-View are the "watch" functions. A watch window can be opened in which contents of variables (even local variables) are displayed. You can watch the values change as the program executes. You can set a "watch point," a breakpoint that stops execution when an expression evaluates to false (the expression uses the normal C operators and can include any of the local or global variables). You can also set a "tracepoint," a breakpoint that stops execution when a specific memory location or range of memory locations is modified (unfortunately there's a 128-byte limit on ranges so you can't say "break if any of my code space is modified"; you can't have everything). You can even do all simultaneously-variables changing, registers flipping, control flowing all at once—it's like a Christmas tree.

There's also a variable-evaluation feature that's quite nice, again letting you use C syntax. For example, if s is a

structure that contains a pointer (p) to another structure that contains an array (c), you can ask CodeView to show you (s.p) - > c[3] and it does it. You can say p to see the contents of a pointer, and you can say p to see the object pointed to. You can also use printf-like format specifiers. For example, a number can be displayed in hex by putting p, p after the name. The contents of a string pointer can be displayed as a number, or you can actually see the string p (by putting p) p after the name). You can also modify variables easily using the p0 operators:

a++ and a=10 work as expected.

The subroutine-calling stack is available in symbolic form. You can see the entire subroutine calling sequence, with both the calling subroutine's names and the values of all the subroutine's arguments as part of the display. It even works with recursive subroutines.

This is a great debugger.

Now for the bad news. The compiler's price has gone up to \$450, an amount at which the anarchist programmer in me rebels. You do get a lot for your money, but that's still a



MACH 2 includes: Window Manager (also draws boxes) • Extra Memory Manager—store/sort/search data using all available DOS memory • Controlled input routine ignores Ctrl-C and Ctrl-Break • Display data 4-10 times faster than BASIC-instantly when compiled • BLOAD/BSAVE in compiled BASIC • Read/write files at DOS speeds • Scroll windows any direction • Print using for numbers up to 6 times faster than BASIC • Change file attributes — hide, unhide, read-only, etc • Get & change default drive/current directory • DOS/BIOS function calls and interrupts • Many more functions, sample programs and a manual explaining the use of each routine.

No assembler program or knowledge of assembler programming is required. MACH 2 can be used by beginners.

Still not convinced? Send us a check for \$5 and you will receive a demo disk. That \$5 will be deducted from the purchase price of MACH 2.

MACH 2 is only \$75.00 and is not copy protected. Include our subroutines in your programs with no royalties. Requires DOS 2.00 +, GW-BASIC or IBM BASIC. Video routines require IBM or compatible. Others run under any MS-DOS 2.00 +. Compatible with Quick BASIC 1 & 2, BASCOM 1 & 2, MS compilers.

SHIPPING AND HANDLING. \$3 USA, \$5 1st class (Canada) \$18.00 elsewhere. We welcome MC/Visa/COD (add \$3 COD). To order call 1-800-922-3383. In Georgia, or for tech support, call 404-973-9272.

MicroHelp, Inc. • 2220 Carlyle Drive • Marietta, Georgia 30062

C CHEST

(continued from page 25)

lot of money. More important, the cost of an update (\$150) is, I think, unreasonably high considering the number of bugs in Version 3.0. On the other hand, CodeView may well be worth the \$150 all by itself.

I found three bugs in the package: a serious one in CodeView and a couple of trivial ones in the compiler itself. When I first starting using the debugger, it had an annoying tendency to go off into outer space occasion-

ally. The mouse cursor disappeared, and the keyboard wouldn't respond to anything. I had to press Ctrl-Alt-Del to get out. I suspect, because this error stopped happening once I learned how to use the debugger, that it's incorrect handling of a command syntax error that's at fault.

Another problem seems to be with the mouse itself. I'm using a Microsoft mouse (the older version of the hardware but with the new driver). My friend Bill, who uses the Logitech mouse, reports that CodeView crashes when he tries to use his mouse. Though Microsoft assures me that, if a mouse driver is Microsoft compatible, it should work, the compiler package does come with a new version of the driver and this driver may have new or undocumented features. There's no documentation provided for the mouse driver. As the Logitech mouse works fine with Microsoft Windows, I can't help but think that it's CodeView that's at fault, not the driver. Though a mouse isn't required to use the debugger, this is one application in which the mouse is actually pretty nice. It's a real indication of CodeView's strengths that both Bill and I continue to like it in spite of these problems.

I found two bugs in the compiler itself, both trivial. The code:


#define isquote(c) ((c) = = ' " '
$$\mid \mid$$
 (c) = = '\'')

incorrectly generates the warning "warning 74: non standard extension used - 'macro formals in strings.'" This message is somewhat obtuse, and it's not explained at all in the error-messages appendix. Because the appendix stops with warning 72, I assume there's also a warning 73 that isn't explained either. I think the compiler is complaining about a macro such as:

#define printnum(n,t) printf("%t", n);

In this example, the call *print-num*(10,x) should expand to *printf*("%x", 10). This situation doesn't apply to the actual code, however; the compiler is probably confused by the double quote. A work-around is:

The second bug has to do with the new, and nonstandard, *cdecl* keyword. A function that's declared *cdecl* will be compiled with C parameter-passing conventions even if the compiler command-line switch that forces Pascal or FORTRAN parameter-passing conventions is used. It should be a no-op if this command-line switch (*/Gc*) isn't specified. If *LINT_ARGS* is #defined at the head of your file, the following definition is included in signal.h:



C-terp will grow with you as you progress from novice through professional to guru. Unbelievable, but true, the easiest-to-use C interpreter will provide you with the most advanced programming features for upward growth. Our exclusive **object module support** enables you to add libraries (like HALO, PANEL, Windows for C, etc., or your own homebrew libraries) to C-terp as you add them to your computing repertoire. Use C-terp as a microscope on your libraries! Flip a bit and allow our software paging (NEW) to handle those big jobs! There are no fixed-size tables to overflow, and C-terp can be configured for different screens and screen adapters (NEW). With multiple modules and full K&R support, we offer a dream C environment.

- Our new improved configurable editor competes with anything going.
- Speed -- Linking and semi-compilation are breathtakingly fast.
- Convenience -- Errors direct you back to the editor with the cursor set to the trouble spot.
- Symbolic Debugging -- Set breakpoints, single-step, and directly execute C expressions.
- Compatibility guaranteed batch file to link in your compiler's entire library. Supported compilers include: Computer Innovations C86, Lattice C, Microsoft C 3.0, Mark Williams C86, and Aztec C.
- Many more features including batch mode and 8087 support.

What Our Users/ Reviewers Are Saying

- "... easy to use, powerful, and a timesaver."
- "...we absolutely LOVE C-terp."
- "... has restored my faith in
- "...a programmer's dream."

interpreters

- "... wonderful technical assistance."
- "... increased our productivity by a factor of 40."
- "... the best C product ever, in any category."
- Price: \$300.00 (Demo \$45.00)
 MC, VISA

Prices include documentation and shipping within U.S. PA residents add 6% sales tax. Specify compiler.

- C-terp runs on the IBM PC (or any BIOS compatible machine) under DOS 2.x and up with a suggested minimum of 256 Kb of memory. It can use all the memory available.
- · C-terp is a trademark of Gimpel Software.

GIMPEL SOFTWARE

3207 Hogarth Lane • Collegeville, PA 19426 (215) 584-4261

int cdecl (*signal(int, int (*)()))();

If, later on in the same file, you include the line:

extern int (*signal(int, int (*)()))();

then the error "error 86: 'signal': redefinition" is generated. It seems as if the *cdecl* keyword is not really a noop if /*Gc* isn't given. As I often explicitly declare all external subroutines at the head of a file, this is forcing me either to use a nonstandard keyword or always to compile with the /*Za* command-line switch. This second alternative also disables the *near* and *far* keywords, however. I'd prefer the *cdecl* keyword to actually be ignored if /*Gc* isn't used on the command line.

The situation is made worse by an omission in the *User's Guide* index. There's only one entry for *cdecl*, pointing at page 193. *Cdecl* is mentioned on this page, but there's no description there of what it does. A reference to page 204, where the keyword is actually explained, should be added to the index.

In summary, I like the compiler and I really like CodeView. If Microsoft would only publish a regular newsletter telling us about known bugs in the compiler as they're discovered, provide better support (for start-up module modifications for example), and provide the library sources if you need them

Erratum: A Bug in Sort

There's a bug in the sort program printed in this column in June 1986. The program isn't closing input files when it's finished with them, so the number of simultaneously open merge files is unnecessarily limited. To fix the problem, insert an fclose(fp); statement just above the if statement on line 385 of Listing One (sort.c). You'll have to put curly braces around the body of the *while* because it now has two statements in it.

A reader, David Schuler, also caught an error in the sort article. The example on page 22:

1 20 10 won't sort as explained because of the leading white space. The example should be written:

Availability

The code from this month's column is available on CompuServe, and an IBM PC-compatible disk is available for \$25 from Software Engineering Consultants, P.O. Box 5679, Berkeley, CA 94705. The newly compiled version of the shell (2.01) is available from *DDJ* (see advertisement, page 108). This version also corrects the *ESC* environment and shell-variable modifier bugs found in Version 2.00. Updates from earlier versions are available from *DDJ* for a \$6 media charge.

DDJ

(Listings begin on page 58.)

Vote for your favorite feature/article. Circle Reader Service **No. 1**.

WIZARO C

"the Best Compiler today"

"Wizard's is the best compiler today. What it does have is library source for a very large library, good documentation, excellent support, and lint.

"Our choice if we could make our own? We would take Wizard . . ."

Dr. Dobb's Journal August, 1986

"... the compiler's performance makes it very useful serious software development."

PC Tech Journal January, 1986

"...written by someone who has been in the business a while. This especially shows in the documentation."

Computer Language February, 1985

You've tried the Rest now try the Best

(617) 641-2379

Only \$450









11 Willow Court, Arlington, MA 02174

Circle no. 116 on reader service card.

Some developers have Apple in their hip pocket.

And so can you.

Simply by joining APDA—the Apple Program-

mer's and Developer's Association.

APDA is the one-stop source for the Apple programmer or developer. Members will enjoy timely and easy access to the most current tools of the trade.

Like Apple®II and Macintosh™development tools, system software, utilities and documentation from Apple Computer. Language products from leading software manufacturers. A wide selection of technical books, including Addison-Wesley's entire Apple Technical Library. Even technical notes and

Apple manuals.

You can have a whole world of Apple data at your fingertips.

And, as our membership grows, you can expect more services to meet your expanded needs.

APDA was created to serve the entire Apple programming community, and is open to anyone who needs advanced tools and information in order to create Apple-compatible products:

Educators and students. Hackers and hobbyists. Consultants and VARs. And professional hardware and software developers of every stripe.



Apple Programmer's & Developer's Association

290 SW 43rd Street • Renton, WA • 206-251-6548

Signature Bill Budge

APDA was founded by A.P.P.L.E. CO-OP, one of the first and largest Apple users' groups. We've got the full cooperation of Apple Computer, Inc.

For just \$20 per year, we can give you all of the above. Plus a data-packed quarterly catalog/ newsletter, update bulletins and access to our on-line ordering system.

If you join APDA before 1987, you'll receive your choice of a free Apple II or Macintosh technical book worth more than the price of admission.

So call now. 206-251-6548.

Or write: Apple Programmer's and Developer's Association, 290 SW 43rd St., Renton, WA 98055.

We can't guarantee you'll write the same great code as *some* of our members.

But it won't be because of lack of information.



Apple Programmer's & Developer's Association

Apple and the Apple logo are registered trademarks of Apple Computer, Inc. Macintosh is a trademark of McIntosh Laboratories and is being used with its express permission.

Circle no. 231 on reader service card.

New Issues in PC Graphics

by Ed McNierney

isplay boards incorporating third-generation graphics controllers have provided software developers with a highly sophisticated set of capabili-

The new graphics chips are true microprocessors that run in parallel with the host CPU.

ties. Along with those capabilities comes a level of complexity previously unknown in the PC graphics industry; in order to use these new hardware tools effectively, programmers need to become familiar with the new issues they raise and with the new techniques associated with those issues.

The chief features of these new controllers, which include the Intel 82786 and the Texas Instruments 34010, include hardware graphics primitives, which give them the ability to draw circles, lines, and bit-mapped text at high speed. The controllers also have true microprocessor architectures that allow the development and execution of complex graphic algorithms in parallel with the host CPU's execution; the ability to address large amounts of memory (up to 512 megabytes) in support of multiple pages of screen memory and large amounts of off-screen graphics storage memory; and hardware windowing capabilities that, for the first time, completely separate the physical layout of graphics memory from the data displayed on the screen.

Two Examples


Although they are both graphics coprocessors, the Intel 82786 and the TI 34010 are not head-to-head competitors in the graphics market. The 82786 is able to address 4 megabytes of memory and display that memory in hardware windows at a resolution of up to 640×480 pixels.

Ed McNierney, Number Nine Computer Corp., 725 Concord Ave., Cambridge, MA 02138 Internally, the 82786 is structured as three distinct processors: a graphics processor that performs drawing, a display processor that extracts bitmap data from memory and gener-

ates a display from it, and an interface unit that mediates requests for access to display memory. The graphics processor is capable of executing a simple command list stored in graphics memory. Although the command set supports subroutine call and jump instructions, there are no conditional branch opcodes. The command list, therefore, cannot be executed intelligently and must be constructed and managed by an external intelligent processor—usually the host CPU. These features combine to make the Intel 82786 an excellent choice for general-purpose, high-resolution graphics systems, such as might be used in business graphics, graphic user interfaces, and desktop publishing systems.

The architects of the TI 34010 have taken a slightly different approach. The 82786 is capable of only simple (but very fast) drawing and complex display manipulation, whereas the 34010 is the reverse. It provides no hardware windowing, and it is only capable of generating a display that shows different portions of graphics memory by splitting the screen into horizontal strips. It does not have as high a clock speed as does the 82786, but it is capable of executing extremely complex graphic algorithms. Its strength lies in drawing rather than in display generation.

Algorithms for drawing complex figures can be coded and executed directly by the 34010, which operates as a 32-bit processor capable of addressing 512 megabytes of memory. It is therefore suited to high-resolution, drawing-intensive applications such as computer-aided design, drafting, and high-end publishing and page composition.



Optimized for Graphics

The execution of graphics primitives by either of these graphics processors provides two direct benefits: Unlike the host CPU, the graphics processor is designed to draw efficiently and quickly, and the presence of a coprocessor frees up the host to perform other tasks while the drawing is being performed. Current host CPU instruction sets are optimized toward the manipulation of numeric and string objects, not graphics; they allow instructions that update pointers to move through linear blocks of memory (such as strings or buffers) rather than through rectangular areas suitable for graphic applications. CPUs are being forced into a service they were never designed to perform, whereas graphic processors address memory properly and also contain silicon implementations of drawing algorithms. Both features greatly reduce the amount of code required to execute a figure. Listing One, page 66, for example, contains three versions of a routine that draws a 10×10 rectangle—one on a CGA in an 8086 system, one in an 82786 system, and the last in a 34010 system. Note that in the second two cases, the host processor is not executing the algorithm but is instead free to prepare for the next graphic output sequence. A system incorporating a graphics processor can have its software tuned to achieve real-time performance increases of 50 to 100 times compared to a host CPU/display buffer system.

For cases in which the graphics primitives are insufficient for the task at hand, the TI 34010 provides a true microprocessor instruction set, with arithmetic instructions, conditional test and branch instructions, and software and hardware interrupt control. Not only does this provide the developer with a general-purpose coprocessor but it also permits the 34010 to be used as the only processor in the system. Intelligent terminals or printers can be driven by only one CPU, reducing hardware cost and simplifying software development. Although the TI processor is slower in terms of clock speed and in the types of memory accesses it can perform than the Intel 82786, its programmability can allow a greater synergy

between it and the host CPU, resulting in greater application throughput. A graphic processor is not a panacea that will cure a sluggish graphic implementation, however, because the task of creating a system in which both processors are used optimally is an extraordinarily difficult one. The complexity of such coprocessor systems is suggested in Figure 1, page 32, in which sample 34010 and sample 82786 system memory layouts are compared.

Both the TI and Intel processors are capable of addressing large amounts of graphics memory. Although more memory is required simply to support high-resolution and high-color displays, these processors require access to additional objects in their memory—graphic software (both in ROM and in RAM), memory-mapped register sets, control areas, and graphics source data all reside in the processor's address space. One of the more difficult issues facing developers is the management of all this memory because neither the Intel nor the TI processors supports explicit memory management other than reserving certain portions of their address spaces for some specific uses.

Graphics memory also has to accommodate many new types of objects whose presence springs directly from the fact that they support off-screen graphics data. No application developers really want to store fonts, icons, cursors, and temporarily hidden portions of the display in system memory; they have, however, been forced to do so because there has been no other place to put them. All the housekeeping efforts that currently have to be exerted in the host address space in order to keep track of these objects must now be transferred to the graphics processor. The host is equipped with the operating system's normal memory allocation, deallocation, and management functions, all of which need to be duplicated and executed by the graphics coprocessor to manage its own memory. Although display memory grows in complexity, it is at least performing a task for which it is intended, freeing system memory for the execution of host CPU code and the storage of host CPU data.

The management of graphics memory becomes espe-

NEW GRAPHICS ISSUES (continued from page 31)

cially complex in the case of the 82786 because it has full hardware windowing support. As graphics-based user interfaces become more common, the 82786 will prove a great benefit to application developers and to the underlying windowing systems that support them. An 82786based system is entirely freed from any association between physical memory addresses and screen displaysany graphics data residing anywhere in its address space can be displayed at any point on the screen by creating a window, positioning it on the screen, and defining the bit-map address from which that window should take its data. This system provides greater flexibility for the application as well as increased performance in windowing environments. On an IBM Enhanced Graphics Adapter, for example, moving a 400×300-pixel rectangle in 16-color mode to another position on the screen requires moving 60,000 bytes of data—and then moving up to 60,000 bytes more to fill the hole uncovered by the moved rectangle. In an 82786 environment, however, the same operation requires updating only about a dozen bytes, performing the same task up to 10,000 times faster!

The fundamental benefit derived from a hardwarebased windowing system is that the covering of one window by another does not destroy any display information but simply hides it. Moving the covering window then reveals that graphic data again, without the application having to store a temporary copy of it and replace it—panning, smooth scrolling, and the repositioning of windows all become much faster and much more practical to implement in graphical user interfaces. Not only do these windows save graphics memory by obviating the need for maintaining duplicate copies of display data but they also save memory by allowing data in different windows to be displayed at different pixel depths.


In a high-color paint package using an 8-bit-per-pixel display, there is no need for a pop-up window containing a list of picture file names to be displayed in anything but black and white. By creating a new 1-bit-per-pixel window in which to display the text, the application reduces both the memory required for the display and the time required to print the text in the window by a factor of 8. This greater flexibility means that display memory resources can be used more prudently and in a manner more appropriate to the particular display application at hand.

New Expertise Is Needed


4 megabytes (maximum)

display

All these wonderful advantages are not without their price. As with any new hardware or software technology, a whole new area of expertise has to be developed. The examples set by the Apple Macintosh and the IBM



Up to 512 megabytes of RAM and ROM, with registers and interupt vectors occupying fixed addresses. Display buffer must be contiguous. Graphic code in ROM is typical.



registers 82786 Memory Map

memory-mapped

Contains up to 4 megabytes of RAM that can be used freely in any manner needed. Little if any ROM is present.

Figure 1: Comparison of sample 34010 and 82786 system memory layouts

128 bytes

Are you getting the most out of

Do you believe
Turbo Pascal
is a serious
programming
language and not
just a toy? Would you like to
improve your skills and
master the power and ease of
Turbo Pascal
programming? Then M&T
has a publication for you:
Turbo Tech Report.

This bimonthly newsletter/disk publication is written in the *Dr. Dobb's Journal* tradition, delivering high-quality technical reviews, indepth articles, tips and tricks,

depth articles, tips and tricks, and Turbo Pascal utilities, libraries, and source code on disk. Editor Namir Clement Shammas is dedicated to bringing you the best in Turbo programming, insight, commentary and gossip.

Each valuable issue will include:

• Reviews of Turbo Pascal-related products. You'll read about the latest Turbo Pascal third party software

Turbo

Introducing Turbo Tech Report, the newsletter for Turbo Pascal programmers. 6 disks with 6 newsletters

for \$99 a year!

developments, like Blaise Computing's new Turbo Power Tools.™

• In-depth articles on expanding your Turbo Pascal programming skills—on topics like 3D graphics, screen utilities, and memory resident programs.

• Applications developed by other Turbo users and public domain Turbo Pascal software programs on disk. If you're an expert Turbo

Pascal programmer or a novice interested in expanding your Turbo skills, you need *Turbo Tech Report*.
Subscribe today at the special introductory price of just \$99—that's 33% off the regular price of \$150.

To order by credit card, call toll free 1-800-528-6050 ext. 4001 and ask for item 300. Or mail the attached coupon with your payment to *Turbo Tech Report*, 501 Galveston Drive, Redwood City, CA 94063.

When You Need To Do Two Things At Once — **Bi-TURBO**... from ALLOY



Alloy's Bi-TURBO combines the features of today's best-selling boards and adds distinctive Alloy engineering experience to create the first accelerated dual-tasking card for personal computers. Bi-TURBO is the *complete* dual-tasking solution, with everything you need to be twice as productive.

- Adds power to PCs, XTs and even ATs
- Adds a full 640 KB of "second task" RAM, with its own 8 MHz processor
- Adds 256 KB of RAM-based disk cache to speed disk access for both tasks
- Easy-to-use dual tasking software
 switch *full screen* windows
 with a keystroke!
- Print spooler, with *multi-printer* capability



With One PC and Bi-TURBO, Do the Work of Two PCs

You're in the middle of a three-hour mail merge and you need to run a spreadsheet — NOW! Bi-TURBO to the rescue! Press one key on your keyboard and you're running the spreadsheet — while the mail merge task continues to run at full speed.

You get both jobs done, and Bi-TURBO's RAM-based disk caching actually SPEEDS UP the mail merge!

\$995! — Bi-TURBO Saves Money and Time.

Bi-TURBO gives you the features and benefits of multi-function cards

and windowing software — and much more performance — for less.

Bi-TURBO is the *complete* power upgrade for your XT or AT, with added 8 MHz processing power, added RAM, disk caching, print spooling, truly *easy-to-use* dual-tasking software and optional 8 MHz 8087 math co-processor.

Call your local distributor today . . . and Bi-TURBO.

Crystal Computers, Inc. Lenaxa, KS 66214 (913) 541-1711 Irving, TX 75063 (214) 929-1300

FA Components Elmhurst, NY 11373 (718) 507-1444 Ft. Wayne, IN 46808 (219) 432-8540 Greenville, SC 29607 (803) 288-2422

First Source Distributing Salt Lake City, UT 84119 (801) 973-0074

Micro Computer Distributors, Inc. Huntington Beach, CA 92649 (714) 895-5841

Micro Wholesalers, Inc. Hunt Valley, MD 21030 (301) 666-5300

PC Distributing, Inc. Northbrook, IL 60002 (312) 298-1400 PGI Corporation Tempe, AZ 85281 (602) 967-1421

Super Source Norcross, GA 30071 (404) 441-3451

San Marcos, CA 92069 (619) 744-8305 San Jose, CA 95131 (408) 436-8026

Vitronix Corporation Westboro, MA 01581 (617) 366-1144

W4 Micro Distributors Birmingham, AL 35209 (205) 945-8310

Western Micro Systems Scottsdale, AZ 85260 (602) 948-4240 Mountain View, CA 94043 (415) 964-2050 Northridge, CA 91324 (818) 700-9922 Redmond, WA 98052

(206) 881-6737

Windows is a Registered Trademark of Microsoft Corp.



Bi-TURBO Doesn't Share Time, It Makes Time

PC W/
Windows
Software

Windows does two jobs. Part of one, part of the other, and so on . . . with a decrease in power, increase in time and overhead.

PC w/
Bi-TURBO really does two jobs at once. On two processors at once. Global disk caching benefits both processors.

(Performance comparisons based upon IBM 4.77 MHz PC)

Alloy Computer Products, Inc., 100 Pennsylvania Avenue, Framingham, Massachusetts 01701. (617) 875-6100, TWX: 710-346-0394
Alloy Computer Products, Inc., 9 Executive Circle, Suite 240, Irvine, California 92714. (714) 261-7661
In Europe: Alloy Computer Products (Europe) Ltd., Cirencester, Gloucestershire, England. Tel. 0285-69571, Tlx: 43340
In Australia: Alloy Australia Pty. Ltd., Suite 3, 318-322 Stephensons Road, Mount Waverley, Victoria, Australia 3149. Tel. 011-613-277-1333

EGA are good parallels to the graphic coprocessor environment. Both of these technologies represented significant advances over what was previously available in the market, and they both ran into dificulties because of the long lead time required for software development to take place. The new graphic coprocessor systems are complex, and it will take a while before sufficient expertise is acquired to use them well or at all.

Although software development efforts are simplified at the microscopic level in that a developer is spared one more implementation of Bresenham's circle algorithm, the overall environment is more demanding and more detailed, and the development overhead required may prevent smaller software firms from undertaking any development until a significant market leader has become apparent. The ability to take an intelligent graphics board and use it to run existing applications faster will help break the hardware/software development deadlock in which software developers won't port to new boards until they sell and hardware developers can't sell boards until the software support is there. As a result of this complexity, the first coprocessor systems will probably do nothing more than execute current software packages more quickly. There will be a definite development lag before the coprocessors are used fully and effectively for new, innovative applications.

Hindering the ability of developers to work with these products is the current state of graphic software standards. In different respects they provide too much and too little. The graphic software world has too many "primitive" standards, and a developer often has to make a difficult choice between VDIs, CGIs, GKS, and PHIGS systems, not to mention new systems being proposed. A standard just isn't a standard when a developer has to support six of them to cover 50 percent of the market! On the short side, none of the present standards addresses the issue of windowing, although an ANSI committee is working on a windowing proposal. Unfortunately, it will almost certainly take a while for standards committees to propagate

new proposals for these new processors, and by that time several independent interfaces will exist and the standards will occupy the same role they do now.

Communication and Synchronization

On the more practical side, some implementation problems need to be addressed by any application that attempts to use a graphic processor well. Because each processor has its own instruction set and opcode syntax, commands need to be translated from the format in which the application program generates them to a format intelligible by the graphic processor. A well-thoughtout communication syntax is necessary in order to minimize the overhead required to send the desired command to the graphic processor, or the application may end up taking longer to perform the drawing than if the host CPU had executed the graphic algorithm itself. Going hand in hand with an efficient communications protocol is a careful synchronization of the tasks being performed by the host and graphic processors. Because a PC with an 82786 or 34010 is a true multiprocessor system, the architecture of the graphics board may require full status information to be provided to the host CPU. If a command is sent to the graphics processor to draw a circle, and then the host CPU wishes to read the value of a pixel along the circumference of that circle, the host needs to be able to tell whether the circle has been completed, lest the incorrect value be read.

An extreme approach to synchronization is to wait for any command or program sent to the graphic processor to complete before returning control to the host application. Although "lockstepping" will work and will execute faster than a host CPU without the processor, the capabilities of the processor are largely ignored in this case. Synchronization schemes can include mutually interruptible systems in which each processor signals the other when it is ready for new material, critical flags that tell one processor that the other is in a possibly unstable state, and polling mechanisms in which each processor registers a request to the other and then polls for a status flag to be set indicating that the request can be honored. Figure 2, below, illustrates these schemes.




Figure 2: Synchronization of dual processors through a mutual interrupt system

Black Boxes

Additional issues are brought up by the blurring of certain traditional boundaries in PC environments. There is less and less of a distinction between "graphic" and "system" memory; packages such as Microsoft Windows require that a display driver be able to perform drawing in precisely the same manner on a given block of graphic data, no matter where it resides in the system. Drawing may be performed in traditional system memory, in bank-selected expanded memory, or in on-board graphic memory.

The difficulty here comes from what in other cases is a benefit—the graphic algorithms embodied in the graphic processor are "black boxes," opaque to the user. If the graphic processor is not capable of performing drawing in system memory because of limitations of software or hardware design, then the application must provide an algorithm that duplicates the one contained in the black box in every respect. If the algorithm cannot be duplicated precisely, the graphic processor becomes useless in that system—unfortunately, the IBM PC's architecture prevents a graphics board residing in an expansion slot from modifying system memory in any way. This restriction has been lifted in the PC/AT, but it still presents an obstacle blocking access to a large installed base of machines. In addition, because the graphics board may contain far more memory than the host CPU system does, that memory may be made available for nongraphics use by other applications such as RAM disks, disk caches, and expanded memory drivers. Developers need to avoid painting themselves into corners by clinging to old assumptions that were valid on IBM Color Graphic Adapters but that are no longer appropriate.

Dealing with Text

Aiding the battle against rapidly multiplying display modes but clouding the implementation battle is the growing awareness and appreciation of the fact that text in any form is nothing more than a special type of graphic data. Text can be zoomed, scaled, colored, italicized, or displayed in many different fonts all on the screen at once, and that same text must be able to be read back from the screen. Character recognition on a monochrome screen is straightforward, but the extraction of ASCII data from a highly complex graphical bit map is a very challenging task.

The further hardware and software manufacturers can go in removing constraints on the use and appearance of text, the closer they will come to an ideal user interface. The application of multiple scaled fonts to WYSIWYG word processing is obvious, and the growing desktop publishing market will certainly benefit from these new processor technologies. Average users are becoming more sophisticated and more demanding about the text they see every time they turn on the PC. Highquality text must be provided without an excessive speed penalty on the part of users; no matter how pretty it looks, if it's not fast it won't be liked.

Both the TI and Intel processors provide sophisticated

text support, allowing for color bit-mapped text to be generated at speeds approaching those of hardware character generators. Fonts can be stored in graphic memory, freeing precious system memory from the task, and special attributes such as underlining and boldfacing can be synthesized on the fly, obviating the need for storing multiple copies of the same font. Fonts are not tiny objects, and extremely large amounts of memory may be required to store and format them. The effective use of font storage may be the most critical issue in the apparent performance of a graphics application because poorly managed font memory translates into slow text performance and text performance is the one area in which users are most sensitive and critical. Judgment and clever implementation here can certainly make the difference between a popular package and a failure.

Fortunately, as the silicon available becomes more complex, the tools available become more powerful. Already function libraries that perform three-dimensional graphics, floating-point arithmetic, text generation and scaling, and object filling and shading are being provided, both by chip manufacturers and by third parties. In addition, TI even offers a C compiler for the 34010, allowing the direct conversion of algorithms developed on earlier systems. These libraries and compilers are no longer the convenient graphics toolkits offered for existing graphic display boards but are essential steps to application development.

Virtual Displays

Because it provides hardware windowing directly, the 82786 can create a virtual-display environment that directly parallels the 80386's Virtual 86 execution mode—each Virtual 86 task can think it is running on an IBM Color Graphics Adapter, while each virtual CGA is being displayed in a distinct hardware window. This chip companionship not only allows existing applications to run unmodified on an 80386 but also allows them to execute unmodified in a windowing environment (see Figure 3, page 38).

Along with the essential ability to execute current applications, the 82786 introduces the concepts of visual hierarchy and privilege in direct parallel to the software execution controls provided by the 80386. A truly integrated multitasking system must be able to treat graphic and visual information with the same protection and control as it treats any other portion of its execution environment. Imagine an 82786 graphic application running in a multitasking environment. When the application starts up, it wants to display itself in the top window, centered on the screen and occupying three-quarters of the visible area of the screen. Although it is quite reasonable to expect that the application considers itself important enough to merit all that room, the operating system knows that there are several other applications active that may require attention. By making the window positioning and sizing commands privileged system calls, the operating system can act as an intermediary between what the application wants and what resources it considers appropriate to supply. The request can be examined, modified to fit the state of the system at the moment, and the application notified of the modifications required to fulfill the request. Alternatively, the application could be

The LimeLight Computer Projector. Project Anything You Can Create on Your Computer Screen . . .

Software Demonstrations — Training — Presentations



The LimeLight is compact, complete and will operate with virtually any personal computer or terminal.

- Projects 5-6-10 foot image
- Text and/or Graphics (40-80-132 columns)
- Simple to operate (average setup time 3 minutes)
- Lightweight (26 lbs.)
- Portable

For more information call 1-800-331-2834 (U.S.), 1-800-521-9905 (Calif.)





41752 CHRISTY STREET FREMONT, CA 94538

NEW GRAPHICS ISSUES (continued from page 36)

allowed to test the manner in which a specific request would be fulfilled and modify or cancel the request entirely depending upon the results.

The concept of visual hierarchy and privilege can be the beginning of another step forward in user-interface design. By providing the means to manipulate shared bitmapped displays in a multitasking system, a graphics processor frees application designers from one more level of hardware constraint—instead of designing to be cooperative with other applications sharing the same screen, designers can work with a true virtual system in which they appear to own not only all of memory (and then some) but also to own an entire dedicated display. This freedom, combined with the ability to produce higher-color and higher-resolution displays and the freedom gained by offloading the host CPU from graphics work, will allow remarkable growth in the sophistication and ease of use of software; the tools are finally becoming available to catch up with the dreams of software designers.

The Next Generation

Where will the first fruits of graphic processor technology appear? Right away systems will incorporate them into high-speed versions of current products. The chief problem with graphical operating environments (Windows, GEM, and the like) is that they incur vast overhead in maintaining the screen. Ports of these environments (and similar graphics-intensive applications, such as CAD packages) to faster, graphics-processor-based systems will become available almost immediately—some may even have been introduced by the time this article is printed. Graphics toolkits and libraries, especially the popular ones such as MetaWINDOW and HALO, will follow soon after. Some of the more foresighted of these libraries have been emulating the capabilities of graphic processors in software for quite a while; applications that have taken advantage of

those emulations will benefit most greatly. In parallel with the porting of graphic operating environments will come the development of enhancements to those environments, especially in the field of font and text development. The ability to generate text at high resolutions with acceptable speed will spur consumer demand for more powerful text systems and displays that begin to approach the flexibility and resolution available in their laser printers. Operating system and memory management products will, lag behind. When available, however, they will be the sources of the largest direct benefit to users.

Conclusion

Intel and TI have produced two very different but remarkable processors. The software industry will reap many benefits from them both, in part because each company has been very responsive to the concerns and needs of developers. The Number Nine Pepper Series of graphics boards includes products that use both the TI and Intel coprocessors. In addition to providing powerful hardware, the Pepper Series addresses the software issues raised here through the Number Nine Intelligent Operating System (NNIOS).

As the technology of visual displays is brought to a price and performance level that can make it available to the mass market, the opportunity for software of high perceived value increases. Public awareness of the quality and craftsmanship inherent in excellent software will certainly increase, and developers who make the necessary investments in time and effort to use these new graphic systems effectively will become a prominent part of that awareness.

DDJ

(Listing begins on page 65.)

Vote for your favorite feature/article. Circle Reader Service No. 2.




Figure 3: 82786 managing multitasking display

"How to protect your software by letting people copy it."

By Dick Erett, President of Software Security



Inventor and entrepreneur, Dick Erett, explains his company's view on the

protection of intellectual property.

crucial point that even sophisticated software development companies and the trade press seem to be missing or ignoring is this:

Software protection must be understood to be a distinctively different concept from that commonly referred to as copy protection.

Fundamentally, software protection involves devising a method that prevents unauthorized use of a program, without restricting a legitimate user from making any number of additional copies or preventing program operation via hard disk or LANs.

Logic dictates that magnetic media can no more protect itself from misuse than a padlock can lock itself.

Software protection must reside outside the actual storage media. The technique can then be made as tamper proof as deemed necessary. If one is clever enough, patent law can be brought to bear on the method.

Software protection is at a crossroads and the choices are clear. You can give product away to a segment

Hard Disk Installation: Simply copy program disk to hard disk using DOS Command - Copy A.*.* C:

Program Back-ups: You may make as many copies of the program diskette as you wish.

Data Back-ups: Use normal back-up and restore commands, including backing up sub-directories containing program files.

Illustration

Reproduct May be Networks: This product may be Networks. Follow the same installation ed on page 102 of this manual. The Block refere with the normal operation of any

Soon all software installation procedures will be as straightforward as this. The only difference will be whether you include the option to steal your product or not.

of the market, or take a stand against the theft of your intellectual property.

"...giving your software away is fine..."

We strongly believe that giving your software away is fine, if you make the decision to do so. However, if the public's sense of ethics is determining company policy, then you are no longer in control.

We have patented a device that protects your software while allowing unlimited archival copies and uninhibited use of hard disks and LANs. The name of this product is The BLOCKTM.

The BLOCK is the only patented method we know of to protect your investment. It answers all the complaints of reasonable people concerning software protection.

In reality, the only people who could object are those who would like the option of stealing your company's product.

"...eliminating the rationale for copy-busting..."

Since The BLOCK allows a user to make unlimited archival copies the rationale for copy-busting programs is eliminated.

The BLOCK is fully protected by federal patent law rather than the less effective copyright statutes. The law clearly prohibits the production of work-alike devices to replace The BLOCK.

The BLOCK attaches to any communications port of virtually any microcomputer. It comes with a unique customer product number programmed into the circuit.

The BLOCK is transparent to any device attached to the port. Once it is in place users are essentially unaware of its presence. The BLOCK may be daisy-chained to provide security for more than one software package.

Each software developer devises their own procedure for accessing The BLOCK to confirm a legitimate user. If it is not present, then the program can take appropriate action.

"... possibilities... limited only by your imagination..."

The elegance of The BLOCK lies in its simplicity. Once you understand the principle of The BLOCK, hundreds of possibilities will manifest themselves, limited only by your imagination.

Your efforts, investments and intellectual property belong to you, and you have an obligation to protect them. Let us help you safeguard what's rightfully yours. Call today for our brochure, or a demo unit."



870 High Ridge Road Stamford, Connecticut 06905 203 329 8870

The fastest C

Your search for execution speed is over. The new Microsoft®C Compiler Version 4.0 is here. With blazing performance. We've added common sub-expression elimination to our optimizer that produces code that rips through the benchmarks faster than ever before

"...the Microsoft performance in the benchmarks for program execution is the best of the lot overall." -William Hunt, PC Tech Journal, January, 1986.*

But speed isn't the only edge you get with Microsoft C. Other advantages include a variety of memory models like our new HUGE model that breaks the 64K limit on single data items. Plus our NEAR, FAR and HÜGE pointers, which provide you greater flexibility. All this allows you to fine tune your program to be as small and fast as possible.

"Excellent execution times, the fastest register sieve, and the best documentation in this review ... Microsoft Corporation has produced a tremendously useful compiler."-Christopher Skelly, Computer Language, February, 1986.

> No more debugging hassles. Introducing CodeView. Free.

Now, for a limited time, we'll give you an unprecedented programming tool when you buy Microsoft C, free. New Microsoft Code-View™offers the most powerful tool yet in



the war on C bugs. Forget the hex dumps. Now you can view and work with programs at any level you want. Use the program source, the disassembled object code, or

Microsoft C Compiler Version 4.00

Microsoft C Compiler

- Produces fast executables and optimized code including elimination of common sub-expressions.
- Implements register variables.

- Small, Medium and Large Memory model libraries.
 Compact and HUGE memory model libraries.
 NEW!
 Can mix models with NEAR, FAR and the new HUGE pointers.
 Transport source and object code between MS-DOS® and XENIX® operating systems.
- Library routines implement most of UNIX™ System V C library.
 Start-up source code to help create ROMable code.
- NEW! NEW!
- Full proposed ANSI C library support (except clock). · Large number of third party support libraries available.
- Choose from three math libraries and generate in-line 8087/80287 instructions or floating point calls:
 - floating point emulator (utilizes 8087/80287 if installed).
 - 8087/80287 coprocessor support.
 - alternate math package extra speed without an 8087/80287.
- · Link your C routines with Microsoft FORTRAN (version 3.3 or higher), Microsoft Pascal (version 3.3 or higher) or Microsoft Macro Assembler.
- Microsoft Windows support and MS-DOS 3.1 networking support.
 Supports MS-DOS pathnames and input/output redirection.

Microsoft Program Maintenance Utility. NEW!

- Rebuilds your applications after your source files have changed.
 Supports macro definitions and inference rules.

Other Utilities

- Library Manager.
- Object Code Linker.

 EXE File Compression Utility.

 EXE File Header Utility.

C Benchmarks

	Microsoft C 4.0	Lattice C 3.0	Computer Innovation C 2.3	Aztec C86 3.2	Wizard C 3.0
Sieve of					
Eratosthenes					
(register)	82.9	151.4	172.3	88.0	91.9
Copy Block	86.9	231.7	199.0	123.8	189.5

Run on an IBM PC XT with 512K memory

Microsoft CodeView Window-oriented source-level debugger. NEW!

- · Watch the values of your local and global variables and expressions as you debug.
- Set conditional breakpoints on variables, expressions or memory; trace and single step.
- Watch CPU registers and flags as you execute.
- · Effectively uses up to four windows
- Debug using your original source code, the resulting disassembly or both intermingled.
- Use drop-down menus to execute CodeView commands.
- · Access the on-line help to lead you through CodeView's options and settings.
- Easily debug graphics-oriented programs since program output is kept separate from debugger output.
- · Keyboard or optional mouse support
- Enter in familiar SYMDEB or DEBUG commands.

you've ever seen.

both at the same time. Open a window to view CPU registers and flags. Watch local and global variables as well. All while your

program is running.


CodeView gives you complete control. Trace execution a line at a time—using source or assembly code. Or set conditional breakpoints on variables, memory or expressions. CodeView supports the familiar SYMDEB command syntax, as you'd expect. Commands are also available through dropdown menus. Combine the new window-oriented interface with our on-line help and debugging has never been easier. Or quicker.

Take the \$5 CodeView tour.

You may find it hard to believe our debugger can do all we've claimed. So we're offering test drives. Five bucks will put you behind the wheel of a Microsoft C demo disk with CodeView.† See for yourself how fast debug-

ging can get.

For more information about the Code-View demo disk, the new Microsoft C Compiler, a list of third party library support or the name of your nearest Microsoft dealer, call (800) 426-9400. In Washington State and Alaska, (206) 882-8088. In Canada call (416) 673-7638.



Microsoft C Compiler

The High Performance Software

Microsoft, MS-DOS and XENIX are registered trademarks and CodeView is a trademark of Microsoft Corporation. UNIX is a trademark of AT&T Bell Laboratories. IBM is a registered trademark of International Business Machines Corporation. †Offer expires 12/31/86.

A Mandelbrot Program for the Macintosh

K. Dewdney's Computer Recreations column in Scientific American often provides inspiration for programmers looking for new projects. Dewdney frequently discusses interesting and offbeat algorithms and other programming matters. His column of August 1985 in particular seems to have touched off something like a feeding frenzy among hackers looking for new algorithmic adventures. In that column, Dewdney discussed the Mandelbrot set, a mathematical object named in honor of the French mathematician Benoit Mandelbrot, of fractal fame. Dewdney also provided several computer-generated images of the set, which he called "the most complex object in mathematics," that are strikingly beautiful. Interested readers might refer to Mandelbrot's classic volume, The Fractal Geometry of Nature (New York: W. H. Freeman & Co., 1982), for other fractal creations.

This article describes a 68000 program, written using Apple's MDS assembly-language development system, that produces screen images of the Mandelbrot set on a Macintosh. The final application is just over 4,000 bytes long. The source code, in two sections, is in Listings One and Two, pages 72 and 84. Listing One, at just over 700 lines, contains the main body of the program. Listing Two is the assembler source for a string-tofixed-point number conversion routine that is assembled separately and then linked with the REL file produced by Listing One.

The algorithm described by Dewdney is surprisingly simple. Of the

Howard Katz, 6989 Russell Ave., Burnaby, BC, Canada V5J 4R8 by Howard Katz

This program explores the most complex object in mathematics.

more than 1,200 lines of code in the program, fewer than 40 lines are dedicated to the actual calculations involved in the algorithm. The rest of the program is devoted to dealing with the well-known Macintosh user interface—windows, dialog boxes, and the like—and to handling the conversion and storage of the user-input parameters that dictate which area of the set to display and at what magnification.

The algorithm discussed by Dewdney involves the use of complex numbers. I'll provide a brief overview of the algorithm, but I refer interested readers to Dewdney's excellent discussion of the subject. Suffice it to say that the Mandelbrot set is the result of applying an extremely simple iterative function to each point of interest in the complex plane, where the starting value that seeds the function is the position of the number in the plane. The result of each iteration is a new complex number. If the size of the number-its distance from the (0, 0) origin of the plane—exceeds 2 at any point before the iteration runs a predetermined maximum number of times, then the point lies outside the set. If the iteration runs its full course and the size of the complex number remains less than or equal to 2, then the point lies within the Mandelbrot set. The actual iterative function involves nothing more than

starting with a value of 0, adding the complex value of the point, and squaring. Each successive result is then fed back into the iterative function. Note that the terms *within* and *without* are relative: A true rendition of the set would require an infinite number of iterations; happily, you can obtain pleasing results with as few as 30 or 40 iterations per point.

Objectives

I had two major objectives in mind when I wrote this program: The first was to produce attractive and interesting images; the second was to produce them as quickly as possible. Although the algorithm is quite simple, it is also extremely computation intensive. I wanted to explore as much of the set as possible but did not want to sit around for any great length of time before being able to see the results of a session.

One final objective was to build up a library of interesting Mandelbrot vistas using the screen-dump facility of the Macintosh. In addition to storing the actual graphics image, I also wanted to be able to save all the relevant parameters so that I could reproduce the session at my leisure.

In terms of an attractive screen display, the fact that the program runs on a Macintosh immediately places it at somewhat of a disadvantage in comparison to programs written for other machines. All the MandelZoom programs (so named by Dewdney) I have seen to date use color and produce strikingly beautiful screen images. The Macintosh, of course, is a black-and-white machine. What the Mac does have is an exceedingly crisp and clean display, at a reasonable 342 × 512-pixel resolution. It also has the ability to draw using a

variable-size pen and with a user-selected pen pattern. Patterns take the place of colors in this implementation: I think the results shown in the accompanying screen dumps are quite pleasing. The real beauty of the Mandelbrot images lies not simply in the graphic image of the Mandelbrot set itself-the strange, beetlelike object seen in Figure 1, page 45-but in allowing the regions adjacent to the boundary of the set to be set off in different colors, or patterns if you will, depending on the number of iterations reached before the size of the complex number calculated for each point exceeds 2. Half the fun of running this program comes from varying the count "breakpoints" that determine the size of each region.

Fixed-Point Numbers

The problem of getting the program to run as quickly as possible was an interesting one. Derivation of the Mandelbrot set requires the use of real numbers because the complex values used in the computations have fractional as well as integer components. Most implementations use floating-point numbers for this purpose. On the Mac, floating-point support is normally provided by a diskbased package known as SANE, for Standard Apple Numeric Environment (now provided in ROM on the Mac Plus). SANE, however, seemed a bit slow for my purposes.

I found documentation for three routines in ROM that supported another variety of real-number representation known as fixed point. In fixed-point arithmetic, the integer portion of a number is stored as a 16bit quantity in the high-order word of a 4-byte long word and the fractional portion is stored in the low-order word. A bit of informal benchmarking convinced me that fixedpoint calculations would run roughly an order of magnitude faster than would floating-point operations, at the cost of some precision; the trade-off seemed reasonable. I didn't discard the SANE package entirely—I used its conversion routines for converting the three user-input parameters from string to SANE floating-point format, and then I converted from the single-precision floatingpoint format back to fixed-point representation. See Listing Two for

the tedious details.

ROM Conventions

The program makes use of several of the 500-odd routines that are built into the Macintosh ROM. It's beyond the scope of this article to discuss all the details of how they are used-Caroline Rose et al.'s Inside Macintosh (Reading, Mass.: Addison-Wesley, 1985) documentation devotes more than 1,000 pages to that task-but a quick overview might be useful for readers unfamiliar with the Macintosh.

Most of these routines, or "traps," are dedicated to implementing the Mac user interface. Traps can be identified in the source code as identifiers preceded by an underscore, such as _GetNextEvent or _PenPat. The file MacTraps.D, which is included at the top of the main listing, is simply a long list of equates in which each trap name is equated to a unique, 2-byte hexadecimal value that starts with a hex \$A. This makes use of the 68000 "line 1010 trap" feature (a hexadecimal \$A is 1010 in binary), in which execution of any in-

Epsilon by Lugaru Software, Ltd.

The most advanced, customizable programmer's editor you can buy.

True Concurrency. Don't be fooled by misleading claims of concurrency from other vendors: this is true concurrency, not some simple "run the program and return" facility. Run compilers, linkers, etc., inside Epsilon and they run as you work. Epsilon's concurrency integrates buffer management and program I/O. The full power of Epsilon is always available to edit program input and output. You're free to edit other things while these programs run.

Ultimate Customizability. You may have seen some other vendors hinting that they have a C-like extension language. Don't be fooled. Ask them if their extension language has the syntax and types of C. Epsilon uses an embedded C interpreter for its extension language, complete with all the data types and operators of C. This is a real language, not an afterthought. All of Epsilon's commands were written in it, and it's fast!

No-Nonsense Help. Some editors offer a help screen or two listing the most basic commands—useless after the first week. Others spit out everything from a fixed file—which means they can't tell you about your changes to the keyboard, or commands you've added. We think an editor that claims to be reconfigurable should be smart enough to reflect your changes in its help system. Epsilon's extensive help system can tell you what commands apply to files, what a certain command does, which keys you can use to invoke it, what a certain key does. . . . Our help system remains helpful even if you make changes.

- Fast
- Concurrent Processes
- Multiple Windows Unlimited File Size
- On-line Tutorial
- Automatic Swap File Supports Large Displays
- Saves Deleted Text (n times)
- EMACS style command set
- Context Sensitive Help
- Regular Expression Search
- Unlimited Number of Files
- File/Command Name Completion
- Convenient Keyboard Macros
- Directory Perusal
- Uses All Available Memory

Our Guarantee to You. We know it's difficult to find software that works for you. That's why we made Epsilon the most customizable editor on the market. And that's why we offer a 30 day return privilege with a complete refund. We're confident that once you've tried Epsilon, you won't go back.

So call (412) 421-5911 to order Epsilon at no risk using your Visa, MasterCard, or American Express card. Company PO's and C.O.D. orders are also welcome. Epsilon runs on 256K IBM PC/XT/AT's, and costs only \$195.00.



Lugaru Software Ltd. 5740 Darlington Road Pittsburgh, PA 15217 (412) 421-5911

Circle no. 135 on reader service card.

MANDELBROT PROGRAM (continued from page 43)

struction whose first nibble is a hex \$A forces the processor to suspend its current operations and vector through an address in low memory to a trap dispatch table, where the following three nibbles of the instruction are decoded to determine which particular trap routine to execute. Simple, right?

Parameter passing for the ROM routines follows Pascal conventions, in

which the parameters are pushed onto the stack in the order documented in *Inside Macintosh*. If a parameter is longer than 4 bytes, a pointer to its address is passed instead of the actual data. And if the routine is a function (and therefore returns a value), space must be cleared on the stack for the function result before the parameters are pushed and the result popped from the stack once the routine returns. Most of the operating system routines found in ROM do not use the above stack-passing conven-


tion; a register-based parameter-passing convention is used instead. Finally, you should note that many of the operands referenced in the program have (A5) suffixed to their names. This indicates that the operand in question was defined using the DS (define storage) assembler directive at the end of the source listing. All variables so created are referenced in code as an offset off register A5.

Program Description

The program uses two dialog boxes and one window. Windows and dialogs are two examples of user-interface objects that are supported by several routines in the Macintosh ROM. Although windows and dialogs can be defined in code, it is generally much simpler, and provides better documentation, for programmers to define them using Apple's RMaker (or resource maker) program. The concept of resources is, as far as I know, unique to the Macintosh, and it would take a much longer article than this to do them justice. RMaker is generally run last in the development sequence, following linking. Listing Three, page 87, is the source file that is input to RMaker for the MandelZoom program.

The first Parameters dialog allows users to select the x and y coordinates of the region to be plotted; the size of the region; and the count breakpoints, which determine what patterns are associated with what count ranges. The x and y coordinates refer to the lower left-hand corner of the drawing window, which comes up once the dialog is dismissed by clicking the Plot button. The Side parameter refers to the y coordinate of the window; the length of the image along the x axis is scaled according to the ratio of the window's width to its length. You can cycle through the input fields using the Tab key.

The first (top) count on the right side of the dialog box is the maximum number of iterations that will be performed for each point. If the program is able to iterate this number of times, the point will be drawn in a solid black pattern. If the size of the complex number produced by the iteration exceeds 2 at any point, then a lighter pattern will be used. Suitable selection of these four breakpoint count values allows users to turn one



FEATURES:

- Optional strong type checking
- Overloading of function names and operators
- Optional guaranteed initialization of data structures
- ▶ Data abstraction
- Dynamic typing (virtual functions)
- Optional user-defined implicit type conversion

The only commercially available C++ customized to operate on PC's, micros, minis, and mainframes with popular C compilers, including:

LATTICE MICROSOFT DEC C GREEN HILLS WIZARD WHITESMITH'S

- Works with your present
 C Compiler
- Functions as a Preprocessor Translator handles regular C code with no changes
- Type-checking and other features are optional you can turn them off
- Already thousands of users at commercial sites
- Complete documentation: C++, A User's Guide by Bjarne Stroustrup of AT&T (Addison-Wesley, 1986)

We Specialize In: Cross/Native Compilers: C, Pascal, FORTRAN, Ada, LISP—Assemblers/Linkers—Symbolic Debuggers—Simulators—Interpreters—Profilers—QA Tools—Design Tools—Comm. Tools,—OS Kernels—Editors—VAX & PC Attached Processors and more We Support: 680xx, 80x86, 320xx, 68xx, 80xx; Clipper, and dozens more



60 Aberdeen Ave., Cambridge, MA 02138 (617) 491-4180

Designer C++ is a trademark of XEL. Inc. Add is a trademark of the U.S. Government (Add Joint Program Office)

or more of the patterns on or off or to vary the thickness of the various count "regions." Figure 1, right, for example, shows a count selection that disables all patterns except black and white for a crisp representation of the Mandelbrot set itself.

Finally, the dialog allows users to choose one of three pen sizes using the Radio buttons in the lower-left corner of the box. The default selection is for a 2×2 pen. In general, I use the 4×4 pen when exploring a new region for the first time. This provides a quick, though "chunky" plot. If the image looks suitably interesting, I continue my explorations using the finer 2×2 pen. The 1×1 pen is most suitable for producing high-quality images of the boundary of the Mandelbrot set, as in Figure 1.

Once the user clicks the OK button at the bottom of the dialog box, the Mandelbrot window appears and drawing begins. If at any time you aren't satisfied with the image being generated, you can either click on New Plot to return to the Parameters dialog or on Quit to exit from the program.

The central core of any Macintosh application is the event loop. In most Macintosh programs, the trap _Get-NextEvent is polled continually to determine if the user has pressed a key on the keyboard or clicked the mouse (among other possible user-initiated events). In this program, the event loop is executed at the end of each Mandelbrot scan line to determine if the user has clicked either of the above buttons.

I should note one final feature of the program. In the original version of the program, the pen pattern was set and each point plotted using QuickDraw's *Line* command as soon as the iteration for each point was completed. I found, however, that plotting ran about 20 percent quicker if I deferred the actual drawing until forced to by a change in the pen pattern. You can force the program to plot each point as it's calculated by holding down the mouse when the program first launches.

(Softstrips begin on page 71b.)
(Listings begin on page 72.)

Vote for your favorite feature/article. Circle Reader Service **No. 3**.




Figure 1: Full Mandelbrot at 1 × 1 resolution




Figure 2: Full Mandelbrot at 2 × 2 resolution




Figure 3: Flames under an alien sun

SOFTSTRIP® NOW OFFERS YOU SOMETHING NEVER BEFORE AVAILABLE...



CONVENTIONAL DATA HANDLING



THE SOFTSTRIP SYSTEM

A CHOICE.

Until now you were stuck with disks.

No more. Install our unique STRIPPER™ software on your personal computer today and discover the many benefits of the fastest, easiest, least expensive way to handle information.

STRIPPER lets you print – ON PAPER – your own machine readable Softstrip data strips using your dot matrix printer. The Softstrip System Reader reads that information into a computer rapidly. With STRIPPER and the reader, your PC and printer become part of the most versatile information handling system available.

With this system you can do anything you wish with any data you have in your PC - ON PAPER.

DATA ENTRY: Why use keystrokes when you can eliminate them with data strips? Whatever the document - invoices, packing slips, memos, letters, sales reports, the list is endless — simply print a data strip right on the same printed page. Now you have a document that is both human readable and machine readable. A typical document can be entered in only 15 seconds using data strips. And, it ends keystroke errors forever.

DATA DISTRIBUTION: Why copy disks? It's time consuming and expensive. Softstrip data strips will end all that. Simply photocopy as many data strips as you like and send them by mail. Data strips ignore folding, coffee stains, ink marks and, by the way,

magnetic fields. And if you're using telecommunications, you can stop making the phone company rich.

DATA STORAGE AND RETRIEVAL: Why have a file of disks and a file of paper? Eliminate one with Softstrip data strips. File the data strip with the document. Better still, print the strip right on the document. Then put it in a file or binder.

Retrieval is simple. To find existing data, pull the document and its related data strip from the file. They've been stored together. Then use the reader to enter the data. No more hassle trying to match documents with the right disk — if you can find it.

DATA TRANSFER: Why bother with cables, modems and phone lines to move files between computers? A Softstrip data strip generated by an IBM PC can be read into another PC, or compatible, an Apple or even a Macintosh. If you work at home on a Macintosh, make a data strip on your printer, take it into the office and read it into your IBM PC. Simple. And we've created the utilities to let you do that easily. (See Application Notes on opposite page.)

Fascinating, isn't it? Anything you can do with disks can be done with the Softstrip data strip system — faster, easier and at lower cost — ON PAPER.

All you need is STRIPPER software at \$19.95 and the Softstrip System Reader at \$199.95.



NOW! TRANSFER DATA – PROGRAM TO PROGRAM WITH SOFTSTRIP®.

Now you can move data between programs quickly and easily using SOFTSTRIP data strips.

Using the Softstrip System, you can move data between computers and such programs as WordStar and MacWrite, dBASE and AppleWorks, Lotus 1-2-3 and Excel and ReadySetGo and many others.

We've created a series of several dozen Application Notes on Softstrip data strips. These lead you through simple steps to make the file transfer as easy as possible, adding even more versatility to your personal computer when you purchase the SOFTSTRIP SYSTEM. The advanced system you've been hearing so much about.

All you need to move data between programs is STRIPPER[™] software at **\$19.95** and the Softstrip System Reader at **\$199.95**.

For a complete list of Application Notes, contact your dealer or call Cauzin.

NOVEMBER CASE HISTORY



LIBRARY HI TECH JOURNAL and LIBRARY HI TECH NEWS, the world's leading source of information on library automation and information technology, are printing Softstrip data strips to make it easier for their readers to stay abreast of the vast amount of material published monthly.

According to C. Edward Wall, Editor and Publisher, LIBRARY HITECH NEWS monitors more than 200 publications dealing with information

with application to library operations. The newsletter includes bibliographies of books, conference reports and articles published in hundreds of other periodicals.

The newsletter prints bibliographies in Softstrip data strip form. As Mr. Wall notes, this permits any library or information center to build a valuable on-line data base of useful information.

The data strips are ASCII based, and will operate with most of the information retrieval software developed for micro computers.

LIBRARY HI TECH JOURNAL and LIBRARY HI TECH NEWS are published by Pierian Press, Box 1808, Ann Arbor, MI 48106 (313) 434-5530

Users' Groups: Call for Special User Group Discounts.

ACT NOW! Don't delay. See your local Softstrip dealer or call us at 1-800-533-7323. In Connecticut: 203-573-0150.

CAUZIN

835 South Main Street Waterbury, CT 06706 (203) 573-0150 For Europe and Asia Contact:

Softstrip International, Ltd.

53 Bedford Square

London, WC1 B3DP England 01-631-3775 Telex: 263874SOFTST G

Circle no. 307 on reader service card.

Softstrip

This data strip contains IBM2MAC, a utility that runs on the IBM and converts an IBM file to Macintosh format.

A Digital Dissolve for Bit-Mapped Graphics Screens

s high-resolution, bit-mapped displays become more popular, computer screens are beginning to look like movie screens. Using fast bit-transfer subroutines, programs can pan, zoom, cut between images in the blink of an eye, and even animate in real time. All these effects use raw processor power to copy bit images as quickly as possible. But how about another standard film technique: dissolve shots? How can a program fade from one bit-mapped image to another? This article describes a way to do this very rapidly.

In the analog video world, fading from one image to another is easy: You just mix two images, bringing the new image's intensity up while decreasing the other's. In the more discrete software world, color or gray-scale displays can be dissolved by computing a weighted average of the old and new values for each pixel, then varying the weighting over time, much like with analog video.

Dissolving monochrome bitmapped images is a different problem. You can't sum x percent of one pixel's bit and (100-x)percent of another's. There's too little variation per pixel to make a smooth transition from one image's pixel to another's. Although some displays have more than one bit of information per element, they still can't be faded by weighted averaging. For instance, a

Mike Morton, c/o Lotus Development Corp., 161 First St., Cambridge, MA 02142

by Mike Morton

How can one bitmapped image fade to another?

24×80-character display has values that can't be averaged in the same way as color values or gray-scale levels can. (Can you imagine a screen that faded a 0 into a 9 by displaying all the digits in between in sequence?)

If monochrome bit maps (and some other displays) can't be averaged, how can they be dissolved? One solution is to copy pixels (or characters or whatever) to the screen in a more-orless random order. This is easier said than done: unlike most problems involving random numbers, this one requires a random generator that produces each desired value exactly once.

Instead of producing a random sequence of coordinate pairs in an array of pixels, you can simplify the problem to a one-dimensional task by numbering each pixel starting with zero. If you can produce the pixel numbers in a random order, you can use that to copy the corresponding pixels to a screen in a random order and create a dissolve effect.

An analogous problem is a program to deal a deck of cards. If suits are numbered 0 to 3 and cards from 0 to 12 then, much like the pixel-num-

bering idea, you want to produce 52 unique coordinate pairs from (0,0) to (3,12). If you can produce a random sequence of integers from 0 to 51, then for each sequence element E, you can compute

suit = E/13card = $E \mod 13$

A common method for scrambling a set, such as the numbers 0 to 51, is to put the elements in an array and scramble the array by picking two random elements repeatedly and swapping them. This method has limits, though: How can you shuffle a million cards? To dissolve a 1,024×1,024-pixel monochrome bit map, you need the 1,048,576 pixel numbers scrambled. The storage demands of the array method are too much for many situations.

A Software Sequence Generator

The software magic that avoids using giant arrays is based on a simple hardware circuit. Figure 1, page 49, shows an 8-bit shift register. At each cycle, selected bits are sent through an N-way exclusive-OR gate, the entire contents of the register are shifted left by one bit, and the result of the exclusive-OR feeds in as the new rightmost bit. If the correct bit positions are fed into the exclusive-OR, the register will cycle through all possible nonzero combinations. If you interpret the register contents as a number, the sequence produces each of the num-

bers from 1 to 255 in a fairly random sequence. (How random is it? Not very, actually. It fails many statistical tests for randomness. But the circuit has a software analog that is easy to code and runs so fast that the imperfection can be overlooked.) For any size of register, you can exclusive-OR certain bit positions to make the register cycle through all nonzero combinations. A given size of register may have several correct patterns of bit positions; Table 1, page 50, shows one pattern for each register size from 2 to 32. (Also see inset article "Those Magic Constants" on page 55.)

An N-bit register produces the numbers from 1 through 2^N-1 . My original goal was to produce the numbers from 0 through the size of the pixel array to be copied. I'll explain how to reconcile this difference as soon as I've turned this hardware sequence into software.

You could code a routine to mimic the circuit exactly, but there's a slightly different algorithm that is much faster. It uses a "mask" that corresponds to the bits selected in the circuit. For an 8-bit "register"-producing values from 1 to 255—one possible mask is 10111000, or \$B8. Each sequence element is derived from the previous one with this method: Shift the original value right (not left) by one bit; if a "1" bit falls off the edge because of the shift, exclusive-OR the mask into the value. In assembly language, this can be done very easily. The following 68000 code takes a sequence element in D0 and produces the next one in D0 using the mask previously put in D7.

LSR #1, D0 ; shift this sequence element right 1 bit ; if no bit falls into Carry, skip the XOR else XOR the mask into the new value noXOR: ; (now process the new element in D0)

In C, it's not as easy to express the idea of a bit falling off the edge during a shift, so the code is more longwinded:

if (X&1) /* is the low bit set? */ X = (X >> 1)mask; /* yes: shift value and XOR in the mask */

else X = (X > 1); /* no: just shift the value */

A First Attempt

Now, with a software sequence generator and a way to map that sequence onto an array of pixels (or whatever), you can write a first cut at the dissolve algorithm. The idea is to find a "register width" for a sequence generator that generates at

least as many numbers as there are pixels. (The highest-numbered sequence elements don't map to pixels in the array—that's OK, they'll be discarded.) Figure 2, below, illustrates this approach.

As the main loop generates each sequence element, the element is mapped to a pair of coordinates, just as in the card-dealing program. Coordinates outside the array are ignored, whereas those in bounds are copied. The loop ends when the sequence re-




Figure 1: On 8-bit hardware sequence generator. The mask is 10111000 (base 2).




Figure 2: Mapping sequence elements into a pixel array using the formulas row = N/width and column = N mod width. Values of row > = height are ignored.




Figure 3: Mapping sequence elements into a pixel array using the formulas row = N>>rowshift (rowshift = 3) and column = N&colmask (colmask = 00111 base 2). Values of row >= height and values of column >= width are ignored.

DIGITAL DISSOLVE (continued from page 49)

turns to the original element. The function is shown in Table 2, page 52. This function finds the total number of pixels to copy and then the number of the highest pixel.

The correct width of sequence generator is found with a function called bitwidth(). Given a number, this function just tells you how wide a register must be to hold the number. In other words: What width of generator is needed to produce at least as many pixel numbers as needed? The function bitwidth is shown in Table 3, page 54.

Once the width of the register has been found, the randmasks[] array is used to find the magic value used to generate the sequence. The sequence length can be nearly twice as long as

the number of pixels to copy because the length must be a power of 2. The [0] and [1] elements of the array aren't defined—the smallest generator is 2 bits wide.

I haven't specified the *copy()* routine—the routine that copies a pixel from one pixel array to another. It will depend on which computer you're using; I'll talk more about this later. Remember that *copy()* doesn't need to copy a pixel to the screen; it can copy a character or any array element.

Because the sequence never produces a zero value, the program has to do the (0,0)th element explicitly. Eagle-eyed users will notice that the top-left pixel is always the first or last to dissolve in.

This method works, but it's not fast enough for many purposes. What makes it so slow is the division and modulo computations:

row = element / width; column = element % width;

In assembly language, you can often do both of these with one instruction, but it's still awfully slow. A divide instruction on an 8-MHz 68000 takes about 17 microseconds. Is there a better way? (Of course, or I wouldn't have brought up the problem.)

A Faster Method

To make it faster, you can use a potentially longer sequence but use a mapping that is faster than the divide-and-modulo computation. Figure 3, page 49, illustrates this method. Both the height and width of the array are rounded up to the next power of 2. A sequence element is then broken up into row and column numbers by bit operations, which are much faster than divide and modulo. With this method, the number of sequence elements generated can be almost four times the number of pixels-twice as bad as the worst case for the simpler algorithm. But generating elements is so much faster than division that the new method is still faster. This algorithm is shown in Table 4, page 54. It is really a lot like the original routine. The difference is that the mapping is faster and the sequence may be longer because the mapping discards more elements of the sequence.

At one level, that's all there is to it. You just have to write a *copy()* routine to copy a single pixel (or whatever) and optimize the code so the dissolve effect happens quickly. These tasks may not be simple for some machines, especially if you're trying to quickly copy tens of thousands or perhaps a million pixels on a high-resolution screen.

Every machine will probably need a slightly different $copy(\cdot)$ routine to handle the quirks of your graphics hardware or software. In the Macintosh, for example, a bit map (such as the image to display or the screen to copy it to) is an array of pixels laid out in rows in memory. Indexing into it is done in just the same way as any linear array being treated as a two-dimensional array. Although most machines treat bit indexing differently from byte indexing, it may be helpful

Width	Mask (hex)	Produces from 1 to
2	3	3
	6	7
4	C	15
5	14	31
6	30	63
7	60	127
8	B8	255
9	110	511
10	240	1023
11	500	2047
12	CA0	4095
13	1B00	8191
14	3500	16383
15	6000	32767
16	B400	65535
17	12000	131071
18	20400	262143
19	72000	524287
20	90000	1048575
21	140000	2097151
22	300000	4194303
23	420000	8388607
24	D80000	16777215
25	1200000	33554431
26	3880000	67108863
27	7200000	134217727
28	9000000	268435455
29	14000000	536870911
30	32800000	1073741823
31	48000000	2147483647
32	A3000000	4294967295

For any given width (w), there is usually more than one mask that produces all values from 1 to 2^w-1 . These particular masks are chosen because they can all be packed into a byte. See Listing One for an example of how to pack and unpack them.

Table 1: Masks to produce pseudorandom sequences for registers from 2 to 32 bits wide

A MEGABYTE FOR DOS!

MicroWay is the world's leading retailer of 8087s and high performance PC upgrades. We stock a complete selection of 8087s that run from 5 to 12 MHz. All of our coprocessors are shipped with a diagnostic disk and the best warranty in the business – one year! We also offer daughterboards for socketless computers (NEC PC) and 287Turbo which increases the clock speed of the 80287 from 4 to 10 MHz. Our NUMBER SMASHER/ECM™ runs at 12 MHz with a megabyte of RAM and achieves a throughput of .1 megaflops with 87BASIC/INLINE, Intel For-


tran, or Microsoft Fortran. Software reviewers consistently cite MicroWay software and 8087 expertise as the best in the industry! Our customers frequently write to thank us for recommending the correct software and hardware to meet their specific needs. They also thank us for our same-day shipping! In addition to our own products which support the 8087 and 80287, we stock the largest supply of specialized software available. For more information call us at

617-746-7341

NUMBER SMASHER/ECM™ THE FASTEST ACCELERATOR CARD AVAILABLE

gives you 12 MHz speed in two modes: 704K or one megabyte of "Extended Conventional Memory." MEGASWITCH MMU and MegaDOS software make it possible to run DOS applications with up to 1015K using PC compilers, Auto-CAD and Lotus 1-2-3. Does not require EMS software. Totally compatible ... from \$599 for 512K and 9.54 MHz to \$1199 with one megabyte and 8087-12.

Cooling Fan (for 12 MHz)..... \$80



Micro Way® 8087 Support

For the IBM PC, PC XT, PC AT and Compatibles.

A2D-160[™] MicroWay's Data Acquisition Board performs 160,000 12 bit Analog to Digital conversions per second! Includes software drivers. The fastest 12 bit A to D board available. For the IBM PC XT and compatibles. \$1295

PC XT and compatibles......\$1295 87 \$\mathbb{F}\$\mathbb{L}^\text{"a} Accurate and fast \$\mathbb{Scientific Subroutine Packages.}\$ More than 145 functions: 34 Elementary Fcns, 18 Probability and Statistical Fcns, 15 Random Number Generators, $\mathrm{Ei}(\mathbf{x}), \, \mathrm{E}_n(\mathbf{x}), \, \mathrm{Ei}(\mathbf{x}), \, \mathrm{$

87FFT-2™ performs two-dimensional FFTs Ideal for image processing. Requires 87FFT \$100

Micro P.O. King O236 (617)

P.O. Box 79 Kingston, Mass 02364 USA (617) 746-7341 MegaPage™ The only Intel-Lotus EMS board which comes with two megabytes of cool-running, low power drain CMOS RAM installed. Includes RAM disk, print spooler, disk cache, and EMS drivers. For the IBM PC, XT & compatibles \$549

DFixer™ Our disk utility which thoroughly checks PC or AT hard disks for bad sectors and updates the MS DOS file allocation table accordingly. Solves the AT hard disk problem! ... \$149

DCache™ Our disk caching software speeds up your I/O by storing repetitively used tracks in memory. The amount of memory used can be selected in 64 Kbyte banks\$49

87MACRO/DEBUG™ Contains all the pieces needed for writing 8087/80287 assembly code & MicroWay's 87DEBUG debugger..\$199

87 BASIC™ includes patches to the IBM BASIC or MS Quick BASIC Compiler for USER TRANS-PARENT 8087 support. Provides super fast performance for all numeric operations including trigonometrics, transcendentals, addition, subtraction, multiplication, and division..... each \$150

87 BASIC/INLINE™ converts the output of the IBM BASIC Compiler into optimized 8087 inline code which executes up to seven times faster than 87 BASIC. Supports separately compiled inline subroutines. Requires the IBM BASIC Compiler Version 1 and a Macro Assembler. Includes 87 BASIC\$200

RTOS - REAL TIME OPERATING SYSTEM
RTOS is a multi-user, multi-tasking real time operating system. It includes a configured version of Intel's iRMX-86, LINK-86, LOC-86, LIB-86, OH-86, and MicroWay's 87DEBUG. Runs on the IBM-PC, XT, PC-AT and COMPAQ. \$600

8087 UPGRADES

All MicroWay 8087s include a one year warranty, complete MicroWay Test Program and accurate installation instructions.

8087 5 MHz.....\$114
For the IBM PC, XT and compatibles

80287-3 5 MHz......\$179 For the IBM PC AT and 286 compatibles 80287-6 6 MHz.....\$229

For 8 MHz AT compatibles.

80287-8 8 MHz **\$295** For the 8 MHz 80286 accelerator cards

287 Turbo** 10 MHz If you own an AT, Deskpro 286 or AT compatible, this is the card you need to get reasonable numeric performance. It plugs into your 80287 socket and includes a specially driven 10 MHz 80287. The card comes in three configurations. The IBM AT version includes a hardware RESET button \$450.

287Turbo 8 MHz......\$369
87/88Turbo™ is a stubby card which includes a clock calendar and a speed controller which changes the speed of your motherboard from 4.77 to 7.4 MHz. Its use requires your PC to have a socketed 8284. Typical speed increase is 1.6 to 2.0. The card overcomes slow hardware by slowing up only when such devices are accessed and

Call for our complete catalog of software which supports the 8087.

In London, please phone 223-7662

```
dissolve1 (height, width)
                                          /* first version of the dissolve algorithm */
   int height, width;
                                          /* number of rows, columns */
   int pixels, lastnum;
                                          /* number of pixels; last pixel's number */
   int regwidth;
                                          /* "width" of sequence generator */
   register long mask;
                                          /* mask to XOR with to create sequence */
   register unsigned long element;
                                          /* one element of random sequence */
   register int row, column;
                                          /* row and column numbers for a pixel */
   /* Find smallest register that produces enough pixel numbers */
   pixels = height * width;
                                          /* compute number of pixels to dissolve */
   lastnum = pixels-1;
                                          /* find last element (they go 0 . . lastnum) */
   regwidth = bitwidth (lastnum);
                                          /* how wide must the register be? */
   mask = randmasks [regwidth];
                                          /* which mask is for that width? */
   /* Now cycle through all sequence elements. */
   element = 1;
                                          /* 1st element (could be any nonzero) */
   do {
      row = element / width;
                                          /* how many rows down is this pixel? */
      column = element % width;
                                          /* and how many columns across? */
      if (row < height)
                                          /* does this seq element fall in the array? */
      copy (row, column);
                                          /* yes: copy the (r,c)th pixel */
      /* Compute the next sequence element */
      if (element & 1)
                                         /* is the low bit set? */
      element = (element >>1) mask; /* yes: shift value, XOR in mask */
      else element = (element >>1); /* no: just shift the value */
   } while (element != 1);
                                          /* loop until we return to original element */
   copy (0, 0);
                                          /* kludge: the loop doesn't produce (0,0) */
                                          /* end of dissolve1() */
```

Table 2: First attempt at dissolve algorithm

Brand New From Peter Norton A PROGRAMMER'S EDITOR

that's *lightning fast* with the *hot* features programmers need

\$50

Direct from the man who gave you *The Norton Utilities, Inside the IBM PC,* and the *Peter Norton Programmer's Guide.*

EDITOR V

Easily customized, and saved
Split-screen editing
A wonderful condensed/outline display
Great for assembler, Pascal and C

Peter Norton Computing, Inc., 2210 Wilshire Boulevard, Santa Monica, CA 90403, 213-453-2361. Visa, Mastercard and phone orders welcome.

The Norton Editor™ is a trademark of Peter Norton Computing, Inc. © 1986 Peter Norton Computing.

"This is the program-

mer's editor that I wished

I'd had when I wrote my

Norton Utilities. You can

program your way to

glory with The Norton

Peter Nortan

DIGITAL DISSOLVE (continued from page 50)

to keep all offsets as bits and convert to bytes only when necessary. Thus, on the Mac, if D0 contains the bit offset of the first bit of the array in memory, and D1 and D2 have the row and column numbers, you can set the (D1,D2)th bit with the code fragment shown in Table 5, page 54.

All the arithmetic in Table 5 is in terms of bits until the LSR extracts the address, which then has to be moved to an address register to be useful. Bit numbering in the Mac screen isn't like byte numbering (byte numbers increase as you move to the right across the screen; bit numbers decrease within each byte), so the bit number in D3 has to be converted with the NOT. Finally, the BSET sets the bit in the correct byte. This idea of mapping a row and column in the array to an address in memory is the heart of any copy() routine for a bit map. You use it to test the bit in the bit map being dissolved in and to set or clear the corresponding bit in the screen memory. For a 24×80-character display, it's similar: the mapping takes the row and column and indexes into a character array in memory to get the character to copy to the screen.

The Macintosh Dissolve Routine

Listing One, page 88, is a dissolve routine for the Mac. Because its calling interface resembles that of the standard Mac bit-transfer routine called CopyBits, it's called DissBits. It copies the contents of one rectangle in a bit map to another rectangle in another bit map. In the Mac's graphics subsystem, a bit map is a data structure that specifies the base address of a chunk of graphical data and imposes a coordinate system on that chunk. For more information, see the chapter on QuickDraw in *Inside Macintosh* by Caroline Rose et al.

DissBits is not intended to present a clear example of the algorithm; instead, the main loop contains the copy() code in-line for maximum speed. DissBits actually has three different loops and automatically uses the fastest one it can. The first loop is the general case; with some coding tricks, it can dissolve at the rate of

Circle no. 243 on reader service card.

TURBO SCREEN/APPLICATION GENERATOR BE 3 to 6 TIMES MORE PRODUCTIVE!

For \$99.95 receive 6 Floppy Disks & Manual.

TURBO ISAM MASTER

TURBO MASTER helps you develop your functional specs and then allows you to QUICKLY prototype a validation model of your system. TURBO MASTER can then generate a super-fast Turbo Pascal Program that features advanced screen input and control, a professional control menu, and database functions.

- MASTER DATABASE PROGRAM Generates Pascal Program Code for the following functions
- -Add a Record Allows both duplicate & unique only keys. Change the up to 48 fields comprising the primary key and the up to 7 secondary keys at any time during input, and the validity of the keys are checked and the ISAM key files are automatically adjusted.
- -Delete a Record Shows the record to be deleted on the screen and allows you to change your mind about deleting, and then adjusts the keys files automatically for the up to 8 keys. The disk space is reused automatically by the programs.
- Edit a Record with a key change allowed.
- -Search Database by Key The ability to display the keys on the screen or printer in
- DATA BASE RECOVERY PROGRAM. This program recovers your database if it corrupted by a power outage or certain hardware failures.
- MULTIPLE ISAM FILES Can be used at the same time in a single program. The generator also produces context sensitive instructions on how to integrate the generated program into your main program.

 DOCUMENTATION - Print screens and ISAM
- specifications. Also inline program documentation is generated.

TURBO MENU MASTER

GENERATES 'Ready to Run' Turbo Programs with Dedicated Screens or Windows.

 FEATURES: Has Menu Data Base so it's easy to modify menus.

PROVIDES SELECTION BY:

- -Press of a number
- -Press of a function key
- -Press the high lighted letter
- -Use the arrow keys

ADAPTIVE SCREEN COLORS - Different screen colors are automatically used for color or monochrome display. This allows you to provide a better interface for the user.

- INTERACTIVE MENU BUILDER
 - -Allows for the automatic entry and reorder of selections
 - -Offers easy color selection
 - -Allows for choice of procedure, chain, execute or comment code generation for each
 - -Has startup Menu that YOU design.
 - Has startup Menu that 100 design.

 Provides for the integrated Display and control of the Key Lock Status.

TURBO RESIDENT SCREEN CAPTURE

which allows you to capture Text Screens from any running program.

TURBO SCREEN MASTER

GENERATES 'Ready to Run' Mulit-screen programs with advanced field definition.

- · USER SPECIFIED PROCEDURES can be called before and after data entry for each field. This allows SCREEN GENERATION THAT IS INDEPENDENT OF USER INSERTED PRO-GRAM STATEMENTS.
- YOU CAN CUSTOM PROGRAM special field edits and processes which Screen Master automatically includes into the screen program.
 This allows for "On the Fly FUNCTION KEY
 AND WINDOW ROUTINES.
- **RECORD FORMATS** and initialization routines for Structures and Arrays are automatically
- CAN SPECIFY a Protected Field to be automatically redisplayed if its value changes.

 TYPES INCLUDE Strings, Yes/No, Time,
- Male/Female and Numbers.
- FIELDS CAN BE STORED (declared) as Boolean, Integer, Real, Character, or String.

COMPARISON WITH OTHER PRODUCTS	TURBO SCREEN MASTER	SCREEN SCULPTURE Ver - 1.01
Full support for structures, arrays and Declarations specifications Full support for user written pro- cedures, function keys & help	YES	NO
screens	YES	NO
Etch-A-Sketch Border Drawings	YES	NO
Point and Paint color interaction	YES	YES
Border color control	YES	NO
User defined valid character sets	YES	NO
Display of Caps/Num Lock Status Optional realtime initialization of	YES	NO
data/time	YES	NO

TURBO RESIDENT ISAM

Replaces Borland's Toolbox ISAM method

- Eliminates 8k of code space that Borland's Turbo Toolbox ISAM requires in your program.
- Puts the Key Buffer Data Area outside of your program's data space.
- Speeds Compling
- Eliminates errors caused by inconsistant ISAM specifications between ISAM files.
- Increases program loading time.
- Reduces object program size.
- Offers SUPER-FAST record creation and lookup. For example, it can CREATE over 20 single key records PER SECOND on an IBM AT running at a 9 meg clock rate.

OUR USERS REPORT

- "Since Fall of 85, I have generated over 300 program modules with it and find it to be just what I needed. Most of all the modules represent 5000 to 8000 lines of Pascal Code" Oner Systems
- "By being able to produce a 21 screen and menu control demo so quickly helped me obtain the contract."
- "Speeded up my screen development by 6 times" Elexor Associates.
- "Has many of the features of the Super Mini development tools costing \$10,000." Applied Micro Systems.
- "We developed 3 Vertical Market Applications in the 6 months we had your system." Absolute

*BTRIEVE INTERFACE MODULE

- ¥ Allows full multiuser record locking and ★
- * Automatic file recovery for the industry's * ¥ most popular LANs. Works with the in- ★
- ¥ dustry's leader of professional databases ★
- ★ for multiuser LAN's (optional). \$99.95 *
- Requires Btrieve by SoftCraft, Inc. ***********

TURBO MASTER TOOLS

The Turbo Toolkit Master includes procedures for full control over all screen attributes, advanced string functions, automatic control of multiple help screens, saving and retrieving screens to RAM buffers. Caps/Num/Scroll/Lock control procedures, and report procedures.

RISK FREE TRIAL

Try the demo package included for 30 days. If not pleased return for a full refund.

Credit Card Orders Call:

1-800-821-9503

In Florida (800) 342-0137 For Other Information Call (305) 892-5686

NO ROYALTIES on Generated Programs

YES, ENCLOSED IS \$995

For **Turbo Master Tools**

Turbo Menu Master Turbo Screen Master **Turbo ISAM Master** Turbo Screen Capture Resident ISAM

Systems Requires: IBM PC,XT,AT or 100% Compatible -246K MS DOS 2.0 or Higher, Turbo Pascal 3.0 - 2 DD/DS US orders add \$7.50 S&H All foreign orders add \$15

per product ordered.

C.O.D.'s will be accepted. Outside USA: make payment by bank draft, payable in US dollars drawn on a US bank.

© Turbo Pascal & Turbo Database Toolbox are trademarks of Borland International, IBM is a trademark of International Business Machines. MS-DOS is a trademark of Microsoft. Brrieve is a trademark of Softcraft, Inc. Screen Sculpture is a trademark of the Software Bottling Co. of New York. © 1985 Hawaiian Village Com-

HAWAIIAN VILLAGE COMPUTER SOFTWARE 1109 Pennsylvania Ave., St. Cloud, Florida 32769

* * * * * * * * * * * * * * * *

Table 3: The function bitwidth

```
dissolve2 (height, width)
                                         /* fast version of the dissolve algorithm */
   int height, width;
                                         /* number of rows, columns */
   int rwidth, cwidth;
                                         /* bit width for rows, for columns */
   int regwidth:
                                         /* "width" of sequence generator */
   register long mask;
                                         /* mask to XOR with to create sequence */
   register int rowshift;
                                         /* shift distance to get row from element */
   register int colmask;
                                         /* mask to extract column from element */
   register unsigned long element;
                                         /* one element of random sequence */
   register int row, column;
                                         /* row and column for one pixel */
   /* Find the mask to produce all rows and columns. */
   rwidth = bitwidth (height);
                                         /* how many bits needed for height? */
                                         /* how many bits needed for width? */
   cwidth = bitwidth (width);
   regwidth = rwidth + cwidth;
                                         /* how wide must the register be? */
   mask = randmasks [regwidth];
                                         /* which mask is for that width? */
   /* Find values to extract row and col numbers from each element. */
   rowshift = cwidth;
                                         /* find dist to shift to get top bits (row) */
   colmask = (1 < < cwidth) - 1;
                                         /* find mask to extract bottom bits (col) */
   /* Now cycle through all sequence elements. */
                                         /* 1st element (could be any nonzero) */
   do {
      row = element >> rowshift;
                                         /* find row number for this pixel */
      column = element & colmask;
                                         /* and how many columns across? */
      if ((row < height)
                                         /* does element fall in the array? */
          && (column < width))
                                         /* . . . must check row AND column */
      copy (row, column);
                                         /* in bounds: copy the (r,c)th pixel */
          /* Compute the next sequence element */
      if (element & 1)
                                         /* is the low bit set? */
      element = (element >>1) mask; /* yes: shift value, XOR in mask */
      else element = (element >>1); /* no: just shift the value */
  } while (element != 1);
                                         /* loop until we return to original element */
  copy (0, 0);
                                         /* kludge: element never comes up zero */
                                         /* end of dissolve2() */
```

Table 4: A faster dissolve algorithm

```
MULU
             <WIDTH>,D1
                                 ; convert row number to bit offset of row
ADD.L
             D1,D0
                                 ; compute bit offset of first bit of the row
ADD.L
             D2.D0
                                 ; index into the row to get the bit offset
MOVE.L
             D0.D3
                                 ; set aside the final bit offset .
LSR.L
             #3,D0
                                 ; ... and find the byte address from it
MOVE.L
             D0,A0
                                 ; copy that to an address register
NOT.B
             D3
                                 ; convert the bit index to 68000-style
BSET
             D3,(A0)
                                 ; set the D3th bit of A0's byte
```

Table 5: Code fragment to set (D1,D2)th bit on the Mac

DIGITAL DISSOLVE (continued from page 52)

about 49 microseconds per pixel. When both the bit maps have a width that is a power of 2, then the MULU instruction in Table 5 can be done with a shift instead. In this case, the algorithm uses a different loop that is about 20 percent faster. As a third and final optimization, the loop-choosing code notices when the pixel array being copied is exactly the width of the bit map it's contained in. (This case is common because it includes doing a full-screen dissolve.) In this case, the check for the column being in bounds can be removed and some other tricks can be done. In this "high gear," the code runs at 19 microseconds per pixel; it can fade the whole Mac screen in about 3.4 seconds.

Suggestions

Those of you writing for other machines may not want to wade through the details of the Macintosh code. Besides the optimizations above, here are some things you may want to try:

- All my code uses 32-bit long words; this slows it down considerably but is needed for cases in which there are more then 2¹⁶ bits to dissolve. If your machine has fewer than 64K pixels, you can always use 16-bit integers. Or you can code two loops and have the routine choose the right one.
- You can optimize when either the width or the height of the array is a power of 2. In this case, you know the column or row (respectively) extracted from the sequence element is always in bounds.
- You can test the upper bits (the row, as I've split things up) of the sequence element without extracting them first. Just compare it to 1 plus the maximum allowed value, shifted into position.
- In assembly language, it's easy to detect when the loop has finished if the last time through the loop the sequence element is 1. When you shift the 1 right, you'll get a carry and the result will be 0. This carry-and-zero occurs only if the element was 1. (On some machines, a single instruction will detect when both of these conditions are true—for instance, the 68000's BLS (branch less than)

instruction.)

- When there's no carry, the mask isn't XORed into the next sequence element, and the topmost bit of the new element is 0. This means that the row (in my version) is guaranteed to be in bounds. Your branch-on-no-carry can take you to the start of the loop as usual but bypass the check for the row being in bounds.
- Because both the row and column must be checked to see if they're in bounds, extract and check one before taking the time to extract the other.
- The row number is extracted by shifting the sequence element to the right, but this result is soon multiplied by the width of the bit map when finding the bit. If the width is a multiple of a power of 2, part of the multiply is just undoing some of the effect of the shift. Because longer shifts take more time on some processors, you can reduce both the shift and the amount to multiply by—if you are willing to mask the value, too.

There are some nagging, realworld problems. A few I had trouble with were:

- Don't forget the (0,0)th element of the array. Because the sequence never produces the value 0, this won't get done by the loop. You have to make it a special case outside the loop.
- The algorithm breaks down for tiny bit maps because the sequence generator doesn't work for small widths of registers. If you can find a way to generalize it, I'd like to hear about it. (My solution was to detect this case and hand it off to the CopyBits routine.)
- Your machine's graphics software will probably not be able to copy thousands of pixels quickly one at a time, and your *copy()* routine will have to be in assembly language and directly alter screen memory. Be careful to check exactly how this interferes with the graphics software. For instance, DissBits must hide the Mac cursor during the time it's directly accessing screen memory.

There are a lot of variations I haven't tried yet; I'd be interested to hear from anyone who experiments with these ideas:

My copy() routine for bit maps tests

- ; flip: A function to return a random boolean value in D0.b.
- ; D7 is used to keep the current state of the "shift register".
- ; The register is 16 bits, so the pattern of bits repeats after 64K calls.

flip: LSR.W #1, D7 ; shift D7 right one bit
SCS D0 ; set D0 to flag whether a bit carried
BCC.S end ; if no bit carried, D7 is new element: done
EORI.W #\$B400,D7 ; else XOR in magic value for new one
end: RTS ; return with D0.b = random boolean

Table 6: Sequence generator for coin-flip subroutine

Random Bits vs. Random Bytes

The shift-and-XOR method the dissolve uses to generate pseudorandom numbers isn't very random. If you watch some sizes of rectangles being dissolved, you'll see ephemeral patterns. Surprisingly, though, the pattern of bits shifted off the end of the register is random. In *The Art of Computer Programming*, Knuth discusses the difference between random bits and numbers composed of the bits.

Many programmers writing games or other programs wind up flipping a coin with something like the BASIC statement *IF RND* < 0.5 *THEN*.... This is a lot of effort to produce a random bit. You can write a short, fast coin-flip subroutine using the sequence generator in Table 6, above. Remember to initialize *D7* to any nonzero value. Zero traps the subroutine in a demon state, producing nothing but zero bits.

Here's a puzzle: Change the function so it doesn't need *D7* initialized. You can write a "self-starting" version that is no slower and no longer than the original.

Those Magic Constants

When the sequence generator shifts a 1 bit out of the register, it exclusive-ORs a magic constant into the running value of the register. Different register widths require different constants; Table 1 gives a list of some constants that work. How do you find these values?

The basis for the generator is rooted in the theory of prime polynomials. Those of you who remember your abstract algebra course may be interested in pages 209–213 of *Numerical Recipes: The Art of Scientific Computing* by William H. Press et al. and pages 29–31 of *The Art of Computer Programming* by Donald E. Knuth.

If you prefer direct evidence, it's not hard to write a program to search

for the constants. I set a microcomputer to work on the problem, using the slower method of directly simulating the type of circuit shown in Figure 1 (I didn't know about the software version at that point). It took about two CPU-weeks.

Assuming I haven't made transcription errors in Table 1, you shouldn't have much reason to search for the constants yourself. (Perhaps some constants are more random than others?) The table should give you plenty of information—at least until someone produces billion-pixel displays. But just in case, Press et al. give constants for registers up to 100 bits wide.

DIGITAL DISSOLVE (continued from page 55)

a bit in the source and then branches to either set or clear a bit in the destination. If, before the dissolve, the destination is exclusive-ORed into the source, the source becomes a bit map of the bits that differ between the two images. Then the copy() routine still has to test the source but toggles the destination bit only when the source bit is 1-this means the address calculation for the destination's bit can often be skipped. If your graphics subsystem supports logical operations (such as exclusive-OR) on block copies, the first XOR pass can be very fast. Finally, if you do a third block-XOR from the destination back to the source, the net effect of the three XORs is to swap the two images, so your destination is preserved in the source and can be restored easily. Because the loop's state is controlled by one variable (the sequence element), it should be easy to write a partial dissolve by changing the starting or ending elements of the sequence.

This would allow you to "blend" images, create effects like the Star Trek transporter, and so forth.

- · Because all this came from a hardware circuit, how about hardware support for the dissolve? Many machines have custom hardware to support raster operations; why not support this one?
- · Instead of copying graphical data. variations on the dissolve theme could perform standard Boolean operations with two or more images, invert an image, and so on.

Finally, don't let your imagination be limited to dissolve subroutines. The random engine used in the dissolve has other uses. You can do much more than shuffle a deck of a million cards. For instance, a program slowly drawing the Mandelbrot set could draw pixels randomly so that the basic image becomes apparent sooner, without having to wait for the entire drawing. In browsing through an image database with a slow modem, you can cancel an image without waiting for it to be completely drawn (I believe this idea is Ted Nelson's). As described in the inset article "Random Bits vs. Random Bytes" on page 55, you can write a coin-flip subroutine. The unusual property of generating unique values in pseudorandom order makes the sequence generator a useful tool for many applications.

Bibliography

Knuth, Donald E. The Art of Computer Programming. vol. 2. 2d ed. Reading, Mass.: Addison-Wesley, 1981. 29 - 31.

Press, William H., et al. Numerical Recipes: The Art of Scientific Computing. New York: Cambridge University Press, 1986, 209-213.

Rose, Caroline, et al. Inside Macintosh. vol. 1. Reading, Mass.: Addison-Wesley, 1985. Chapter 6.

DDJ

(Listing begins on page 88.)

Vote for your favorite feature/article. Circle Reader Service No. 4.





The SLR SuperLinker Plus is 3 - 10 times faster than any other linker, and look at these features:

- link a full 64K output (COM, HEX, SPR or PRL)
- works with Microsoft, Fortran, Basic, Cobol
- supports 32 character externals (SLR format)
- full drive/user support with alternate DU search
- supports 8 address spaces
- fill uninitialized spaces with 0 or FF
- global cross reference
- DSD80/SID compatible .SYM file
- manual overlays
- load map

requires Z80 CP/M 2.2 or greater 32K TPA

SLR_Svstems

1622 N. Main St., Butler, PA 16001 (800) 833-3061 (412) 282-0864 Telex 559215 SLR SYS

Circle no. 78 on reader service card.

C DYNAMO

FREE! UNIX WORKALIKE FREE!

(See Limited Time Special Offer Below)

PAINT TEXT, HELP, MENU & DATA ENTRY SCREENS & WINDOWS FROM KEYBOARD • COMPLETE INPUT FORMATTING • FULL VALIDATION • UNLIMITED WINDOWS • AUTOMATIC WINDOW OVERLAY & RESTORE • FULL ATTRIBUTE CONTROL & HIGHLIGHTING • 1-2·3 LIKE MENUS • DRAW BOXES & BORDERS • GENERATE "C" CODE WITH TOUCH OF A KEY • LEFT/RIGHT/CENTER JUSTIFICATION • SPECIFY ANY FILL CHARACTER & CURRENCY SYMBOL • U.S./EUROPEAN NUMBER STYLES • MORE DATA TYPES • ONE CALL WILL OPERATE ENTIRE SYSTEM • SUPPORTS IBM PC/XT/AT & COMPATIBLES • SUPPORTS MICROSOFT, COMPILER LATTICE, AZTEC, CI86, ANY FULL K & R OR ANSII COMPILER

NEW **DYNAMO DATA ENTRY**

UNIQUE, POWERFUL, NECESSARY Full Validation of Each Keystroke Range Checking Data Security to Item Level Scrollable Data Entry Forms with Fixed & Scrollable Parts

Allows Forms Larger Than Screen **Over 34 Item Types**

Powerful "Picture" Capability Unique: Mix Text, Data Entry Fields With Menu Items

Full source code. No Royalties \$129.95 Code plus manual

POWER WINDOWS

MOST POWERFUL YET POP-UP WINDOWS FOR

> Menus/Overlavs Help Screens Messages/Alarms

ZAP ON/OFF SCREEN FILE-WINDOW MANAGEMENT COMPLETE CONTROL OF:

> Cursor **Attributes Borders**

AUTOMATIC

Horizontal & Vertical Scrolling Word Wrap Line Insertion

The most powerful, flexible and easy to use windowing package available! Many types of menus. Highlighting. Move data between files, keyboard, program and windows. Status lines. Change size/location/overlapping. Move/add/delete/cascade windows. Full source code. No royalties. \$129.95 3 disks

C FUNCTION LIBRARY

BEST YOU CAN GET 325 FUNCTIONS SUPERB DOCUMENTATION

Most complete screen handling plus graphicscursrsor/keyboard/data entry, 72 string functions with word wrap; status andcontrol; utility/DOS BIOS/ time/date functions; printer control & more. Special functions. Full source code. No royalties. \$129.95 4 disks

NEW **DYNAMO SCREEN** PAINTER AND FORMS CREATOR

DOES IT ALL RIGHT FROM YOUR KEYBOARD **AUTOMATIC CODE GENERATION**

Data or Help Screens & Windows Data Entry Screens & Windows Menus

FAST, FLEXIBLE, EASY

Save Man-Months of Programming Full Control of Screen Attributes Monochrome or Color by Form, Screen, Window or Item

FAST EASY MENU GENERATION

1-2-3 Like, Many Others Full Read/Write Security by Item

Requires Dynamo Data Entry Screen painter & manual

B-TREE LIBRARY & ISAM DRIVER

POWERFUL DATA MANAGER

Fixed/Variable length records Fast! Easy To Use! 16.7 Million Records/File 16.7 Million Keys/File

\$129.95 Full source. No royalties. MAKE Utility (Snake) \$59.95

SUPERFONTS FOR C

Super Size Characters Monochrome adapter Color/graphics adapter 8 Font Libraries

Font and Function Library

\$49.95

\$129.95

C-TERP

INTERPRETER FOR C

No Compromise, Full K&R Built In Screen Editor Fast, Fast Compile/Link Use External Libraries! Symbolic Debugging Single Stepping Rave Reviews!

2 disks and manual

\$299.95

COMBINE AND SAVE!

SCREEN PAINTER + DATA ENTRY BOTH for only\$179.95

C LIBRARY plus POWER WINDOWS

C BUSINESS LIBRARY INCLUDES C FUNCTION LIBRARY, POWER WINDOWS, SUPERFONTS FOR C, B-TREE LIBRARY, ISAM

ALL for.....\$299.95 (A \$440 VALUE + FREE UNIX WORKALIKE)

C TOTAL LIBRARY
INCLUDES C FUNCTION LIBRARY, POWER WINDOWS,
SUPERFONTS FOR C, B-TREE LIBRARY, ISAM and
C-TERP C interpreter

C DYNAMO LIBRARY #1 SCREEN PAINTER, DYNAMO DATA ENTRY, POWER WINDOWS, C FUNCTION LIBRARY, SUPERFONTS for C

ALL for.................\$249.95

C DYNAMO LIBRARY #2
ALL OF C DYNAMO LIBRARY #1
PLUS B-TREE & ISAM \$349.95
(A \$700 VALUE + FREE UNIX WORKALIKE)

C DYNAMO LIBRARY #3

ALL OF C DYNAMO LIBRARY #2
PLUS C-TERP\$549
(A \$1000 VALUE + FREE UNIX WORKALIKE) \$549.95

**FREE PC UNIX, PCVMS OR O/S TOOL BOX WITH ANY PURCHASE OVER \$295.00 LIMIT ONE PER CUSTOMER Offer expires 11/30/86

SPECIAL OFFER **OPERATING SYSTEMS**

Multi-User Multi-Tasking Networking, Full Source

LIST \$99 FRFF* PCNX™ UNIX WORKALIKE FREE* 99 PCVMS"

O/S TOOL BOX™ (Build your own operating system)
™WENDIN SOFTWARE

99 *with purchase of any Entelekon combination

FREE*

library priced at \$295 or more. Limit 1 Special Offer item per customer.

Offer expires 11/30/86

THE C DYNAMO FAMILY...C TOOLS THAT WORK TOGETHER

Enteleko

12118 Kimberley, Houston, TX 77024

713-468-4412

VISA-MASTERCARD-CHECK-COD

†TM AT&T

C CHEST

Listing One (Text begins on page 14.)


```
Listing 1 -- set.h
```

```
Header to use the set manipulation routiness in set.c
  1 /* SET.H:
              Copyright (c) 1986, Allen I. Holub. All rights reserved
   6 #define DEFBYTES
                                                                                                        /* bytes in def set (>= 1)
   7 #define DEFBITS
                                                                  (DEFBYTES * 8) /* bits in default set
  9 typedef struct
10 {
11
                                                                 nbytes: 13;
                                                                                                            /* Number of bytes in map
                          unsigned
12
                           unsigned
                                                                 compl : 1;
                                                                                                            /* This is a negative true set */
13
                                                                 nbits;
                          int
                                                                                                             /* Number of bits in map
14
                          unsigned char
                                                                 *map;
                                                                                                             /* Pointer to the map
15
                                                                 defmap[DEFBYTES]; /* The map itself
                          unsigned char
16 }
17 SET:
18
19 extern
                                             set_op (int, SET*, SET*, SET*); /* Routines in set.c */
set_cmp (SET*, SET* );
                          void
20 extern int
21 extern int
22 extern int
                                              subset
                                                                     SET*, SET*
                                             num ele (
                                                                     SET*
23 extern
                                              delset
                          void
                                                                     SET*
                                                                                                       );
24 extern SET
                                                                                                       );
                                              *newset
25
26 #define UNION
                                                                                    /* x is in s1 or s2
/* x is in s1 and s2
27 #define INTERSECT
28 #define DIFFERENCE
29 #define INVERT
                                                                                    /* x is in s1 but !s2 or in s2 but !s1
                                                                                    /* ones complement
                                                                                    /* s1 = s2
/* d = all bits cleared
30 #define ASSIGN
31 #define CLEAR
32 #define FILL
                                                                                    /* d = all bits set
33
34 #define union(d,s1,s2)
                                                                                    set_op(UNION,
35 #define intersection(d, s1, s2)
                                                                                  set_op( INTERSECT, d, set_op( DIFFERENCE, d,
                                                                                                                                                    sl,
                                                                                                                                                                       52
36 #define difference (d, s1, s2)
37 #define assign (d, s1)
                                                                                                                                                                       s2
                                                                                                                                                    s1,
                                                                                    set op ( ASSIGN,
38 #define invert (d,s1)
                                                                                   set op ( INVERT, set op ( CLEAR,
                                                                                                                                   d,
                                                                                                                                                    s1,
                                                                                                                                                                  NULL
39 #define clear(d)
40 #define fill(d)
                                                                                                                                               NULL,
                                                                                                                                   d.
                                                                                                                                                                  NULL
                                                                                    set op ( FILL, d, NU ( (\overline{d}) ->compl = ~(d) ->compl)
                                                                                                                                               NULL,
                                                                                                                                                                  NULT.
41 #define complement (d)
42
43 #define equivalent (s1, s2)
                                                                                    ( set cmp(s1, s2) == 0 )
44 #define disjoint(s1,s2)
                                                                                    ( set_{mp}(s1, s2) == 1 )
45
46 #define GBIT(x,s,op) ( ((s)->map)[(x) >> 3] op (1 << ((x) & 0x07))
47
48 #define remove(x,s) ( ((x) >= (s)->nbits) ? 0 : GBIT(x,s,&= 49 #define add(x,s) ( ((x) >= (s)->nbits) ? addset(x,s) : GBIT(x,s,&= 50 #define ismember(x,s) ( ((x) >= (s)->nbits) ? 0 : GBIT(x,s,&= (SBIT(x,s,&= (SBIT(x,s,,&= (SBIT(x,s,,,,,= (SBIT(x,s,,,,,= (SBIT(x,s,,,,,= (SBIT(x,s,,,,,= (
48 #define remove(x,s)
52 #define test (x, s)
                                                            ( (ismember(x,s))? !((s)->compl): (s)->compl)
```

End Listing One

Tools For Programmers

Essential Graphics \$250



- Fastest Library Available
- Powerful and Easy to Use
- Major Graphics Boards
- Filling, Get & Put
- Ten Character Fonts Inc.

C Utility Library \$185

- New Release Version 3.0
- 400 C Functions, Source Included
- Pop-up Windows and Menus
- Fastest Screen Output Available
- Strings, Files, Keyboard, Mice, DOS
- Disable Ctrl-Break, Disk Drive Status

No Royahies - 30 des Money Beck Guerantes



ESSENTIAL SOFTWARE, INC. P.O. Box 1003 Maplewood, NJ 07040 914/762-6605

Circle no. 138 on reader service card.

Listing Two

```
Listing 2 -- set.c
  #include <stdio.h>
  #include <ctype.h>
3 #include <set.h>
 5 extern char
                     *calloc (int, int);
8
  #ifdef DIAG
           define D(x) x
10 #
11 #else
            define D(x)
12 #
13 #endif
14
15 #define max(a,b)
                             ((a) > (b) ? (a) : (b))
17 /*--
18
19 SET
            *newset()
20 { 21
22
23
24
            if ( ! (p=(SET *) calloc(sizeof(SET),1)) )
                      fprintf(stderr, "Can't get memory for set\n");
25
26
27
28
29
                      return NULL;
             else
                      p->map = p->defmap;
p->nbytes = DEFBYTES;
30
31
32
                      p->nbits = DEFBITS;
33
34
             return p;
35 }
36
37
38
39 void
             delset ( set )
40 SET
41
42
43
             /* Delete a set created with a previous newset
44
             if( set->map != set->defmap )
    free( set->map );
45
46
47
 48
             free ( set );
 49 }
50
 51 /
 53 static void
                      enlarge ( need, set )
 54 SET
             *set;
 55 {
                      Enlarge the set to "need" bytes, filling in the extra
 56
57
                      bytes with zeros.
```

(continued on next page)

Tools For Programmers

Essential Communications Library \$185

- · Comprehensive, reliable functions with source
- Interrupt driven up to 9600 baud
- XON/XOFF and XMODEM supported
- Transfer files with one function call
- Hayes compatible modem support
- · Thorough manual & asynch tutorial
- · Compatible with major C compilers, Pascal soon.

BreakOut Asynch Debugger \$125

- Test protocols, monitor lines
- Window interface, on-line help
- Single key commands and macros
- ASCII/Hex "Scratch pad" editor
- · Capture/send data in buffers/files
- · Detailed manual with sample screens
- Requires PC/XT/AT or true compatible

Essential Communications/BreakOut Combination Package \$250

No Revolues • 30 day Money Eack Guarantee



ESSENTIAL SOFTWARE, INC. P.O. Box 1003 Maplewood, NJ 07040 914/762-6605

Circle no. 139 on reader service card.

HOW WOULD IT FEEL TO HAVE THE POWER OF TWO VAX' 11/780s ON YOUR DESK?

With the Consulair™ Professional Development Workstation, Now You Can!

he programmers' dream system takes an ordinary Macintosh™ and adds the Levco Prodigy 4, a 32 bit 68020 with a 68881 floating point coprocessor accelerated to 16 MHz. 4 megabytes of high speed memory, and SCSI interface. You get MacUser Magazine's Best Development Language of the Year, Consulair Mac C/ Mac C Toolkit with Direct Access™ compiler support for the 68020 and 68881. Together, the system runs almost 1/2 million Whetstones per second and the Sieve benchmark in 0.68 seconds. As a special introductory offer you can upgrade your own Macintosh or Mac Plus for \$6495. including the complete software and hardware development system. An internal SCSI 20 Mbyte hard disk is available for an additional \$995.

If you want to move in smaller steps, we have a complete range of development systems to suit your needs. Leap into your future today with the Consulair Professional Development Workstation.

Call our Order and Information Hotline Today at **415-851-3272**.

Consulair

140 Campo Drive

Portola Valley, CA 94025

Circle no. 94 on reader service card.

C CHEST

Listing Two (Listing continued, text begins on page 14.)

```
60
                 register char
   61
   62
                 if(!set || need <= set->nbytes)
                           return;
   64
                 D( printf("enlarging %d byte map to %d bytes\n", set->nbytes, need);)
   65
   66
                68
   69
   70
   71
72
                           memcpy ( new, set->map, set->nbytes );
   73
                           if ( set->map != set->defmap )
   74
                                    free ( set->map );
  75
76
                           set->map
   77
                           set->nbytes = need;
  78
                           set->nbits = need * 8:
  79
  80 }
  83
  84 int
                addset (bit, set )
      SET
                 *set:
  86
  87
                          Addset is called by the add() macro when the set isn't
  88
                          big enough. It expands the set to the necessary size and sets the indicated bit.
  89
  90
  91
                enlarge( (bit >> 3) + 1, set );
GBIT ( bit, set, |= );
  92
  93
  94 }
  95
  96 /*
  98
                num ele ( set )
  99 SET
 100 {
 101
                          Return the number of elements (set bits) in the set. This routine depends on zero fill when an unsigned quantity is shifted to the right.
 102
 103
 104
 105
 106
                register unsigned j;
 107
                register unsigned count = 0;
 108
                unsigned char
                                       *p;
 109
 110
                p = set->map;
                for(i = set->nbytes; --i >= 0; p++)
for(j = *p; j; j>>= 1)
count += j & 0x1;
 112
 113
 114
 115
 116
                return count:
 117 }
118
 119 /*
120
121 set_cmp( set1, set2 )
122 SET *set1, *set2;
123 {
                /* Compares two sets. Returns zero if they're equivalent, one if
 * they're disjoint, 2 if they intersect but aren't equivalent,
 * -1 is returned if the two sets are different sizes.
124
125
126
127
128
               register char *p1, *p2;
register int i, disj = 0;
129
 130
131
132
                i = max( set1->nbytes, set2->nbytes);
133
134
               enlarge(i, set1);
                                                       /* Make the sets the same size */
135
               enlarge(i, set2);
136
               p1 = set1->map;
p2 = set2->map;
138
139
140
               for(; --i >= 0; p1++, p2++)
141
142
                          if( *pl != *p2 )
144
                                    if ( *p1 ^ ~*p2 )
145
                                             return 2;
146
147
                                    else
                                             disj = 1;
148
                                                                              (continued on page 62)
```

COMPUTE WHILE See us at See us

--PrintO*

FINALLY, A REAL MAINFRAME PRINT SPOOLER FOR YOUR IBM PC OR COMPATIBLE

If you spend part of your PC time running applications. Part of it printing. And a lot of time waiting ...

Imagine a program that prints up to 10,000 pages while you run applications.


PrintQ does that. And more.

It's the first really complete print spooling subsystem for your PC. And your biggest time saver ever!


HOW PrintQ WORKS

Run your application programs as usual, but instead of stopping after the print command, keep right on computing! PrintO intercepts the documents bound for the printer, spools them to disk, then prints them according to your commands.

NOT COPY PROTECTED



Dealer Inquiries Invited Corporate Licensing Available Circle no. 218 on reader service card.



"Pop up" status display lets you monitor and control document printing at any time.

WITH PrintO YOU CAN...

- Re-start printing from any page.
- · View documents on screen with or without printing.
- Print up to 255 copies automatically.
- Save reports for reprinting.
- Minimize form changes. PrintQ groups similar documents.
- Print in order of priority.
- Simplify forms alignment.
- Work while printer is down.
- Copy reports to ASCII files.
- Control from within a batch file.
- Use any printer (including laser).
- · No program modifications required.

... AND MUCH MORE

"Using PrintQ could become very addicting, and users may never want to go back to ordinary printing again."

-PC Week

FULLY GUARANTEED

Use PrintQ. If you're not convinced PrintQ saves time, increases productivity and enhances printer function, return it within 30 days for a full refund.

Order now and you'll receive the PrintO disk, complete easy to understand documentation, and the Quick Start Card which will have you reaping the benefits of PrintQ in seconds.

> Call toll-free or mail the coupon to order now.

1-800-346-7638

In New Jersey Call 201-584-8466 Same day shipping on phone orders

©1985, 1986 Software Directions Inc.

ons, Inc. 1572 Sussex Turn	pike, Randolph, NJ 07869
rintQ for just \$89, which includereign — add \$20). If I'm not conces printer function, I'll retu	des postage and handling (Canada — nvinced PrintQ saves time, increase- rn it within 30 days for a full refund.
State	Zip
	MasterCard
	Exp. date
	Phone #
	NJ residents add 6% sales
	.10 10014

IBM is a registered trade mark of International Business Machines Corporation

C CHEST

Listing Two (Listing continued, text begins on page 14.)

```
150
151
                  return disj;
                                                   /* They're equivalent
  152 }
 153
 154 /* -
  155
  156 int
                  subset (a, b)
 157 SET
                  *a, *b;
 158 {
 159
                             Return 1 if A is a subset of B. Set A must be either smaller
 160
                             than or the same size as B. 0 is returned if A is not a subset or if A is larger than B.
 161
 162
                   */
 163
 164
                  register int
                                       1:
 165
                 register char *ap, *bp;
 166
 167
                  if ( (i = a->nbytes) > b->nbytes )
 168
                            return 0;
 169
 170
                  ap = a->map;
 171
                 bp = b->map;
 172
173
                 for(; --i >= 0; ap++, bp++ )
    if( (*ap & *bp) != *ap )
        return 0;
 175
 176
                  return 1;
 177 }
 178
 179 /*
 180
 181 void
                 set_op( op, dest, set1, set2 )
 182 int
 183 SET
                  *set1, *set2, *dest;
 184
                            Performs either the union or intersection of two sets (depending on the value of "union"). Dest is the result. The two source sets (set1 and set2) must be different, however either of the sources may be used as a destination if you like. If the sets are different sizes, the smaller set is made larger. Unused arguments should be set to NULL.
 185
186
187
 188
 189
190
191
 192
 193
                 register char
                                                        /* Pointer to destiniation map */
/* Pointer to map in set1 */
/* Pointer to map in set2 */
                                       *d:
194
                 register char
                                       *m1;
 195
                 register char
                                       *m2;
 196
                                       1;
                                                              /* Number of bytes in map
                 register int
197
198
                 i = dest->nbytes;
                 if( set1 )
    i = max( i, set1->nbytes );
if( set2 )
200
 202
                           i = max(i, set2->nbytes);
203
204
 205
                 enlarge( i, set1 );
enlarge( i, set2 );
enlarge( i, dest );
                                                  /* Make all three sets the same size
 206
                                                  /* if necessary. Enlarge() does nothing */
/* if they're already the correct size. */
207
208
209
                 d = dest->map;
m1 = set1->map;
210
211
212
                 m2 = set 2 \rightarrow map;
 213
                 while (--i >= 0)
214 215
                            D( printf("set_op: working on bit %d\n", i);)
216
217
                            switch ( op )
218
219
                            case UNION:
                                                     *d++ = *m1++ | *m2++
                                                                                              ; break;
220
                                                     *d++ = *m1++ & *m2++
*d++ = *m1++ ^ *m2++
                            case INTERSECT:
                                                                                               ; break:
221
                            case DIFFERENCE:
                                                                                               ; break;
222
                            case ASSIGN:
                                                      *d++ = *m1++
                                                                                               ; break;
223
                            case INVERT:
                                                     *d++ = ~*m1++
                                                                                               : break:
224
                            case CLEAR:
                                                     *d++ = 0
                                                                                               ; break;
225
                            case FILL:
                                                     *d++ = ~0
                                                                                               ; break;
226 227
228
229
230
231 #ifdef DEBUG
232
233 pset ( str, set )
234 char *str:
     SET
                *set;
236
237
                int
                            i;
               239
240
```

(continued on page 64)

NOW AT THE SBC MART **COMPUTING SALE-A-THON**

1.2MB Floppy on your PC or XT

* Now you can have a 1.2MB-and-360K AT-compatible floppy disk drive on your IBM (or compatible) PC or XT. Our 1.2MB controller replaces your floppy disk controller. The controller is \$149, a TEAC 1.2MB/360K disk drive is \$135, the driver is \$36. The controller combined with clock/calendar, serial and parallel ports, and able to control 3.5" and 8" floppy disk drives is only \$189.

SPECIAL BONUS Norton Utilities Ver 3.0 Reg \$99 only \$60 w/purchase of any disk drive. IBM PC-DOS 3.2 (the real thing) Reg \$95 only \$70, w/purchase of mother-

ADD-ON CARDS

- multifunction card 384K, clk/cal w/battey, serial, parallel, and game ports, with 0K save \$50 Model MFC-4 \$89
- monochrome graphics card runs 1-2-3 graphics, w/printer port, 720x348, MGC-1 now \$99 (Hercules equiv.)
- floppy controller for 1-4 48tpi or 96tpi drives, w/cable save 125 Model FDC-2 now only \$59
- · color adapter w/light pen port, RGB and composite outputs Reg \$140 Model CC-1 now just \$79
- ★ better than the Super 7: floppy disk controller, clk/calendar, serial, parallel & game ports, spooler & RAMDISK s/w Sale \$99 ideal mate for 640K motherboards
- clock/calendar card Reg \$58, CL-1 \$49
- ★ 808K ON A SINGLE FLOPPY, TEAC 96tpi 80-track disk drive kit, complete, nothing else to buy now \$169

CASES




- look alike high quality IBM PC w/sideswitch, flip-flop top or side chassis
- any-combo disk drive brackets
- heavy steel 5- and 8-cutout style
- Model CA-8 Reg \$95, now \$69

SBC PLEDGE

- * service after sale
- ★ technical support
- ★ low prices
- ★ one year warranty

MOTHERBOARDS



- full IBM PC/XT compatibility
- 8 I/O slots - runs IBM's PC-
- DOS 3.1 & 3.2 BASIC inter-
- preter available great foundation for business or
- personal system 1 year warranty
- Model MB-2 640K Turbo motherboard 4.77 & true 8MHz clock (switchable from keyboard or by software) with 256K RAM Reg \$349 now \$239
- · Model MB-3 640K motherboard with 0K Reg \$199 now \$159
- TURBO Program see below, right.

ABOUT OUR MOTHERBOARDS

- the most IBM PC compatible 'motherboards available
- each runs all commercially available software
- each works with all commercially available add-on cards

These FOUNDATION motherboards are the most compatible you can buy. All work with V20 chips, have parity checked memory, an 8087 socket, 8 adapter slots, four empty ROM sockets. Super manual includes complete data on how to put together a complete PC system. It even includes schematics.

HARD DISKS



- complete 20 MB kit
- special only \$479
- complete internal 1/2-high 20MB kit, incl. controller and cables, special \$479
- complete 30 MB kit with ½-high drive, uses new Adaptec 2070-A controller,
- ★ OMTI hard disk controller card (this card is super fast) Reg \$220, Model HDC-1 now \$175, w/cables
- ★ Generalized hard-disk controller works with almost any drive. Just tell the controller your drive specs. Fast OMTI 5510-7 hard disk controller with cables and OMTIDISK utilities HDC-4 only \$189
- "Assembling an IBM PC/XT Compatible Computer System" A novice can put an IBM PC compatible together with this new detailed manual. \$19
- Microsoft's new QuickBASIC full MS BASIC compiler, Reg \$99, only \$89

POWER SUPPLY

- 135 Watts
- side switch
- top quality
- one year warranty
- standard cables for 4 disk drives
- Model PS-135 power supply Reg \$129, now only \$75

TURBO PROGRAM

★ This program will set virtually all turbo motherboards to the turbo, or high-speed, mode. Can be called from the keyboard or from your AUTOTEXEC file only \$19

BEST DOS MANUAL

*Microsoft Press' "Running MS DOS". For the less experienced and the most knowledgeable MS/PC DOS user. 423 pages. We regularly get calls from our customers telling us how great this book

Shipping and handling: drives/motherboards/cases/power supplies \$4.50 ea., cards \$2 ea., software \$2.50 ea., keyboards/modems \$4 ea., speedup kits \$2 ea., memory \$1/set, COMPUTERFACTS \$3 first set then \$1/set. CA residents add 6% sales tax.



Visa/MC/AmEx ORDERS:(619) 375-5744 The SBC MART, P.O. BOX 1296, Ridgecrest, CA 93555



The SBC Mart is part of Computing Technology, 247 Balsam Street, Ridgecrest, CA 93555

C CHEST

Listing Two (Listing continued, text begins on page 14.)

```
242
                                                      set, set->nbits, set->nbytes, set->map);
243
244
                  printf("%s TRUE\n", set->compl ? "NEGATIVE" : "POSITIVE" );
245
246
                  printf("| map = ");
247
                  for( i = 0; i < set->nbytes; i++ )
  printf("0x*02x,", (set->map)[i] );
248
249
250
                 printf("\n| bits= "):
251
                  for( i = 0; i < set->nbits; i++ )
    printf( test(i, set) ? "%d," : "" , i );
252
253
254
255
                  printf("\n| %d elements\n", num ele(set) );
256
257
                  printf("+----
                                                                                                           ----\n");
258 }
259
260 /*
261
262 test stuff(a, b, d)
263 SET *a, *b, *d;
264 {
                 pset ("set a", a );
pset ("set b", b );
265
266
267
                                                      pset ("a union b",
pset ("a intersect b",
pset ("a difference b",
pset ("d assign a",
pset ("complement a",
268
                  union
                                      (d, a, b);
                                                                                          d);
269
                  intersection (d, a, b);
                                                                                          d);
270
                  difference
                                      (d, a, b);
                                                                                          d);
271 272
                  assign
                                      (d, a);
                                                                                          d);
                  complement
                                      (d);
                                                                                          d);
273
                  complement
                                      (d);
274
                  invert
                                      (d, a);
                                                      pset ("invert a",
                                                                                          d);
275
                 printf("a %s equivalent to b\n", equivalent(a,b) ? "IS" : "ISN'T" );
printf("a %s disjoint from b\n", disjoint(a,b) ? "IS" : "ISN'T" );
printf("b %s a subset of a\n", subset(b, a) ? "IS" : "ISN'T" );
printf("a %s a subset of b\n", subset(a, b) ? "IS" : "ISN'T" );
276
277
278
279
280
281
                                                                                                                -\n");
282 }
283
284 /*
285
286 main()
287 {
                              *a, *b, *d;
buf[80], *p;
                  SET
289
                  char
290
                  int
                              num;
291
                  a = newset(); pset("initial a", a);
b = newset(); pset("initial b", b);
d = newset(); pset("initial d", d);
292
293
294
295
296
                  add (0, a);
297
                  add(1,a);
add(3,a);
298
299
                  add (0, b);
300
                  add (3, b);
301
302
                  test stuff(a, b, d);
303
304
                  remove(0,a); remove(1,a); remove(3,a); remove(0,b); remove(3,b); add(0, a); add(2, a); add(2, b); add(3, b);
305
306
307
                  test stuff(a, b, d);
308
                  clear(a); clear(b); test_stuff(a, b, d);
clear(a); fill (b); test_stuff(a, b, d);
309
310
311
312
                  delset(b);
delset(d);
313
314
                  delset(a);
315
                  a = newset():
316
317
                  printf("enter <bitnum><s|c>:");
318
319
                  while ( gets (buf) )
320
321
                              num = atoi(buf);
for(p = buf; isdigit(*p); p++)
322
323
324
325
                              if( *p == 's' )
326
                                          add(num ,a);
327
328
                                          remove (num, a);
                              pset("", a);
printf("enter <bitnum><s|c>:");
330
331
332
333 }
334
335 #endif
```

End Listings

NEW GRAPHICS ISSUES

Listing One (Text begins on page 30.)

Draw a rectangle with an 8086 on CGA. Draw a rectangle in the upper left corner of a CGA display in high-resolution mode. The code is hardwired to a 10x10 rectangle. Set up segment and offset registers to point to display memory. AX, 0B800H mov ES, AX mov BX. 0 Draw the top line by stuffing one byte and the first two bits of the next byte. byte ptr [BX], OFFH byte ptr [BX+1], OCOH Draw the bottom line the same way. byte ptr [BX+800], OFFH byte ptr [BX+801], OCOH mov mov Draw the first and last pixels on the next 4 even scan lines, then do the same on the odd scan lines. SI, 50H mov CX, 4 mov byte ptr [BX+SI], 80H byte ptr [BX+SI+1], 40H FOLoop: mov mov SI, 80

```
EOLoop
             1000
                         SI, 2000H
             cmp
                        EODone
             ja
                        SI, 2050H
CX, 4
            mov
            mov
                         EOLoop
FODone
                        byte
  Rectangle is finished.
    Same rectangle drawn by 34010
  Draw a line from 0,0 to 0,10. The start point is in register B2 and the end point
  (delta X and delta Y) is in register B7.
; The > sign precedes a 32-bit hex constant
             MOVI
                         >00100000,B7
             MOVI
             T.TNF.
  Repeat the process for the other sides.
                         >00100000,B2
             MOVI
             MOVI
                         >00000010,B7
```

LINE

MOVI MOVI

LINE

MOUT

MOVI

; Finished!
Same rectangle drawn by 82786
; Move to the upper left corner and ; draw a 10x10 rectangle. ; ABS MOVE 0,0 RECT 10,10 ; ; All finished!
; End Listing

FORCINIX

WINDOWS FOR DATATM

>0,B2

>00000010,B7

>00000010.B2

>00100000,B7

COMPATIBILITY HELP

DATA ENTRY

WINDOWS MENUS

Windows for Data does the hard jobs that others can't — we **guarantee** it. Makes standard display and entry tasks easy. Reliable. Compact. Portable.

DATA ENTRY: The most complete and flexible data entry system on the market. Pop-up data-entry windows; field types for all C data types, plus decimals, dates, and times; auto conversion to and from strings for all field types; system and user-supplied validation functions; range-checking; scrollable context-sensitive help; required and must-fill fields; programmer-definable edit keys, field types, and field masks. Read field by field or auto-read all fields. Branch and nest window forms. Virtually every capability of WFD can be modified to meet special needs.

WINDOWS: WFD is built upon and includes Windows for C, the windowing system rated #1 in PC Tech Journal (William Hunt, July 1985). WFC now has more features than ever, including automatic full compatibility with Microsoft Windows and TopView.

UNPRECEDENTED FLEXIBILITY



As many possibilities as Vermont in June.

MENUS: Build multi-level menus in the format of Lotus 1-2-3, Macintosh, or a style of your own choosing.

HELP: Build context-sensitive or menudriven help systems. Display text in pop-up, scrollable windows.

UNIX, DOS, OR BOTH

WFC and WFD provide source code compatibility between PCDOS and UNIX.

OUR CHALLENGE AND GUARANTEE

If you have an application where no other tool can do the job, try **Windows for Data**. If it doesn't help you solve your problem, RETURN FOR A FULL REFUND. YOU MUST BE SATISFIED.

WINDOWS WINDOWS FOR DATA FOR C

PC DOS* \$295 \$195 XENIX-286 \$595 \$395 UNIX CALL CALL

Call for **FREE Demo diskette**. *All popular C compilers; no royalties.



21 Elm Ave. Richford, VT 05476 **802-848-7738**, ext. **31**.

 $\begin{array}{l} {\it MasterCard~\&~Visa~Accepted.~Shipping~\$3.50} \\ {\it VT~residents~add~4\%~tax.} \end{array}$

Circle no. 157 on reader service card.

Explore AI on your PC

Smalltalk/V transforms your PC into a versatile AI workstation

Only Smalltalk/V lets you experience the thrill of a responsive AI workstation while learning artificial intelligence techniques and using them to create practical applications.

"Smalltalk/V gives me the feel of an AI workstation on my PC."

> —Darryl Rubin, Technical Editor, AI Expert Magazine

Watching someone use an AI workstation is a vision of what the computer was meant to be. Fingers dance across the keys as windows dilate, shift, overlap, and disappear on the bit-mapped display. Ideas spring to life as program fragments execute, are modified, expanded, combined and tried again in a creative arabesque of text and graphics. The interface vanishes, man and machine are one. Smalltalk/V brings that experience to your IBM-PC.

"We use Smalltalk
as our primary language
for teaching artificial intelligence."

—Dr. John Pugh Director, School of Computer Science Carleton University

Of the three main AI languages, Smalltalk, LISP, and Prolog, only Smalltalk was intended for individual use on a personal computer. Only Smalltalk was designed to provide a match between human and computer models of reality. Only Smalltalk is easy to learn, easy to read, and easy to use.



"We found Smalltalk/V excellent for developing advanced decisionsupport tools based on decision analysis and AI techniques."

> —Dr. Samuel Holtzman, Professor, Stanford University

Smalltalk/V is pure object-oriented programming — a powerful tool for designing frame/script-based knowlege representations, inference engines, expert systems, simulation environments, intelligent interfaces, network control software, communications interfaces, and much more.

Methods, our character-based Smalltalk, is now available for \$79. It has all of the features of Smalltalk/V except graphics, rules, source-level debugger, and object-swapping. However, it supports color, includes the communication package, and does not require a mouse.

BYTE and BIX are trademarks of McGraw-Hill, Inc. IBM, IBM-PC, and IBM PC-AT are trademarks of International Business Machines Corporation. Unix is a trademark of Bell Laboratories.

"Smalltalk/V is the highest performance object-oriented programming system available for PCs."

—Dr. Piero Scaruffi Chief Scientist Olivetti Artificial Intelligence Center

Smalltalk/V Features

• High-performance object-oriented programming

- Integrates object-based and rule-based programming with object-oriented Prolog
- A user-extensible, open-ended environment
- · A responsive graphical user interface
- Supports exploratory programming and prototyping
- Class hierarchy with inheritance creates highly re-useable code
- Smalltalk source code included, with browser windows for easy access and modification
- A huge toolkit of classes and objects for building a variety of applications
- Object-swapping creates virtual memory on hard or RAM disk
- Bit-mapped graphics with bit and form editors
- A sophisticated source-level debugger
- Automatic change log for easy recovery from errors
- Powerful directory/file browser system for organizing DOS files
- Optional communications interface to Unix[™] and other systems
- Access to other languages and DOS functions
- DOS command shell
- Detailed owner's manual designed for both beginners and advanced programmers

YES! I want to turn my PC into an AI workstation	. Send me
Smalltalk/V	I enclose ☐ Check ☐ Money Order ☐ Credit card information ☐ MC ☐ VIS
Shipping and Handling	Number: Expiration
CA residents add applicable sales tax	SignatureName:
Shipping and Handling U.S., Canada, and Mexico \$ 5.00 Elsewhere \$15.00	Street Address:City/State/Zip:Phone:

NOT COPY PROTECTED, 60-DAY MONEY-BACK GUARANTEE ON-LINE USER-SUPPORT CONFERENCE ON BYTE'S BIX $^{\rm TM}$

Smalltalk/V requires DOS and 512K RAM on IBM PCs (including AT) or "compatibles," a Microsoft or compatible mouse, and a CGA, EGA, Hercules, or AT&T Hi-Res graphic controller.

digitalk inc.

5200 West Century Boulevard Los Angeles, CA 90045 (213) 645-1082

Circle no. 127 on reader service card.

TurboHALO[™]

Finally, powerful graphics for Turbo Pascal!

Announcing: TurboHALO GRAPHICS!

- 150 graphic primitives (based upon the powerful HALO primitives).
- Graphics in up to 16 colors, in medium or high resolution, on 10 popular graphics cards—including IBM CGA and EGA, Hercules, and AT&T DEB.
- Output to over 20 printers and plotters—including
 HP and Corona Laser and Apple Imagewriter.
- · 11 popular input devices supported.
- Memory resident drivers require only 2K of Turbo Pascal code space.
- These professional graphics programs use
 HALO Primitives:

Drafix II—Foresight Resources
CADKEY—Micro Control Systems, Inc.
Dr. Halo II—Media Cybernetics/IMSI
CAD Master—Datagraphics
Decision Master—Centec
Artworks—West End Films

 Speed, ease of use, multiple fonts and much more, for ONLY \$99.00! NO ROYALTY FEES!

To order **TurboHALO**™
Call **(800) 222-GRAF, (800) 562-GRAF** (in CA) or **(415) 454-7101**Or send payment to:

IMSI

1299 Fourth Street · San Rafael, CA 94901

VISA, MC, Check or Money Orders accepted.

PC Network: the world's # 1 supplier o

*members pay wholesale,

and get 14-30 day software rentals

*PC Network members pay just 8% above the wholesale price, plus shiping. All prices reflect a 3% cash discount. Wholesale prices fluctuate rapidly—all prices in this issue have been prepared 60 days in advance. Please call for latest prices. Minimum shipping \$2.50 per order. International orders call for shipping & handling charges. Money Order, personal and company checks please allow 10 working days to clear.

Arity Corporation

Expert System Development Package	\$235.00*
File Interchange Toolkit	37.00*
Prolog Compiler and Interpreter	650.00*
Prolog Interpreter	275.00*
SQL Development Package	235.00*
Screen Design Toolkit	37.00*
Standard Prolog	70.00*
Arity Combo Package	950.00*

PC NETWORK MEMBERSHIP APPLICATION

YES! Please enroll me as a member in the PC NETWORK™ and send my catalog featuring thousands of computer products, all at just 8% above DEALER WHOLESALE PRICES. I will also receive "THE PRINTOUT", a special update on merchandise at prices BELOW even those in my wholesale catalog and all the other exclusive, money-saving services available to Members. I am under no obligation to buy anything. My complete satisfaction is guaranteed.

Please () all boxes that apply:		
Basic Membership With 14 Days Rental	\$8 🗆	2 Year \$15 \(\tag{9}
Business Software Rental Library Games Software Rental Library	\$25	d'l. per year d'l. per year
•Special V.I.P Membership With 30 Days Rental BOTH Business and Game	1 Year \$15 🗆	
Software Rental Libraries	\$30 ad	d'I. per year
□Bill My Credit Card: □VISA □Ma Account Number: □□□□□□□		American Express
Exp. Date		
mon. yr.		
Check or Money Order Enclosed	d for \$	
Name		

(Signature required to validate membership) Copyright© 1986, PC NETWORK, INC.

My Computer(s) is: □IBM PC □IBM XT □IBM AT

State

□Apple II □Macintosh Other

Apt. No.

Zip

Blaise Computing Inc.

	Asynch Manager for C	\$115.00*
	Asynch manager for Pascal	115.00*
	C Tools/Tools 2 Combo Pack	115.00*
	C Tools	85.00*
	C Tools	65.00*
	C Tools Plus	115.00*
	Exec	65.00*
	Pascal Tools/Tools 2 Combo	115.00*
	Pascal Tools	85.00*
	Pascal Tools 2	65.00*
	Runoff	35.00*
	Turbo Asynch Plus	65.00*
	Turbo Power Tools Plus	65.00*
1	View Manager w/Source for C	185.00*
	View Manager w/Source for Pascal	185.00*

Borland International

Reflex	\$54.00*
Reflex and Workshop Bundle	99.95*
Reflex Workshop	35.25*
Turbo Database Toolbox	34.00*
Turbo Editor Toolbox	35.00*
Turbo Gameworks Toolbox	35.00*
Turbo Graphix Toolbox	32.97*
Turbo Lightning	48.50*
Turbo Pascal w/8087 and BCD Support	50.00*
Turbo Tutor	19.50*
Word Wizard	37.25*
Word Wizard and Turbo Lightning Bundle	79.50*

Lattice

C C	
C-Compiler 3.1	\$250.00*
C-Sprite Debugger	115.00*
C-Food Smorgasbord	82.00*
Sidetalk	79.00*
DBC-III Library	137.00*
RPG-II Compiler	410.00*

LogiTech

LogiMouse	
Logiwouse	\$75.00*
LogiMouse +	89.00*
LogiMouse + w/PC Paint	117.00*
LogiMouse + w/Generic CAD	139.00*
LogiMouse + w/Reflex	145.00*

CALL TOLL FREE 1-800-621-SAVE

(Orders — Membership and Advice!) In Illinois call (312) 280-0002

Your Membership Validation Number DD21

You can validate your membership number and, if you wish, place your first money-saving order over the phone by using your VISA, MASTERCARD or AMERICAN EXPRESS. **Our** knowledgeable sales consultants are on duty Mon.-Fri. 8:00 AM to 7:00 PM, Sat. 9:00 AM to 5:00 PM CST.

PERSONAL COMPUTER NETWORI 320 West Ohio Street Chicago, Illinois 60610

Call now...Join the PC NETWORK and start saving today! Customer Service and Order Status (312) 280-1567 8:30 AM to 4:30 PM, Mon.-Fri. CST

Address

Signature

City .

everything for the program developer.

LogiMouse + w/Generic CAD and PC Paint	158.00*
Modula-2/86 Compiler	55.00*
Modula-2/86 Compiler w/8087	85.00*
Modula-2/86 Compiler w/512K	142.00*
Modula-2 Runtime Debugger	41.00*
Modula-2 Source Package	79.00*
Modula-2 Translator	35.00*
Modula-2 Utilities Package	35.00*
Modula-2 Window	35.00*

Micro Focus

\$ 32.00*	Cobol Workbench
1,100.00*	Level II Cobol
199.00*	CoGraphics
150.00*	CoMath
245.00*	Forms-2
675.00*	Level II Animator
1,499.00*	Level II Source Writer
140.00*	Micro/SPF
2,200.00*	Professional Cobol
400.00*	· 프리프 프로프 프로프 프로프 프로프
	Professional Cobol Multiuser Runtime for PC Net







Microsoft

Cobol Tools	\$199.00*
Basic Interpreter for Xenix	190.00*
Quick Basic	57.00*
Basic Compiler	237.00*
C Compiler	230.00*
Cobol Compiler	420.00*
Fortran Compiler Xenix	313.00*
Fortran Compiler PC	184.00*
MULISP	180.00*
Macro Assembler 4.0	84.70*
MUMATH/MUSIMP	180.00*
Pascal Compiler for Xenix	297.00*
Pascal Compiler for PC	162.00*
Sort Facility	117.00*
Windows	51.00*
Windows Development	290.00*

Phoenix Software

Director Boo	\$800.00*
Pfantsy Pac	210.00*
Pfinish	
Pfix 86 Plus	210.00*
Pforce	210.00*
Plink-86 Plus	299.00*
Pmate	199.00*
Pre-C	160.00*
Ptel	119.00*

Ryan McFarland

Fortran 77 Compiler	\$327.00*
RM/Cobol Full Development	570.00*
RM/Cobol Runtime	150.00*
RM/Cobol 8X Full System	799.00*
PM/Cohol 8X Runtime	189.00*

PC NETWORK'S ONLINE

A 24 hour bulletin board and information service. Members can:

- Download Public Domain Software FREE! Over 20,000 titles available.
- Get expert advice on Apple, ™IBM, ™ Macintosh, CP/M and Unix.
- · Place an order day or night.

Better Basic

8087 Math Module

- Product Reviews through the nation's largest computer expert news network!
- · Catalog Updates and special offers.

RM/Cobol Network Full System Ver.2.1	799.00*
RM/Cobol Network Runtime Ver.2.1	339.00*

Softcraft

Btrieve	\$175.00*
Xtrieve	130.00*
Rtrieve	109.00*
Rtrieve, Network Version	249.00*
Xtrieve, Network Version	419.00*
Btrieve, Network Version	419.00*

Summit Software

Runtime System	150.00*
Bourbaki Inc. 1 DIR	\$57.00*
Central Point Copy II PC	59.00*
CompuView Vedit	95.00*
CompuView Vedit	145.00*
Fifth Generation Fastback	85.00*
Fifth Generation Fastback w/50 DS/DD Diskettes	109.00*
Human Edge Software Expert Edge	374.95*
MLI Disk Mechanic	40.00*
Morgan Computer Professional Basic	70.00*
Morgan Computer Trace 86	77.50*
Peter Norton Norton Utilities 3.1	43.00*
Peter Norton The Norton Commander	36.00*
Rogue River Software APF/PC	98.00*
Softlogic Solutions Disk Optimizer or Double DOS	29.00*
Software Channels Alice	59.00*
Software Garden Dan Bricklin's Demo Program	55.00*
STSC APL*Plus/PC System	370.00*
STSC Statgraphics	520.00*
Vertex Xeno-Copy Plus	59.00*
Wordtech Systems Hot C	59.00*


PC Network 1800261-SAVE

IN ILLINOIS 312 280-0002

\$119.40*

59.00*

1 D)



HEREARE THE REASONS WHY.

Best-price Unix applications software. From the company that made a reality of best-price UNIX operating systems.

Business computing, word processing, database management, text preparation and software development—we've selected, developed and added value to the best. Once you've converted your PC/AT, with our System V, into a true multi-user, multi-tasking machine, you'll demand software that lets you get on with the tasks at hand.

CRYSTALWRITER PLUS

is a comprehensive word-processing system for the multi-user office. It allows concurrent use of files, layouts and printers, as well as supporting a full range of terminals.

INFORMIX SOL

is the relational-database-management system developers will choose for custom applications. It offers relational-database flexibility, interactive-database queries, a flexible design environment, automated functional menus, custom screen design and total format control.

UNIX and DWB are trademarks of AT&T IBM and IBM PC-AT are trademarks of IBM CORPORATION. SYSTEM V/AT is a trademark of MICROPORT SYSTEMS, INC.

R-OFFICE

ties a powerful word processor together with the file-management, table-spreadsheet, report-generation and desktop-management chores common to nearly every modern office.

R/M COBOL

is Ryan-McFarland's GSA certified implementation of the ANSI X3.23 74 standard. R/M COBOL is designed for serious business computing.

LEX

is a standalone system offering complete word processing capabilities, as well as utilities for adapting LEX to any type of video terminal or printer.

SOFTWARE DEVELOPMENT

from Microport. Our package was derived from the extensively-tested Portable C compiler. (The large-model code produced by the compiler is among the densest and fastest available.) These are true 286 compilers, making full and efficient use of the extended 286 instruction set. The package also includes the F77 Fortran compiler.

TEXT PREPARATION

from Microport. This package consists of the complete System V, Release 2 Documenter's Workbench (DWB), and includes both the new troff and the old troff. Drivers for the HP Laser Jet Printer and Apple's LaserWriter are also available.

These are but a few of our available packages. Virtually everything listed in AT&T's catalog can now, or will soon run with our operating system.

Regarding Our SYSTEM V operating system.

More than a look-alike, Microport's System V complies with AT&T's new binary standard and was derived from AT&T's own UNIX System V, Release 2 iAPX286. It thereby contains standard System V features the competitors don't support, such as the powerful symbolic debugger (SDB), the shell-layering job-control facility and the F77 Fortran compiler, as well as programming tools such as ctrace, cflow and bs. Over 200 utilities come standard to let you search and modify files, make use of electronic mail, calculate electronically, convert data and publish.

- 24 hour sale and support
- 90 day money-back guarantee
- Educational site licensing
- Commitment to AT&T souce and binary standards

To order: Call either of our numbers below for today's price and product line quote (be sure to ask about our buy-two-applications-packages-and-get-RUNTIME-free offer).

You really wouldn't want to pay thousands of dollars more, would you?



MICROPORT SYSTEMS, INC.

4200 Scotts Valley Drive Scotts Valley, CA 95066 408/438-UNIX (CA) or 800/PC2-UNIX

"In the marketplace, ultimate wisdom belongs to the customer."

"I have been buying software from about six mail order houses in the U.S. and your response time has been the best that I have encountered."

MW My Son

Rodolfo S. Suaco Kowloon, Hong Kong

"In any company, it is a great rarity to find courteous and timely service, product knowledge objectively offered, more than reasonable prices, and a willingness to pursue the latest new market offerings. My experience strongly indicates Programmer's Connection considers this their minimum acceptable standard in meeting customer needs."

Pauleo

Craig Timko
Car Programs Management
Ford Motor Company

San Jose, California

"I'm overwhelmed by how you bend over backwards to get things for us!"

Karen Stevens
Mindscape Software Inc.

"I am delighted!...your service is excellent. This is my first dealing with Programmer's Connection, but not the last, I am sure."

Korawer

Ken Travers KenT Computer Services Hornsby Heights, Australia

"Excellent service, excellent selection."

Reported by Mark Ackerman For the Boston Computer Society *PC Report*.

QUALITY

Quality products and quality people.
That's what Programmer's Connection is all about.

We carry the finest selection of the best programmer's development tools specifically for IBM Personal Computers and compatibles. They are the latest versions and most come with 30-day return guarantees or evaluation periods.

We firmly believe that high quality must be present throughout every aspect of our service. And to make sure that we maintain such high standards, we include a service questionnaire with every purchase. We're very interested in what our customers have to say.

SUPPORT

Our courteous, knowledgeable, noncommissioned salespeople are always ready to assist you. We also have experienced technical consultants on staff who can answer questions about products and provide sound, unbiased advice.

We'll support you before and after you make your purchase. Your satisfaction is very important to us.

PRICE

Our buying power enables us to offer you the lowest prices without sacrificing service.

UPS Ground shipping is FREE to all

U.S. customers. There are no extra charges for credit cards, CODs, purchase orders or special handling (except for export preparation).

Quite simply, the prices on the next two pages are all you pay.

INTEGRITY

When we started Programmer's Connection in 1984, we dedicated ourselves to providing high quality personal service to every customer. Since then, we've quickly grown to be the leading independent dealer in this industry.

We're very proud of the trust we've earned from our customers and we pledge always to be worthy of it.

It's our commitment to quality, support, low prices and integrity that sets us apart. So make the connection today and find out for yourself what our customers are talking about.





anllanguage	LIST	OURS
APL*PLUS/PC by STSC New Version	595	449
API "PI IIS / PI: Spreadsheet Mar by CTCC	195	139
APL*PLUS/PC Tools Vol 1 by STSC	295	199
APL PLUS/PL TOOIS VOI 2 by S/SC	85	59
APL*PLUS/UNX For AT XENIX by STSC	995	695
Btrieve ISAM File Mgr by SoftCraft	250	194
Pocket APL by STSC	275 95	195
STATGRAPHICS by STSC	795	599
arity products	,,,,	-
Arity Combination Package New	1225	1139
Arity PROLOG Compiler & Interpreter	795	699
Arity Expert System Development Pkg	295	259
Arity File Interchange Toolkit	50 50	45
Arity SQL Development Package	295	45 259
Arity PROLOG Interpreter	350	309
Arity Standard Prolog	95	85
artificial intelligence		
APES by Prog Logic Sys	395	339
APT from Solution Systems New	65	CALL
AutoIntelligence by IntelligenceWare New ESP ADVISOR by Expert Systems Intl New	990	CALL
PROLOG-2 Interface New	895 395	839 369
ExpertEDGE Advanced by Human Edge New	2500	CALL
ExpertEDGE Professional by Human Edge New	5000	CALL
Experteach II by IntelligenceWare	475	379
EXSYS Development Software by EXSYS	395	319
First Class by Human Edge	495	399
GCLISP 286 Developer by Gold Hill	1190	CALL
Insight 1 by Level Five Research	95	75
Insight 2+ by Level Five Research	485	379
Intelligence/Compiler IntelligenceWare	990	749
Logic-Line Series 1 by Thunderstone Logic-Line Series 2 by Thunderstone	90	85
Logic-Line Series 3 by Thunderstone	150	115
LPA microPROLOG by Prog Logic Sys	250	219
with APES	450	399
LPA Professional microPROLOG	395	339
with APES	695	599
Microsoft LISP Common LISP	250 95	175 85
Personal Consultant Easy by 71 New	495	439
Personal Consultant Plus by Tl New	2950	2599
Personal Consultant Runtime	CALL	CALL
PROLOG-2 Interpreter by ESI New PROLOG-2 Interpreter and Compiler New	450 895	419 839
QNIAL by NIAL Systems	375	349
TransLISP from Solution Systems New	95	CALL
Turbo PROLOG Compiler by Borland Intl	100	75
assembly language		
386 ASM/LINK Cross Asm by Phar Lap New	495	CALL
8088 Assembler by 2500 AD	100	89
asmTREE B-Tree Dev System by BC Assoc New	149	129 129
Cross Assemblers Various 2500 AD	CALL	CALL
Microsoft Macro Assembler	150	98
Turbo EDITASM — by Speedware	99	84
Visible Computer: 8088 Software Masters	80	65
BetterBASIC by Summit Software	200	139
808 / Math Support	99	79
Btrieve Interface	99	79
C Interface	99	79
Microsoft QuickBASIC New Version	99	219 75
Professional BASIC by Mornan	99	75
8087 Math Support True Basic with BASICA Converter New	50	42
True Basic with BASICA Converter New True Basic w/Converter & Run-time New	200	105
Advanced String Library Now	350 50	199
Asynch Communication Sunnort	50	45
BASICA Converter	50	45
Btrieve Interface Developer's Toolkit	50	45
	50 50	45 45
	50	45
Run-time Module	150	109
New	50	45
	00	73

ASYNCH MANAGER Specify C or Pascal	175	
C TOOLS	175 125	13!
C TOOLS 2	100	7
C TOOLS PLUS	175	13!
PASCAL TOOLS	95 125	7!
PASCAL TOOLS	100	79
PASCAL TOOLS & PASCAL TOOLS 2	175	13!
TUNDU ASTNUM PLUS	50 100	83
TURBO POWER TOOLS PLUS	100	83
VIEW MANAGER Specify C or Pascal	275	199
borland products REFLEX Data Base System	150	99
KFFLFX Workshop	70	55
REFLEX & REFLEX Workshop	200	149
Lurho FOLLOR TOOLROX	70 70	50 50
Turbo GAMEWORKS TOOLBOX	70	50
Turbo GRAPHIX TOOLBOX	70 100	50 74
Turbo LIGHTNING	100	69
Turbo Prolog Compiler	100	75
Turbo TUTOR for Turbo PASCAL	40 70	28 50
Word Wizard and Turbo Lightning	150	119
C++		
C++ from Guidelines New	195	179
C-86 by Computer Innovations	395	279
Datalight C Compiler Small Model	60	49
Datalight Developer Kit w/Large Model	99	79
DeSmet C w/Debugger	159	145
Eco-C Development System by Ecosoft	125	89
Lattice C Compiler from Lattice	500	294
with csd Source Debugger	150	109
Mark Williams MWC-86	495	289
Microsoft C with CodeView	450 750	288 599
Wizard C Compiler	450	359
ROM Development Pkg New	350	299
C-terp by Gimpel, Specify compiler	200	225
C Trainer by Catalytix New	300	CALL
Instant C by Rational Systems	500	CALL
Introducing C by Computer Innovations	125 150	104
Run/C Professional from Lifeboat	250	169
c utilities		
APT by Shaw American Technology	395	299
Basic C Library by C Source	175	129
C Essentials by Essential Software New	100 225	CALL 195
C to dBase by Computer Innovations	150	135
c-tree ISAM File Manager by FairCom New	395 CALL	329 CALL
C Utility Library Essential New Version	185	135
C Windows by Syscom	100	89
C Wings by Syscom	50 225	45 189
CI ROMPac by Computer Innovations	195	139
dbQUERY by Raima	195 195	155 155
with Source Code	495	425
dbVISTA Multi-User DBMS by Raima	495	425
with Source Code	990 350	845 325
Entelekon Combo Package	200	169
C Function Library	130	109
C Windows	130	109
Essential Graphics by Essential Software	250	205
Flash-up Windows by Software Bottling	75 280	68 209
GraphiC Color v3.0 by Sci Endeavors	350	289
GRAFLIB by The Librarian New Greenleaf Comm Library by Greenleaf	175 185	CALL 134
Greenleaf Data Windows by Greenleaf New	225	189
with Source Code	450 185	379 134
The HAMMER by DES Systems	195	149
HALO by Media Cybernetics HELP/Control by MDS New	300	209
Metavvinduws No Royalties	125 185	109
MetaFONTS	80	CALL
MetaWINDOWS/Plus by Metagraphics	235	189 CALL
Un-line Help from Opt-Tech Data Proc	149	109
PC Lint by Gimpel Software	295 139	224
PLUTHI by The Librarian Now	175	105 CALL
Sci Subroutine Library by Pageless		CALL
10		
Vitamin C by Creative Programming	175 150	139
Vitamin C by Creative Programming VC Screen Forms Designer Zview by Data Management Consultants		

Cobol language Micro Focus COBOL Workbench	4000	337
Micro Focus Level II COBOL	4000	54
COGRAPHICS	1500 250	199
COMATH	200	15
FORMS-2		
Level II Animator	300	25! 34!
Level II Animator	900	
Missa Feere Level II COROL (# #	2000	CAL
Micro Focus Level II COBOL for Novell	2000	1699
Micro Focus Micro/SPF	175	149
Micro Focus Professional COBOL	3000	229
Multi-user Runtime for PC Network	500	429
Microsoft COBOL	700	44
Microsoft COBOL Tools w/Debugger	350	20!
Realia COBOL New Version	995	78!
RM/COBOL by Ryan-McFarland	950	639
RM/COBOL 8X ANSI 85 by Ryan-McFarland	1250	89
debuggers & profile		
		120
386 DEBUG Cross Debugger by Phar Lap New	175	139
Advanced Trace-86 by Morgan Computing	175	138
CI Probe by Computer Innovations	225	189
Codesifter Profiler by David Smith	119	98
Codesmith-86 by Visual Age	145	108
DSD86 by Soft Advances New	70	65
DSD87 by Soft Advances New	100	85
Periscope I by Data Base Decisions	295	245
Periscope II w/NMI Breakout Switch	145	109
Periscope II-X Software only	115	84
The PROFILER with Source Code by DWB	125	94
The WATCHER Profiler by Stony Brook New	60	55
fonth language		
forth language	000	
CFORTH Native Code Compiler by LMI	300	239
Forth/83 Metacompiler Specify Target	750	599
PC/Forth by Laboratory Microsystems	150	119
PC/Forth+ by Laboratory Microsystems	250	209
Advanced Color Graphics Support	100	79
Enhanced Graphics Support	200	159
Intel 8087 Support	100	79
Intel 8087 Support	100	79
Native Code Optimizer	200	159
PCTERM Modem Pam for Smartmodem	100	79
Software Floating Point	100	79
fortran language		
50 MORE: FORTRAN by Peerless Engr	125	99
ACS Time Series by Alpha Computer	495	419
Btrieve ISAM File Mgr by SoftCraft	250	194
For-Winds by Alpha Computer Service	90	78
Forlib-Plus by Alpha Computer Service	70	54
FORTLIB by The Librarian New	95	CALL
FORTRAN Addenda by Impulse Engr	95	89
FORTRAN Addendum by Impulse Engr	165	149
GRAFLIB by The Librarian New	175	CALL
HALO by Media Cybernetics	300	209
I/O PRO with NO LIMIT Library by MEF New	390	349
Microcompatibles Combo Package	240	219
Grafmatic	135	119
Plotmatic	135	119
Microsoft FORTRAN	350	208
NU LIMIT by MEF Environmental New	129	115
PANEL Screen Designer by Roundhill	295	224
PLOTHI by The Librarian New	175	CALL
PLOTHP by The Librarian New	175	CALL
RM/FURIRAN by Ryan-McFarland	595	389
		138
Sci Subroutine Library by Peerless		130
Sci Subroutine Library by Peerless	175 295	249
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer	175	
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer	175 295	249
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer gss products	175 295	249
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit New	175 295	249
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit New	175 295 70	249 54
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for DOS New	175 295 70 495	249 54 CALI
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DOS SS Kernel System for IBM RT New GSS Metafile Interpreter New	175 295 70 495 495 795	249 54 CALI
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DOS SS Kernel System for IBM RT New GSS Metafile Interpreter New	175 295 70 495 495	249 54 CALI CALI 649 239
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System New Med New	175 295 70 495 495 795 295 495	249 54 CALI CALI 649 239 CALI
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DOS SS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New	175 295 70 495 495 795 295 495 295	249 54 CALI CALI 649 239
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DOS SS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New	175 295 70 495 495 795 295 495	249 54 CALI CALI 649 239 CALI 239
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for IDS Mew GSS Kernel System for IBM RT New GSS Metafile Interpreter Mew GSS Plotting System Mew GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New GSS SOLUTIONS Terminal New	175 295 70 495 495 795 295 495 295 295	249 54 CALI CALI 649 239 CALI 239 239
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer STRINGS & Products GSS Graphics Development Toolkit New GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal New	175 295 70 495 495 795 295 495 295 295	249 54 CALI CALI 649 239 CALI 239 239
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DOS GSS Kernel System for IBM RT New GSS Metafile Interpreter GSS Plotting System GSS SOLUTIONS Chart GSS SOLUTIONS Plottalk GSS SOLUTIONS Plottalk New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal New Lattice products Lattice C Compiler from Lattice	175 295 70 495 495 795 295 295 295 295	249 54 CALI CALI 649 239 CALI 239 239 239
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for DDS Mew GSS Kernel System for IBM RT New GSS Metafile Interpreter Mew GSS Plotting System Mess GSS SOLUTIONS Chart Mew GSS SOLUTIONS Plottalk Mew GSS SOLUTIONS Terminal New Lattice products Lattice C Compiler from Lattice with Library Source Code	175 295 70 495 495 795 295 495 295 295 295	249 54 CALI 649 239 CALI 239 239 239
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit New GSS Kernel System for DDS New GSS Kernel System for BDB New GSS Metafile Interpreter New GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal New Lattice Compiler from Lattice with Library Source Code C Cross Reference Generator	175 295 70 495 495 795 295 295 295 295 295 500 50	249 54 CALI 649 239 CALI 239 239 239 239
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New GSS SOLUTIONS Terminal New Lattice products Lattice C Compiler from Lattice with Library Source Code C Cross Reference Generator with Source Lode	175 295 70 495 495 795 295 295 295 295 295 200	249 54 CALI 649 239 CALI 239 239 239 239 149
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System New GSS Plotting System GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New GSS SOLUTIONS Terminal New Lattice products Lattice Compiler from Lattice with Library Source Code C Cross Reference Generator with Source Code C-Food Smorgasbord Function Library	175 295 70 495 495 795 295 295 295 295 500 900 150	249 54 CALI 649 239 CALI 239 239 239 149 98
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer STRINGS & Things by Alpha Computer SSS products GSS Graphics Development Toolkit New GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Terminal New Interpretation New GSS SOLUTIONS Terminal New Interpretation New Int	175 295 70 495 495 795 295 295 295 295 200 150 300	249 54 CALI 649 239 CALI 239 239 239 149 545 39 188
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New GSS SOLUTIONS Plottalk New Lattice products Lattice C Compiler from Lattice with Library Source Code C Cross Reference Generator with Source Code C-Food Smorgashord Function Library with Source Code C-Sprite Source Level Debugger	175 295 70 495 495 795 295 295 295 295 200 500 500 300 175	249 54 CALI 649 239 CALI 239 239 239 245 545 39 149 98 188 138
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for IDIS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System Metafile Interpreter New GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New GSS SOLUTIONS Terminal New Lattice products Lattice C Compiler from Lattice with Library Source Code C Cross Reference Generator with Source Code C-Food Smorgasbord Function Library with Source Code C-Sprite Source Level Debugger Curses Screen Manager	175 295 70 495 495 295 295 295 295 200 50 200 150 300 300 175 125	249 54 CALI 649 239 CALI 239 239 239 245 545 39 149 98 188 138
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer STRINGS & Things by Alpha Computer STRINGS & Things by Alpha Computer STRINGS & TOPE STRINGS & TOPE STRINGS & New STRINGS	175 295 70 495 495 295 295 295 295 295 200 150 300 175 250	249 54 CALI 649 239 CALI 239 239 245 545 39 149 98 188 188
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for DDS SS Kernel System for IBM RT SS Metafile Interpreter SS Plotting System GSS Plotting System SS SOLUTIONS Chart SS SOLUTIONS Chart SS SOLUTIONS Plottalk SS SOLUTIONS Plottalk SS SOLUTIONS Terminal SS Plotting System SS SOLUTIONS Chart SS CS SOLUTIONS Plottalk SS CS SOLUTIONS Plottalk SS SOLUTIONS Chart SS SOLUTIONS Terminal SS SOLUTIONS Terminal SS SOLUTIONS Terminal SS SOLUTIONS Terminal SS SOLUTIONS Chart SS SOLUTIONS Chart SS SOLUTIONS Terminal SS SOLUTIONS TERMINATE SS	175 295 70 495 495 295 295 295 295 500 900 50 200 175 125 250 250	249 54 CALI 649 239 CALI 239 239 239 24 545 39 149 98 188 138 94 184 184
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New GSS SOLUTIONS Terminal New Lattice products Lattice C Compiler from Lattice with Library Source Code C Cross Reference Generator with Source Code C-Sprite Source Level Debugger Curses Screen Manager with Source Code dBC dBase File Manager for C with Source Code dBC dBase File Manager for C	175 295 70 495 495 495 295 295 295 500 500 150 300 175 125 250 250 500	249 54 CALI 649 239 CALI 239 239 239 149 98 188 138 148 94 189 378
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer STRINGS & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Terminal New Hattice products Lattice C Compiler from Lattice with Library Source Code C Cross Reference Generator with Source Code C-Sprite Source Level Debugger Curses Screen Manager with Source Code C-Sprite Source Level Debugger Curses Screen Manager with Source Code dBC dBase File Manager for C with Source Code LMK Make Facility	175 295 70 495 495 295 495 295 295 295 500 900 150 300 175 175 175 250 250 250 250 175 250 250 175 250 250 175 250 250 250 250 250 250 250 250 250 25	249 54 CALI CALI 239 239 239 245 545 39 149 88 188 138 94 184 187 187
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New GSS SOLUTIONS Terminal New Lattice products Lattice C Compiler from Lattice with Library Source Code C Cross Reference Generator with Source Code C-Sprite Source Level Debugger Curses Screen Manager with Source Code dBC dBase File Manager for C with Source Code LMK Make Facility RMS III No Royalties	175 295 70 495 495 795 295 295 295 295 295 200 500 300 175 125 250 250 250 250 250 250 250 250 250 2	249 54 CALL 649 239 CALL 239 239 249 545 39 149 98 188 188 189 3788 3788 635
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DDS Mew GSS Kernel System for DDS Mew GSS Metafile Interpreter Mew GSS Plotting System GSS Plotting System Mew GSS SOLUTIONS Chart Mew GSS SOLUTIONS Chart Mew GSS SOLUTIONS Forminal Mew GSS SOLUTIONS Terminal Mew Lattice C Compiler from Lattice with Library Source Code C Cross Reference Generator with Source Code C-Sprite Source Level Debugger Curses Screen Manager with Source Code UNISS Source Code LAMK Make Facility RPG II Compiler for Royalties Secret Disk file Forentian Itility	175 295 70 495 495 795 295 295 295 295 200 150 300 175 125 250 500 195 500 195 500 195 500 195 500 195 500 195 500 195 500 195 500 500 500 500 500 500 500 500 500 5	249 54 CALL 649 239 CALL 239 239 239 149 98 188 138 149 94 184 184 185 378 88 94
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for DOS GSS Kernel System for DOS GSS Kernel System for IBM RT New GSS Matafile Interpreter GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal Library Source Code C Cross Reference Generator with Library Source Code C-Food Smorgasbord Function Library with Source Code C-Sprite Source Level Debugger Curses Screen Manager with Source Code LMK Make Facility RPG II Compiler No Royalties SecretDisk File Encryption Utility SideTalk Resident Compunications	175 295 70 495 495 795 295 295 295 295 295 295 295 295 295 2	249 54 CALI 649 239 239 239 239 24 545 39 149 98 188 138 148 94 149 94
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer GSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New GSS SOLUTIONS Terminal New Lattice products Lattice C Compiler from Lattice with Library Source Code C Cross Reference Generator with Source Code C-Sprite Source Level Debugger Curses Screen Manager with Source Code LMK Make Facility RPG II Compiler No Royalties SecretDisk File Encryption Utility Side Talk Resident Communications Text Management Itilities	175 295 70 495 495 295 295 295 295 295 200 150 200 175 125 250 250 175 120 120 120 120	249 54 CALL 649 239 CALL 239 239 239 149 98 188 138 149 94 184 184 185 378 88 94
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha. Strings & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DOS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System New GSS Plotting System New GSS SOLUTIONS Chart New GSS SOLUTIONS Plottalk New GSS SOLUTIONS Terminal New Lattice products Lattice C Compiler from Lattice with Library Source Code C-Cross Reference Generator with Source Code C-Sprite Source Level Debugger Curses Screen Manager with Source Code BBC dBase File Manager for C with Source Code LMK Make Facility RPG II Compiler No Royalties SecretDisk File Encryption Utility SideTalk Resident Communications Text Management Utilities TopView Toolbasket Function Library	175 295 70 495 495 795 295 295 295 295 500 900 150 300 175 125 250 250 250 250 250 250 250 250 250 2	249 54 CALI 649 239 239 239 24 545 98 188 188 138 4189 94 94 94 94 189
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer STRINGS & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metafile Interpreter New GSS Plotting System GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal New Interpreter New GSS SOLUTIONS Terminal New CSS SOLUTIONS Terminal New CSS SOLUTIONS Terminal New Interpreter New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal New GSS SOLUTIONS Terminal New Interpreter New GSS SOLUTIONS Terminal New GSS Nere GSS New GSS N	175 295 70 495 495 295 295 295 295 500 500 150 300 175 500 195 750 120 120 120 120 500 500	249 54 CALI CALI 649 239 239 239 245 545 39 149 98 188 138 94 189 94 94 94 94 94 95 97 98 97
Sci Subroutine Library by Peerless Sci Subroutine Package by Alpha Strings & Things by Alpha Computer STRINGS & Things by Alpha Computer SSS products GSS Graphics Development Toolkit GSS Kernel System for DDS New GSS Kernel System for IBM RT New GSS Metablie Interpreter New GSS Plotting System GSS SOLUTIONS Chart New GSS SOLUTIONS Chart New GSS SOLUTIONS Terminal New Interpreter New Interpreter New GSS SOLUTIONS Terminal New Interpreter New GSS SOLUTIONS Terminal New Interpreter New Interpr	175 295 70 495 495 795 295 295 295 295 500 900 150 300 175 125 250 250 250 250 250 250 250 250 250 2	249 54 CALI 649 239 239 239 24 545 98 188 188 138 4189 94 94 94 94 189

logitech products		
LOGIMOUSE C7 Mouse Hardware	99 119	85 99
with PLUS Pkg	169	145
with PLUS Pkg & CAD Software New with PLUS Pkg & CAD & Paint New	189	159 189
MODULA-2/86 Compiler	89	63
MODULA-2/86 with 8087 Support MODULA-2/86 PLUS	129 189	103
Library Sources	99	89
Make Utility New ROM Package New	29 199	179
Run Time Debugger	69 49	59 45
Utilities Package	49	45
Window Package	49 89	45 79
microport products System V/AT by Microport Systems New	440	395
RUNTIME SYSTEM (Operating Sys) New	160	145
SOFTWARE DEVELOPMENT SYSTEM New TEXT PREPARATION SYSTEM New	170 170	155 155
USER UPGRADE 3 to 8 Users New	100	85
microsoft products Microsoft BASIC Interpreter for XENIX	350	239
Microsoft C with CodeView	450 700	288
Microsoft CO BOL Compiler	995	445 639
for XENIX . Microsoft CO BOL Tools with Debugger	350 450	208 319
Microsoft FORTRAN Compiler	350	208
for XENIX	695	CALL
Microsoft LISP Common LISP	250	175
Microsoft MACH 10 Bundled package New Microsoft MACH 10 Board New	549 399	CALL
Microsoft Macro Assembler	150 175	98 139
Microsoft Mouse Serial Version New Version	195	149
Microsoft mu Math Includes muSIMP	300	189 189
for XENIX	695	445
Microsoft QuickBASIC	195	139
Microsoft Windows	99 500	68 329
other languages		
CCS MUMPS Single-User by MGlobal	60	55
CCS MUMPS Multi-User by MGlobal	450 95	379 89
Janus/ADA D Pack by R&R Software	900	795
Methods Smalltalk by Digitalk	79 125	68 109
Smalltalk/V by Digitalk	99	88 45
SNOBOL4+ by Catspaw	95	84
Other products Dan Bricklin's Demo Pgm Software Garden	75	59
FASTBACK by 5th Generation Systems	179	149
Informix for DOS by RDS New Informix4GL for DOS by RDS New	795 995	639 799
InformixSQL for DOS by RDS New Inside Track from Micro Help New	795 65	639 55
Instant Replay by Nostradamus New	90	79
Interactive EASYFLOW by Haventree MACH 2 by Micro Help	150 75	129 65
MKS Toolkit with vi by MKS New		119
	139 149	115
OPT-Tech Sort by Opt-Tech Data Proc Peeks 'n Pokes from Micro HelpNew	139 149 45	39
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package	139 149 45 89 199	39 84 169
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package OMake Program Rebuild Utility	139 149 45 89	39 84
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package QMake Program Rebuild Utility SRMS Software Revision Mgmt Sys screenplay all varieties by Flexus New	139 149 45 89 199 99 125 CALL	39 84 169 84 109 CALL
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package QMake Program Rebuild Utility SRMS Software Revision Mgmt Sys screenplay all varieties by Flexus New Source Print by Aldebaran Labs Taskyiew by Sunny Hill Software	139 149 45 89 199 99 125 CALL 139 80	39 84 169 84 109 CALL 115 65
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package QMake Program Rebuild Utility SRMS Software Revision Mgmt Sys screenplay all varieties by Flexus New Source Print by Aldebaran Labs Taskview by Sunny Hill Software VTEK, Term Emulator by Sci Endeavors New	139 149 45 89 199 99 125 CALL 139	39 84 169 84 109 CALL 115
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package OMake Program Rebuild Utility SRMS Software Revision Mgmt Sys screenplay all varieties by Flexus New Source Print by Aldebaran Labs Taskview by Sunny Hill Software VTEK, Term Emulator by Sci Endeavors New Phoenix products Pasm86 Macro Assembler New & Faster	139 149 45 89 199 99 125 CALL 139 80 150	39 84 169 84 109 CALL 115 65 129
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package OMake Program Rebuild Utility SRMS Software Revision Mgmt Sys screenplay all varieties by Flexus New Source Print by Aldebaran Labs Taskview by Sunny Hill Software VTEK, Term Emulator by Sci Endeavors New	139 149 45 89 199 125 CALL 139 80 150	39 84 169 84 109 CALL 115 65 129 129 879
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package OMake Program Rebuild Utility SRMS Software Prints My Helps Sorreenplay all varieties by Flexus New Source Print by Aldebaran Labs Taskview by Sunny Hill Software VTEK, Term Emulator by Sci Endeavors New Phoenix products Pasm86 Macro Assembler New & Faster Pdisk Hard Disk Utility New Pfantasy Pac Pfinish Performance Analyzer	139 149 45 89 199 99 125 CALL 139 80 150 195 1295 395	39 84 169 84 109 CALL 115 65 129 129
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package QMake Program Rebuild Utility SRMS Software Revision Mgmt Sys screenplay all varieties by Flexus New Source Print by Aldebaran Labs Taskview by Sunny Hill Software VTEK, Term Emulator by Sci Endeavors New Phoenix products Pasm86 Macro Assembler New & Faster Pdisk Hard Disk Utility New Finitish Performance Analyzer Pfix-86 Program Debugger Pfix-86 Program Debugger Pfix-86 Program Debugger Pfix-86 Plus Symbolic Debugger	139 149 45 89 199 99 125 CALL 139 80 150 195 195 195 395 395	39 84 169 84 109 CALL 115 65 129 129 129 879 239 135 239
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New PrintQ by Software Directions New Quilt Computing Combo Package QMake Program Rebuild Utility SRMS Software Revision Mgmt Sys screenplay all varieties by Flexus New Source Print by Aldebaran Labs Taskview by Sunny Hill Software VTEK, Term Emulator by Sci Endeavors New Phoenix products Pasm86 Macro Assembler New & Faster Pdisk Hard Disk Utility New Pfantasy Pac Pfinish Performance Analyzer Pfix-86 Program Debugger PforCe Comprehensive C Library Plank Sp Plus Symbolic Debugger PforCe Comprehensive C Library Plank Sp Plus Opension New	139 149 45 89 199 99 125 CALL 139 80 150 195 195 395 395 395 495	39 84 169 84 109 CALL 115 65 129 129 879 239 135 239 239 329
OPT-Tech Sort by Opt-Tech Data Proc. Peeks 'n Pokes from Micro Help New Peint Ob Software Directions New Quilt Computing Combo Package OMake Program Rebuild Utility SRMS Software Revision Mgmt Sys screenplay all varieties by Flexus New Source Print by Aldebaran Labs Taskview by Sunny Hill Software VTEK, Term Emulator by Sci Endeavors New Phoenix products Pasm86 Macro Assembler New & Faster Pdisk Hard Disk Utility New Pfantasy Pac Pfintasy Pac Pfintash Performance Analyzer Pfix-86 Prugram Debugger Pfx-86 Plus Symbolic Debugger Pface Comprehensive C Library	139 149 45 89 199 99 125 CALL 139 80 150 195 195 395 395	39 84 169 84 109 CALL 115 65 129 129 129 879 239 239 239

Your Quality Connection ... LOWEST PRICES

Since this ad is prepared in advance of publication, some of our current prices may be lower than what's advertised here. Call for latest pricing.

FREE SHIPPING

Orders within the USA are shipped FREE via standard UPS. Express shipping is available at the shipping carrier's standard rate with no rush fees or handling charges.

CREDIT CARDS

VISA and MasterCard are accepted at no extra cost. Your card is charged when your order is shipped. Mail orders please include credit card expiration date.

CODs AND POs

CODs and Purchase Orders are accepted at no extra cost. POs with net 30-day terms are available to qualified US accounts.

FOREIGN ORDERS

Foreign and Canadian mail orders please include sufficient funds for shipping (excess payment will be refunded). Foreign orders (except Canada), please include\$10 for customs form preparation. All transactions are in US dollars.

VOLUME ORDERS Call for special pricing.

SOUND ADVICE

Our knowledgeable technical staff can compare products, answer technical questions and send you detailed product information tailored to your needs.

30-DAY GUARANTEE

Most of our products come with a 30-day return guarantee or a 30-day evaluation period. Please note that some products are restricted by their manufacturers from this guarantee. Call for more information.

CALL TOLL FREE

US 800-336-1166

CANADA 800-225-1166

OHIO 216-877-3781 CUSTOMER SERVICE 216-877-1110

-

Hours: Weekdays 8:30 AM to 8:00 PM EST.
Ohio customers please add 5% state sales tax.


Call or write for our FREE comprehensive price guide.

Prices are subject to change without notice.

Pre-C Lint Utility	295 195	159 119
Polytron products PolyBoost The Software Accelerator New Polytron C Beautifier Polytron C Library I Polytron PowerCom Communications PolyLibrarian IL Ibrary Manager PolyLibrarian II Library Manager PolyMake UNX-like Make Facility PolyWandows Products All Varieties PolyXREF Complete Cross Ref Utility PolyXREF One language only PVCS Version Control System Softcraft products	80 49 99 179 99 149 99 CALL 219 129 395	69 45 78 139 78 115 78 CALL 179 109 325
Btrieve ISAM Mgr with No Royalties Xtrieve Query Utility New Version Rtrieve Report Option New Version Btrieve/N for Networks Xtrieve/N New Version Rtrieve/N Report Option New Version text editors	250 CALL CALL 595 CALL CALL	194 CALL CALL 464 CALL CALL
Brief from Solution Systems Epsilon Emacs-like editor by Lugaru KEDIT by Mansfield Software PC/VI by Custom Software Systems SPF/PC by Command Technology Corp Vedit by CompuView Vedit Plus by CompuView	195 195 125 149 195 150 185	CALL 159 105 129 149 109 139
See also Blaise. Borland and SoftCraft sections. ALICE Interpreter by Software Channels. Btrieve ISAM File Mgr. See SoftCraft FirsTime for Turbo by Spruce Tech Flash-up Windows by Software Bottling HELP/Control by MDS. New On-line Help from Opt-Tech Data Proc Screen Sculptor by Software Bottling TDebugPLUS by TurboPower Software New Turbo EXTENDER by TurboPower Software Turbo Professional by Sunny Hill TurboHALO from IMSI New TurboPower Utilities by TurboPower Sftwr TurboRef — by Gracon Services TurboWINDOW by MetaGraphics		68 194 59 68 109 109 94 53 68 49 85 84 45
Wendin products Operating System Toolbox PCVMS Similar to VAX/VMS XTC Text editor with Pascal source	99 99 99 99	84 84 79 79
XENIX System V See also Microport System V/AT section. XENIX System V Complete System by SCO XENIX Development System XENIX Operating Sys Specify XT/AT XENIX Text Processing Package	1295 595 595 195	999 499 499 149
APL PLUS / UNX For AT XENIX by STSC BITIEVE ISAM File Mgr by SoftCraft C-ISAM by Relational Database Sys C-tree ISAM Mgr w/ Source by FairCom dbx dBase/C Translator by Desktop AI dbVISTA Single User w/ Source by Raima dbVISTA Multi User by Raima dbVISTA Multi User by Raima Informix A Multi User by Raima Informix BQL by ROS Informix GQL by ROS Lyrix by SCO Micro Focus Level II Compact COBOL Forms-2 Level II ANIMATOR Microsoft BASIC Interpreter Microsoft COBOL Compiler Microsoft COBOL Compiler Microsoft FORTRAN Compiler Microsoft FORTRAN Compiler Microsoft FORTRAN Compiler Microsoft PORTRAN Compiler Metworks for XENIX by SCO PANEL Screen Designer byRyan-McFarland SCO Professional Lotus clone by SCO	995 595 319 395 550 495 990 995 595 1500 995 400 600 350 995 450 695 695 7750 795	

Programmer's Connection Incorporated 136 Sunnyside Street Hartville, Ohio 44632

programmer's connection



SAPIENS STAR SAPPHIRE A Common LISP Compiler for the IBM PCTM

- ★ 710 functions
- ★ C source code for Libraries
- ★ Lexical and dynamic scoping
- ★ Compiles to C

- ★ Unlimited multi-dimensional arrays
- ★ Object-oriented programming (flavors)
 - ★ Numerical functions (bignums up to 128 digits)

Star Sapphire is a Common LISP compiler for the IBM PC. LISP is high-level general purpose programming language especially suited for writing artificial intelligence applications. All 710 functions of Common LISP are supported in Star Sapphire. The memory-intensive requirements of LISP are met with an 8 megabyte configurable workspace, Sapiens V8. Speed test results show a virtual memory overhead of less than 10%. It is primarily written in C.

Star Sapphire compiles programs to C. This increases speed and efficiency, and allows for porting code to other C environments. Compiling to C also permits the combination of LISP and C source code.

Star Sapphire includes a LISP to C translator, the runtime libraries, a runtime optimizer, and code samples, including graphics and an expert system engine. The IBM ROM BIOS is accessible through a library of keyboard, screen and graphics routines. The graphics library draws points, lines, and circles.

Star Sapphire is suitable for AI programming directly on the IBM PC, as well as for use as an AI delivery system. Developers can port programs written on larger machines to the desktop computer. Our C interface allows for delivery of commercial applications for the PC market.

SYSTEM REQUIREMENTS: The system requires a DOS-based C compiler which supports huge model. with 256K of RAM. A hard disk is recommended for large applications. The virtual memory manager uses 16-128 kilobytes of RAM at the programmer's discretion It needs 640K of RAM and a hard disk. Programs developed with Star Sapphire will run on a system

\$495.00

Sapiens Software, 236 Mora St., Santa Cruz, CA 95060 • 408/458-1990

Circle no. 168 on reader service card.

HIRE A PRO!

DDJ announces a new service: Programmers' Opportunities


Dr. Dobb's Journal of Software Tools has a 10-year history of serving professional programmers with the most useful technical information of any publication for the computer industry. Now, in our new Programmers' Opportunities section, we are offering our readers information to help them stay on top of the quickly

changing technical-employment market.

We invite the top hardware, software, electronic, and instrument companies to list their computer-related career opportunities in Dr. Dobb's Journal. A limited number of companies will be given the chance to list jobs each month on a firstcome, first-served basis.

For more information on how your company can hire a pro, write or call Gary George, 893 Monroe Dr., Atlanta, GA 30308; (404) 897-1923.

Our first responses are shown here as examples of what your listing will look like:



Position Title: Fortran Pgmr/Analyst Telco Research Corp. 1207 17th Avenue S. City/State/Zip: Nashville TN 37075 Phone: 615-329-0031


Position Title: "C" Language Applications Pgmr Position Location: Nashville TN Company/Agency:

Telco Research Corp. Address: 1207 17th Avenue S. City/State/Zip: Nashville TN 37075 Phone: 615-329-0031


Company/Agency: Bodylog, Inc. City/State/Zip: Phone: (914)-273-6480



These Softstrips by Cauzin Systems contain the listings and object code for Howard Katz's Mandelbrot program. Strips 1 through 10 on this page and on page 71d contain the source code, in ASCII text format. Strips 1 and 2 on page 71d contain the actual application.



Byte Magazine called it.



The SBI80 Computer/Controller

Featured on the cover of Byte, Sept. 1985. the SB180 lets CP/M users upgrade to a fast, 4" x 71/2" single board system.

• 6MHz 64180 CPU

(Z80 instruction superset), 256K RAM, 8K Monitor ROM with device test, disk format, read/write.

 Mini/Micro Floppy Controller (1-4 drives, Single/Double Density, 1-2 sided, 40/77/80 track 3½", 5½" and 8" drives).

• Measures 4" x 7½", with mounting holes

• One Centronics Printer Port

Two RS232C Serial Ports (75-19,200 baud with console port auto-baud rate select).

Power Supply Requirements
 +5V +/-5% @500 mA
 +12V +/- 20% @40mA

ZCPR3 (CP/M 2.2/3 compatible)

Multiple disk formats supported

Menu-based system customization

SB180-1

SB180 computer board w/256K bytes RAM and ROM monitor

same as above w/ZCPR3, ZRDOS and BIOS source.....\$499.00

-Quantity discounts available-

NEW

COMM180-M-S

optional peripheral board adds 1200 bps modem and SCSI hard disk interface.

TO ORDER CALL TOLL FREE 1-800-635-3355

TELEX 643331

For technical assistance or to request a data sheet, call:

1-203-871-6170



Is LISP Rig

for Your Expert System?

Find Out — FREE

You can explore LISP by examining a complete sample problem. Call and we will send you a free source listing of "SELECTWP".* It prompts users for criteria and helps them choose which micro word processor to buy



Look over the TransLISP syntax (COM-MON LISP compatible). Your application will probably have similar characteristics.

Power & Flexibility

Do you get flexibility in PASCAL and C? Of course, but examine the listing of SELECTWP to see how much more power and flexibility you get. The LISP advantages:

- · forward references make program flow fit the problem
- manipulate data structures of varying sizes
- · create your own language to fit the problem domain
- avoid mundane, busy work required with traditional procedural languages
- powerful function and macro building facilities provide better data abstraction

*SELECTWP includes 512 lines of LISP code and 335 lines of comments.

TransLISP gives You the Advantage

Using TransLISP for your expert system has several advantages over other AI tools. And you will see SELECTWP illustrate:

- * the ability to control how decisions are
- * the freedom to assign weights and react to user choices
- * the complete control you have over how a problem is solved, and interaction with the

Nothing to lose

Examine LISP carefully by studying a practical program free.

Or buy TransLISP risk free. SELECTWP is just 1 of over 20 sample programs in the complete TransLISP system. The other sample programs include: an adventure game, a program to read dBASE SDF files, "Job Counselor" and more. Use the modular tutorial, the complete 300+ function LISP interpreter, and the online help, to get started in LISP in only a few hours.

Develop programs of up to 12000 lines on a 640K system or use TransLISP on a floppy only, 256K RAM machine, MSDOS.

Call 800-821-2492 for SELECTWP FREE. Or order the complete TransLISP system risk free for only \$95.

Solution oustems

335 Washington St., Norwell, MA 02061 (617) 659-1571

Circle no. 148 on reader service card.

The C Programmer's Assistant

C TOOLSET

UNIX-like Utilities for Managing C Source Code

No C programmer should be without their assistant — C ToolSet. All of the utility programs are tailored to support the C language, but you can modify them to work with other languages

Source code in standard K&R C is included; and you are welcome to use it with any compiler (UNIX compatible) and operating system you

12 Time Savers

DIFF - Compares text files on a line-by-line basis; use CMP for byte-by-byte. Indispensable for showing changes among versions of a program under development.

GREP - Regular expression search. Ideal for finding a procedural call or a variable definition amid a large number of header and source

FCHART - Traces the flow of control between the large modules of a program. PP (C Beautifier) - Formats C program files so they are easier to read.

CUTIL - A general purpose file filter.

Requires MSDOS and 12K RAM

CCREF - Cross references variables used within a program

CBC (curly brace checker) - checks for pairing of curly braces, parens, quotes, and comments. Other utilities include DOCMAKE, ASCII, NOCOM, and PRNT

Source code to every program is included!

Thorough User Support **Text and Online**

C ToolSet documentation contains descriptions of each program, a listing of program options (if any), and a sample run of the program.


On-line help gives you information on the programs and how to run them. Most of the programs respond to -? on the command line with a list of options.

Call 800-821-2492 to order C ToolSet risk-free for only \$95.

ystems

335-D Washington St. Norwell, MA 02061 (617) 659-1571

Circle no. 152 on reader service card




Listing One (Text begins on page 42.)

```
Listing One
                                           Sat 30 Nov '85 h. katz
Sun 4 May '86
; < MandelZoom.ASM >
INCLUDE MacTrans D
String Format
                                                          ; pre-length DC.B and PEA Strings
XREF
              Convert 2 Fixed Point
                                                          : Procedure defined in < Str2FP.ASM >
              Fix_Squared clr.l -(
MACRO
                                                                        ; a Mac-style macro
; ( Mac-Mac ? )
                             ed Rr
-(sp)
(Rn), -(sp)
(Rn), -(sp)
              move.1
              move. 1
              FixMul
move.l
                             (sp)+, (Rn) |
MouseDown EQU
numToString
                                          ; for GetNextEvent
                                                         ; for Pack7 conversions
stringToNum
                                           -24
-8
16
58
Gray
White
portRect
pnPat
                                                          ; offset from QDVars Ptr
                                                          ; offset from start of Window Record
; offset from start of Window Record
X_Screen_Offset
Y_Screen_Offset
Row_Pixels
Col_Pixels
                             equ
                                            256
PenSize
HiLite_Off
HiLite_On equ
                                             0
Radio Item 1
Radio Item 2
Radio Item 3
X_Org_Item
Y_Org_Item
SIde_Length_Item
Count_Item_I
                                                          ; Item Numbers in Params DITL
                                            12
13
14
15
Org_Spacing
Max_Count_Digits
                              eau
                                                           ; Space tween X, Y, and S ; Num Digits in 'Count' Item Strings
                                                           ; X coord of Counts
; Y coord of 1st ( Max ) Count
 Count_Str_X
Count_Str_Y
 Count Str Size
                                                           ; Bytes wide
```

Legend Plot Item Legend Quit Item	equ 1 equ 2	
Pattern_Spacing Pattern X equ	equ 30 62 ; Left fo	; Delta-Y for both Counts & Patts or Patts in Legend DLOG
Pattern Y equ		1 1st Patt in Legend DLOG
Pattern_Size	equ 8	; Bytes
X Org Scr X	egu 10	
X Org Scr Y	equ 24	
mi v	10	
Time_Scr_X Time_Scr_Y	equ 10 equ 16	
TIME_SCI_I	equ 10	
st	First Entry (A5)	
sf	Radio 1 State (A5)	
st	Radio_2_State (A5)	; default Pen is 2 X 2
sf	Radio_3_State (A5)	
BSR	InitManagers	
BSR	Save Mouse State	
BSR	Draw_Menu_Title	
MainLine		
BSR	Open_Params_DLOG	
tst.b	First Entry (A5)	
BNE.s	@Set_Radios	
BSR	Reload_DITL	; 2nd time around - ; get old Parameters
@Set Radios		, get old latameters
_	Di D (25)	
sf	First_Entry(A5)	
BSR	Set Radio Buttons	
BSR	Get_Param_Items	; Get User Choice / if OK, Toggle Radio
bMI	Exit To Shell	; Buttons, Convert & Save Counts
BSR		Save Str Counts / Convert 3 Fix-Pt Nums
pea	paramsDLOGStorage	
CloseDi	alog	
BSR	Draw Mandel Window	
BSR	Open_Legend_DLOG	
BSR	Draw Patterns	
BSR	Draw_Org_Strings	
(m)		(continued on page 74)
		(Continued on page 14)

UNIX/PC-DOS ENGINE

XK-186, A FAST, COMPLETE SINGLE BOARD COMPUTER



Call and ask about our risk free evaluation.

TRIAL!

(415) **345-4040** ports, floppy disk interface, centronics ports, expansion interface and battery-backed clock.

SCARINT LIM

One Waters Park Drive, Suite 101 San Mateo, California 94403 USA Telex: 756224

Circle no. 79 on reader service card.



Transform Your Programs with

CPP—C Preprocessor Plus

Includes ALL features of the standard C preprocessor.

- Define arbitrarily complex macros with #define command.
- Include and nest files to any depth with #include command.
- Include lines with #if, #ifdef and #ifndef commands.
- Define multiple constants with #enum command.
- Optional extra feature: Imbed formatting or other commands in your source code. (Lines starting with . or * are ignored.)

Fast and flexible

- 30 times faster than the Preprocessor published in Dr. Dobb's Journal.
- Can be used for any language, including assembler.
- Can be used as a stand-alone macro/include processor.
- Code can be used as the lexical analyzer for parsers or assemblers.

Complete

- You get complete SOURCE CODE in standard C.
- You get everything you need to use CPP immediately.
- CPP is unconditionally guaranteed. If for any reason you are not satisfied with CPP, your money will be refunded promptly.

Price: \$95.

Enteleki, Inc. 210 N. Bassett St., Room 101 Madison, WI 53703 Tele. (608) 258-7078

TO ORDER: Specify both the operating system (MS-DOS, CP/M 80 or CPM 68K) and the disk format (8 inch CP/M or the exact type of 5¼ inch disk). Send a check or money order for \$95 (\$105 for foreign orders). Foreign checks must be denominated in U.S. dollars drawn on a U.S. bank. Sorry, I do NOT accept phone, credit card or COD orders. Please do NOT send purchase orders unless a check is included.

dBASE to the max.

Introducing a turbocharger for dBASE*

Now the world's leading dBASE gurus, Jeb Long, Robert Byers and Wayne Ratliff, have combined their own personal utilities into a collection of dBASE programming tools that'll allow you to maximize your output while minimizing your time and effort.

Included are "secrets of the stars" on dBASE database repair and recovery, program structuring and cross referencing for dBASE programs, restricting access to a dBASE database, communications port control from within dBASE, menubar creation, saving and restoring screens, and much more.

It's "insider information" you can't

go to jail for using.


For merely \$89.95 you have at your fingertips what the database honchos do: over a dozen DOS level programs to assist you with disk and directory management, time displays, and rapid

searching for file names and switching between screen buffers.

Not to mention plenty of other neat stuff.

To order, or for more information or the name of your nearest dealer, call the Ashton-Tate* Publishing Group at (800) 437-4329, Ext. 221.

And put your dBASE into high gear.



Listing One (Listing continued, text begins on page 42.)

```
clr.b
                                                                                                                                                      -(sp)
EventRecord
theDialog
ItemHit
               BSR
                            Do Mandelbrot
                            Exit_To_Shell
Do_Another
              MI
                                                        ; These 2 in case we've interrupted ; plotting in the middle
                                                                                                                                                     (sp)+
Get_Legend_DLOG_Item
                                                                                                                                        bNE.s
                                                                                                                                        clr.b
                                                                                                                                                      - (sp)
EventRecord
                                                                                                                                        pea
pea
pea
Wait 4 Command
                                                                                                                                                      ParamsDLOGStorage
                                                                                                                                                      ItemHit
                            Get_Next_Event
Wait 4 Command
Was_Dialog_Event
Wait 4 Command
Exit_To_Shell
                                                                                                                                        DialogSelect
tst.b (sp)
move #0,1
              bEQ
                                                        ; No Event
              BSR
              bEO
                                                        ; 0 => Hang Around a Bit
; - => Quit
; + => do another
Do_Another
                                                                                                                         Get_Legend_DLOG_Item
                                                                                                                                                      ItemHit, DO
#Legend Plot Item, DO
@Return Plus
                            MandelWindStorage
                CloseWindow
                                                                                                                                        cmp
bEQ
              pea LegendDLOGStorage
_CloseDialog
                                                                                                                                                      *Legend Quit Item, DO
@Return Minus
                                                                                                                                        cmp
bEQ
                            MainLine
Exit To Shell
                                                                                                                                                                    ; = Quitting
                                                                                                                          @Return Minus
              ExitToShell
                                                                                                                                                      #-1, DO
Save_Mouse_State ; if the Mouse is Down on Launch, we'll ; _SetPat and _Line for EVERY Point
                                                                                                                          @Return Plus
                                                                                                                                                                    ; = Do Another Mandelbrot
              sf
clr
                            Mouse Down (A5)
                             - (sp)
              Button
Tst
beq
                             (sp) +
@rts
                                                                                                                         Timer On
                            Mouse_Down (A5)
                                                                                                                                       TickCount
move.1
                                                                                                                                                      (sp) +, Start_Time (A5)
Draw Menu Title
                            #$000F0010, -(sp)
               MoveTo
                                                                                                                          Timer Off
                            MBarTitle
                DrawString
                                                                                                                                         PenNormal
                                                                                                                                        move
SysBeep
                                                                                                                                                     #4, -(sp) ; Wake the Poor User
Reload DITL
                                                                                                                                        clr.1
                            TempStr, A2
                                                                                                                                                     - (sp)
                                                                                                                                         TickCount
                                                                                                                                       move.l
sub.l
                                                                                                                                                     (sp)+, D3
Start Time(A5), D3 ; (Stop - Start ) in Ticks
#60, D3 ; Num Seconds (in
                            #X_Org_Item, D4
Get_Item_Text
ItemHandle, -(sp)
                                                                                                                                        divu
                                                                                                                                                                                               ; Num_Seconds (in Low Word)
              BSR
                                                                                                                                        RTS
              move.1
              pea __SetIText
move
BSR
                                                                                                                                                     0, 10, 19, 200
                            X Org Str
                            Get_Item_Text
ItemHandle, -(sp)
                                                                                                                         Write Time
                                                                                                                                       pea MandelWindStorage
pea TempSTR
_GetWTitle
              move.1
                            Y_Org_Str
                Set IText
              move
BSR
move.1
                            #Side_Length_Item, D4
Get_Item_Text
ItemHandle, - (sp)
Side_Length
                                                                                                                                                     TempSTR, a2 a2, a3 d5
                                                                                                                                       lea
                                                                                                                                       move.l
                                                                                                                                                                                               ; save start addr
                                                                                                                                                                                               ; clear out old junk
                                                                                                                                                     (a2)+, d5
d5, a2
               SetIText
                                                                                                                                       move.b
adda.l
                                                                                                                                                                                 ; Length Byte
                                                                                                                                                                                               ; point past last Char in Str
              lea
lea
                            TempStr, A2
Count Strings, A3
#0, D3
                                                                                                                                       lea
clr.l
                                                                                                                                                      ': ', a0
                                                                                                                                                                                               ; addr of length byte
              move
                                                                                                                                                     d1
(a0)+, d1
d1, d5
d5, (a3)
$1, d1
                            Count Item 1, D4
                                                                                                                                       move.b
              move
                                                                                                                                                                                 ; save new length
                                                                                                                                       move.b
                                                                                                                                                                                ; put back new length byte
@Reset_Counts
              BSR
                            Get Item Text
                                                                                                                         @Loop_1
                            ItemHandle, -(sp)
A3, -(sp); Addr of Current Count_String
                                                                                                                                       move.b
                                                                                                                                                     (a0)+, (a2)+
d1, @Loop_1
                                                                                                                                                                                               ; add new string to end
              SetIText
                           #Count Str Size, A3
#1, D4 ; next Item Number in DLOG
#1, D3 ; increment loop counter
#4, D3 ; done all 4 ?
#Reset_Counts ; no
                                                                                                                                                     -(a2), d4
                                                                                                                                       move.b
                                                                                                                                                                                 ; save last char
              add.1
                                                                                                                                       ext.1
move.1
move.1
                                                                                                                                                     D3
D3, D0
                                                                                                                                                                                             ; Elapsed Time in seconds
              add
                                                                                                                                                     #NumToString, - (sp)
                                                                                                                                        Pack7
              RTS
                                                                                                                                       move.b
                                                                                                                                                     (a2), d1
d4, (a2)
                                                                                                                                                                                ; save New Length Byte
; restore last Char of 1st String
Get_Next_Event
                           -(sp)

#-1, -(sp)

EventRecord
                                                                                                                                                    d1, d5
d5, (a3)
d1, a2
                                                                                                                                       add.b
                                                                                                                                                                                ; new length
; and put back in Length Byte
; point to end of string
; points 1 past end
              move
                                                                                                                                      move.b
adda.l
adda.l
              pea
               GetNextEvent
              Tst.b
                                                                                                                                      lea
move.b
                                                                                                                                                     ' seconds', al
(al)+, dl
                                                                                                                                                                                ; save new Length Byte
                                                                                                                                       ext.w
add.b
                                                                                                                                                     d1
Was_Dialog_Event
                                                                                                                                                    d1, d5
d5, (a3)
                                                                                                                                                                                ; new total Length of Strings
; put it back in Length Byte
                                                                                                                                      move.b
              clr.b
                           - (sp)
Event Record
             pea Event
IsDialogEvent
tst.b (sp)+
bNE.s @1
RTS
                                                                                                                        @Loop 2
                                                                                                                                                    (a1)+, (a2)+
#1, d1
@Loop_2
                                                                                                                                      move.b
                                                       ; EQ = No Event
; NE = Was DLOG Event
                                                                                                                                                                                              ; append 'Seconds' to end
                                                                                                                                                                                             (continued on page 76)
```

Now You Know Why BRIEF is BEST

"BRIEF is simple to learn and use and extremely sophisticated."

PC Magazine, July 1986

The Program Editor with the <u>BEST</u> Features

Since its introduction, BRIEF has been sweeping programmers off their feet. Why? Because BRIEF offers the features MOST ASKED FOR by professional programmers. In fact, BRIEF has just about every feature you've ever seen or imagined, including the ability to configure windows, keyboard assignments, and commands to YOUR preference. One reviewer (David Irwin, DATA BASED ADVISOR) put it most aptly, (BRIEF)...is quite simply the best code editor I have seen.'

REGULAR EXPRESSION SEARCH

Regular expression searching is one of BRIEF's most powerful features. A regular expression is a series of "wildcards" that match pieces of your text. BRIEF supports a full set of regular expression characters similar to those found in UNIX including: beginning an end of line, groups, and the "closure" and "or" operators.

As Steve McMahon explained in Byte, "Not only does BRIEF make use of this marvelously general regular expression notation in its search facility, but its pattern recognition extends to its replacement (or translation) facility." "The usefulness of this facility for programmers who deal constantly with the regular expressions of formal languages is obvious . . ."

Every Feature You Can Imagine

Compare these features with your editor (or any other for that matter).

- FAST
- Full UNDO (N Times)
- Edit Multiple Large Files
- Compiler-specific support, like auto indent, syntax check, compile within BRIEF, and template editing
- Exit to DOS inside BRIEF
- Uses all Available Memory
- Tutorial
- Repeat Keystroke Sequences
- 15 Minute Learning Time
- Windows (Tiled and Pop-up)

- Unlimited File Size –(even 2 Meg!)
- Reconfigurable Keyboard
- Context Sensitive Help
- Search for "regular expressions"
- Mnemonic Key Assignments
- Horizontal Scrolling
- Comprehensive Error Recovery
- A Complete Compiled Programmable and Readable Macro Language
- EGA and Large Display Support
- Adjustable line length up to 512

Program Editing YOUR Way

A typical program editor requires you to adjust your style of programming to its particular requirements - NOT SO WITH BRIEF. You can easily customize BRIEF to your way of doing things, making it a natural extension of your mind. For example, you can create ANY command and assign it to ANY key even basic function keys such as cursor-control keys or the return key.

The Experts Agree

Reviewers at BYTE, INFOWORLD, DATA BASED ADVISOR, and DR. DOBB'S JOURNAL all came to the same conclusion – BRIEF IS BEST!

Further, of 20 top industry experts who were given BRIEF to test, 15 were so impressed they scrapped their existing editors!

NOT COPY PROTECTED

Solution Systems

MONEY-BACK GUARANTEE

Try BRIEF (\$195) for 30 days – If not satisfied get a full refund.

TO ORDER CALL (800-821-2492)

SOLUTION SYSTEMS, 335-D WASHINGTON ST., NORWELL, MA 02061, 617-659-1571

BRIEF is a trademark of UnderWare

Listing One (Listing continued, text begins on page 42.)

```
pea 1
pea 1
SetWTitle
                         TempSTR
            RTS
Do_Mandelbrot
                         MandelWindStorage
                                                  ; copy WPtr for _SetWTitle trap ; draw in this Window
             tst.b
                         Radio 1 State (A5)
            beq.s
pea
bra
                          1 X 1'
                         Radio_2_State (A5)
            tst.b
            beq.s
                          @2 -
             bra.s
@2
                         '4 X 4'
            pea
@SetTitle
@Set Pen Size
                         PenSize, D3
Radio 2 State(A5) ; Draw with 2 X 2 Pen ?
@Set_Pen ; yes
            BNE
                         Aadio 3 State (A5) ; Draw with 4 X 4 ? (8Set Fen ; yes
             add
            move
                                                               : Draw with 1 X 1
                         D3, Pix Per Pt (A5)
                         D3, -(sp) (sp), -(sp)
            move
            move
            PenSize
@Set_Plot_Size
                         MandelWindStorage, a0
portRect+4(a0), d4; Window.Bottom
%Y_Screen_Offset, d0
d0, d4; fram
            lea
                                                              ; frame at Bott
            sub
```

```
d3, d4
d4, Y_Start(a5)
d0, d4
                                                                    ; move up 1 PenSize from Bott
                                                                    ; adjust for frame at Top
                           d4, Num_Rows (a5)
             move
                           portRect+6(a0), d4; Window.Right

%X Screen Offset, d0

%1, d0 ; fra

d0, d4

d3, d4 ; all

d4, Num_Cols(a5)
              move
              asl
sub
                                                                    ; frame at Left & Right
              sub
                                                                    ; allow for penWidth
             move
@Get_C_Increment
             move.1
                           Y_side(A5), D0
Num_Rows(A5), D5
             move
              ext.1
                           Pix Per Pt(A5), D5 ; = # of Plottable Pts on Y-Axis
Get_Del_Factor ; Del_Y returned as Fixed Pt
D4, Del_C_imag(A5) ; in D4
              divu
BSR
             move.1
                          -(sp)
Num Cols (a5), -(sp); numerator
Num Rows (a5), -(sp); denominator
; Fixed-Pt Ratio on stack
fsn)+, d0; temp save it
              clr.1
              move
             move
              FixRatio
             move.l
clr.l
move.l
                          move.1
              FixMul
             move.1
                           X_Side(A5), D0
Num Cols(A5), D5
             move.1
             move
ext.l
divu
                           Dix Per Pt(A5), D5 ; = # of Plottable Pts on X-Axis Get_Del_Factor D4, Del_C_Real(A5)
              BSR
             move. 1
                           Continue
Get Del Factor
                           DO, D3
                                                      ; save the fractional part
              swap
                           DO
                                                      ; and get the whole part
                           -(sp)
DO, -(sp); side (integer part)
             clr.1
                                                                   (continued on page 78)
```

C for yourself!

A full year for only \$18.

hink about it, a full year of technical and useful information about C. **The C Journal** provides programming information for any machine – IBM PC", UNIX" -based, Macintosh", or CP/M" - micro, mini or mainframe. Look forward to each issue for:

- NEW in-depth reviews and feature articles C compilers, editors, interpreters, function libraries and books.

NEW efficiency hints and tips.
 NEW interviews with C experts.

- NEW news and rumors from the ANSI standards committee and industry.

 ${\cal C}$ ubscribe today to the only magazine that is dedicated specifically to C - The C Journal.

Please send check or money order for \$18 (cover price \$28) to:

Is InfoPro Systems

3108 Route 10, Denville, NJ 07834 Call TOLL FREE (800) 628-2828 ext. 849



JOURNAL

Trademarks - IBM PC: IBM Corp.; UNIX: AT&T Bell Labs; Macintosh: Apple Computer Corp. CP/M: Digital Research Inc.; The C Journal: InfoPro Systems.

Circle no. 194 on reader service card.

FTL Modula-II \$49.95!



Your next computer language. The successor to Pascal, Modula is powerful. Why? Once a routine is written, it need never be recompiled. Programs work everywhere from Z80 through VAX.

FTL Modula-II is a full Z80 CP/M compiler (MSDOS version soon)! It's fast -- 18K source compiles in 7 seconds! The built-in split screen editor is worth \$60 alone. Some standard features: full recursion, 15 digit reals, CP/M calls, coprocesses, assembler and linker. The one-pass compiler makes true Z80.COM, ROMable code, too. Get the language you've waited for now. Only \$49.95!

FTL Editor Toolkit

Full source to our split-screen programming editor. Curious? Want to customize to your tastes? Want sample Modula-II code? This is perfect for you. Comes with all you need for your personal editor or terminal installer. Just \$39.95!

WORKMAN & ASSOCIATES

1925 East Mountain St. Pasadena, CA 91104 (818) 791-7979

We have over 200 formats in stock! Please specify your format when ordering. Add \$2.50 per order for shipping. We welcome COD orders!

DIGITAL RESEARCH COMPUTERS

[214] 225-2309

S100 BUSS LIVES! WE STILL SELL S100 PRO-

DUCTS AND CP/M SINGLE

BOARDS. FREE CATALOG.

CAF 8 MHZ AT COMPATIBLE - \$1399

- PRODUCED BY CAF: A \$500 MILLION/YEAR TAIWANESE CONGLOMERATE.
- BURNED IN FOR 48 HRS. * INCLUDES DOS 3.1 AND MANUALS.
 512K RAM, EXPANDABLE TO 1MEG ON M.B. * 1.2 MEG FLOPPY INCLUDED.
 80286 WITH OPTIONAL 80287 * ON BOARD REAL TIME CLOCK.
- AT STYLE KEYBOARD WITH ENLARGED ENTER AND SHIFT.
- 195W POWER SUPPLY * COMPLETE SERVICE MANUAL AVAILABLE: \$40.
- COMPLETE SYSTEM DOCUMENTATION INCLUDED, PLUS DOS MANUALS. FLOPPY AND HARD DISK CONTROLLER CARD INCLUDED.
- ERSO BIOS FOR MAXIMUM AT SOFTWARE COMPATIBILITY.
- * LIMITED 1-YEAR FACTORY WARRANTY. * FCC CERTIFIED!
- * 1.2 MEG FLOPPY CAN READ AND WRITE 360K DISKETTES, ADD \$15 UPS.

CMI 6640 33 MB. HARD DISK 39 MS - AT COMPATIBLE. VERY LIMITED STOCK — \$325

MEX-PC MODEM SOFTWARE PACKAGE

A FANTASTIC COMMUNICATIONS PACKAGE WITH FEATURES TOO NUMEROUS TO LIST. SEE MAY/JUNE '86 MICRO SYSTEMS JOURNAL FOR FULL REVIEW OR CALL FOR BROCHURE. SUPPORTS COLOR, KERMIT PROTOCOL, Y MODEM BATCH, VT100 EMULATION, REMOTE OPERATION, ON LINE HELP, ETC. RUNS UNDER PC/MS DOS. 180 PAGE MANUAL & BINDER.

MEX-PACK LIST IS \$99.95 - SPECIAL \$69.95

4.77 OR 8 MHZ * FCC CERTIFIED * 640K MOTHER BOARD (O K) * .135 WATT P.S. * XT-AT 5160 KEYBOARD * FLIP TOP CASE * 8 EXPANSION SLOTS * ASSEMBLED AND TESTED * WITH BIOS * FLOPPY CONTROLLER CARD & CABLES * WITH DOCUMEN-TATION, ADD \$12 UPS

STANFORD TURBO XT - \$399

A.R.C. XT TURBO - \$529 4.77 OR 7.4 MHZ * 8 EXPANSION SLOTS * SLIDE OUT PC CASE * 5160 XT-AT

KEYBOARD * MS DOS 3.1 + BASIC DISKETTE * 256K RAM, EXPANDABLE TO 640K 4 LAYER JAPANESE MOTHER BOARD * FULLY TESTED AND BURNED IN. SUPERIOR, CLEAN BIOS. * 135 WATT P.S. * SUPERB DOCUMENTATION * FCC CERTIFIED, ADD \$15 UPS.

XT OPTIONS:

- * V20.8 MHZ NEC PROCESSOR. REPLACES 8088. \$12.95
- * TWO 1/2 HT. D.S. DD. FLOPPIES INSTALLED: \$175/Pair
- 256K DRAM. 150 NS. INSTALLED AND TESTED: \$28/9
- 64K DRAM. 150 NS. INSTALLED AND TESTED: \$10/9 HARD DISK: ST225 WITH CONTROLLER CABLES & FORMATTED: \$425
- ZUCKER COLOR CARD WITH PARALLEL PRINTER PORT: \$86
- MONOCHROME/GRAPHICS VIDEO CARD WITH PRINTER PORT: \$89
- * PLEASE CALL FOR MONITOR PRICING

SCHEMA: Schematic Capture and Drawing Package

WORKS WITH PC'S AND COMPATIBLES. EASY TO USE WITH OFF THE SHELF PRINTERS, MOUSES, VIDEO CARDS, ETC. COMES COMPLETE WITH A HUGE COMPONENT DATABASE. SUPPORTS MONOCHROME, COLOR, OR EVEN EGA. FREE BROCHURE AND DEMO DISKETTE ON REQUEST. LIST \$500 - SPECIAL \$396.15

NEW! PC/XT EPROM PROGRAMMER \$199



* LATEST DESIGN * PROGRAMS UP TO 4 DEVICES AT ONE TIME * FEATURES EASY TO USE MENU DRIVEN SOFTWARE THAT RUNS UNDER PC OR MS-DOS.

- * USES AN INTELLIGENT PROGRAMMING ALGORITHM FOR SUPER FAST (8X) EPROM BURNING. * THIS PLUG-IN BOARD ATTACHES TO AN EXTERNAL MINI CHASSIS CONTAINING 4 TEXTOOL Z.I.F. SOCKETS. * NO PERSONALITY MODULES REQUIRED * AUTOMATIC VPP SELECTION: 12.5V, 21V, OR 25V.
- * EPROM DATA CAN ALSO BE LOADED FROM OR SAVED TO A DISKETTE.
- PROGRAMMING SOFTWARE SUPPORTS: 2716, 2732, 2732A, 2764, 2764A, 27128, 27128A, 27256, 27256A, 27512, AND 27512A. * ASSEMBLED AND TESTED, **BURNED. IN WITH MANUAL. \$199 WITH SOFTWARE.**

MICROTEK 2 M.B. EXPANDED MEMORY BOARD \$195 (O. K) MEETS LOTUS/INTEL/MICROSOFT SPEC. FOR EXPANDED MEMORY. FOR USE AS EXPANDED MEMORY (EMS), ELECTRONIC DISK, OR PRINT SPOOLER. WITH A SUPERB MANUAL AND INSTALLATION SOFTWARE, FOR PC/XT OR MOST COMPATIBLES, FOR 2 MEGABYTES OF 150 NS RAM (72 DEVICES) INSTALLED AND BURNED IN ADD \$225.

PC/XT AT **ENHANCED GRAPHICS ADAPTER**



\$279

- * 3 CARDS IN ONE!
- * 100% IBM COMPATIBLE.
- * COMPATIBLE WITH IBM EGA, COLOR GRAPHICS ADAPTER, OR MONOCHROME ADAPTER.
- 256K VIDEO RAM! (4 TIMES MORE THAN IBM!)
- * DUAL FREQUENCY OUTPUT FOR EITHER EGA OR STANDARD RGB COLOR MONITORS.
- PERFECT MATE FOR NEC MULTISYNC COLOR MONITOR!
- * LIGHT PEN INPUT.
- * FULL 16 COLORS
- * MFG. BY D.F.I., THE PREMIER FAR-EAST ADD-ON BOARD MAKER.
- * A SUPERIOR BOARD AT ABOUT 1/3 THE COST OF IBM EGA!
- * ASSEMBLED, TESTED, AND BURNED IN. WITH MANUAL.
- * USES CHIPS & TECH. VLSI 4 CHIP SET.
- * FIELD PROVEN BIOS

ZRT-80 CRT TERMINAL BOARD!

A LOW COST Z-80 BASED SINGLE BOARD THAT ONLY NEEDS AN ASCII KEYBOARD, POWER SUPPLY, AND VIDEO MONITOR TO MAKE A COMPLETE CRT TERMINAL. USE AS A COMPUTER CONSOLE, OR WITH A MODEM FOR USE WITH ANY OF THE PHONE-LINE COMPUTER SERVICES

FEATURES

- Uses a Z80A and 6845 CRT Controller for powerful video capabilities
- RS232 at 16 BAUD Rates from 75 to 19,200. 24 x 80 standard format (60 Hz).
- Optional formats from 24 x 80 (50 Hz) to 64 lines x 96 characters
- (60 Hz). Higher density formats require up to 3 additional 2K x 8 6116 RAMS. Uses N.S. INS 8250 BAUD Rate Gen
- and USART combo IC.

 3 Terminal Emulation Modes which
- are Dip Switch selectable. These include the LSI-ADM3A, the Heath
- H-19, and the Beehive. Composite or Split Video. Any polarity of video or sync. Inverse Video Capability. Small Size: 6.5 x 9 inches.
- Upper & lower case with descenders.
 7 x 9 Character Matrix.
- Requires Par. ASCII keyboard.

FOR 8 IN. SOURCE DISK (CP/M COMPATIBLE) ADD \$10



#ZRT-80

A&T ADD

(COMPLETE KIT, 2K VIDEO RAM) BLANK PCB WITH 2716 CHAR. ROM. 2732 MON. ROM

\$4995

SOURCE DISKETTE - ADD \$10 SET OF 2 CRYSTALS - ADD \$7.50

THE NEW 65/9028 VT ANSI VIDEO TERMINAL BOARD! * FROM LINGER ENTERPRISES *

A second generation, low cost, high performance, mini sized, single board for making your own RS232 Video Terminal. Use as a computer console or with a MODEM for hook up to any of the telephone-line computer services.

- Uses the new SMC 9028 Video Controller Chip coupled with a
- 6502A CPU. RS-232 at 16 Baud Rates from 50 to 19,200
- to 19,200 On board printer port! 24 X 80 format (50/60 Hz). For 15,750 Hz (Horiz.) monitors. 3 Terminal Modes: H-19, ADM3A, and ANSI X 3.64-1979
- Wide and thin-line graphics. White characters on black back
- ground or reversed. Character Attributes: De-Inten,
- Universe, Underline and Blank.
 Low Power: 5VDC @ .7A,

 12VDC

 20MA.

 Mini size: 6.5 X 5 inches.
- Composite or split video.

 5 X 8 Dot Matrix characters
 (U/L case) with descenders.
- Answer back capability.
 Battery backed up status memory.
 For ASCII parallel keyboard.
- \$9995

(Full Kit)

SOURCE DISKETTE: PC/XT FORMAT 51/4 IN. \$15

NEW OPTION PC/XT keyboard ROM. Allows use of IBM style keyboard. \$15

Digital Research Computers


P.O. BOX 381450 • DUNCANVILLE, TX 75138 • (214) 225-2309


TERMS: Add \$3.00 postage. Orders under \$15 add 75¢ handling. No C.O.D. We accept Visa and MasterCharge. Tex. Res. add 5-1/8% Tax. Foreign orders (except Canada) add 20% P & H. Orders over \$50 add 85¢ for insurance. Prices subject to change without notice.

Listing One (Listing continued, text begins on page 42.)

```
D5, -(sp); pts per side
; = length (integer) / point
(sp)+, D4; save the (int) fraction
                                                                                                                                                           C_Real (A5), D5
C_Imag (A5), D6
Iterate
              move
FixRatio
                                                                                                                                             BRA.S
              sf
                                                          ; positive fraction
              tst
                             D3
                                                                                                                              @Plot
                                                                                                                                            BSR
                                                                                                                                                           Get Pattern
                                                                                                                                                                                        ; A4 = Ptr to New Pattern
                                                         ; negative fraction
; zero the hi bit so _FixRatio doesn't
; think the number is Negative
                                                                                                                                                           First_Pt (A5)
                                                                                                                                                                                       ; IF NOT 1st Point
                                                                                                                                                                                             Test_Mouse { see if batching }
    ; ELSE
1st_Point = FALSE;
Old_Pat := New_Pat;
                                                                                                                                            BEQ
                                                                                                                                                          @Test Mouse
First Pt (A5)
                            -(sp) ; side ( fract part )
D5, -(sp) ; pts per side
; = length ( fract ) / point
(sp)+, D3
01
              clr.1
              move
move
FixRatio
move.1
                                                                                                                                                          A4, A2
@Set_Pattern
                                                                                                                             @Test Mouse
              swap
tst.b
bpl
lsl
                             D3
                                                          ; move the 'integer' part of the 'fraction'; back into the fractional lo word
                             D6
@2
#1, D3
                                                                                                                                                          Mouse Down (A5)
@Draw Line
A2, A4
@Draw Line
                                                                                                                                                                                       ; IF NOT Batch_Plot
; Draw_Line (Old_Pat)
                                                                                                                                            tst.b
                                                          ; restore the 'negative' hi bit
                                                                                                                                                                                          ELSE
IF NOT ( New Pat = Old Pat )
Draw_Line ( Old Pat )
@2
                             #$FFFF, D3
D3, D4
              and.1
              add.1
                                                                                                                                                                                                 Init_Line_Amount;
Do_Next_Pt;
              RTS
                                                                                                                                            add
                                                                                                                                                          Pix_Per_Pt(A5), A3;
@SkIp_Draw
Continue
                                                                                                                             @Draw Line
                             Row_Count (A5)
Y_Origin (A5), C_Imag (A5)
Y_Start (a5), Y_Current (A5)
              clr
              move.1
                                                                                                                                            move
Do Next Row
                                                                                                                                                                                       ; Draw Line ( Old Pat )
                                                                                                                             @Set Pattern
              clr
                             Col_Count (A5)
                                                                                                                                                           A4, -(sp) ; set the New Pattern
                             #X Screen_Offset, -(sp)
Y_Current(A5), -(sp)
                                                                         ; For next row
              move
                                                                         ; move absolute to start
              MoveTo
                                                                                                                                            move.1
                                                                                                                                                          A4, A2 ; Old_Pat := New_Pat
Pix_Per_Pt(A5), A3
              st
                             First_Pt (A5)
                                                                                                                                            move
                                                                        ; 1st Point := TRUE;
                                                                                                                             @Skip_Draw
                             X Origin (A5), C Real (A5)
                                                                        ; for start of new row
                                                                                                                                                          Col_Count (A5), DO
Pix_Per_Pt (A5), DO
DO, Col_Count (A5)
              BSR
                             Do Points
                                                                                                                                            add
                             Row_Count (A5), D0
Pix Per Pt (A5), D0
D0, Row_Count (A5)
Num_Rows (A5), D0
                                                                                                                                                           Num_Cols (A5), DO
              move
              amp
                                                                                                                                                           @Update 2 Real
              HMT
                             @CheckDLOG
                                                                                                                             ; we've finished the Line - if we need to draw to finish up ; do it here
                             #0, d0
@Return_To_Mainline
                                                                                                                                                           Pix Per Pt (A5), A3
@rts
                                                                                                                                            amp
BEO
@CheckDLOG
                                                                                                                                                                                                      ; we've just drawn
                             Get_Next_Event
@Setup_Next_Row
Was_Dialog_Event
@Setup_Next_Row
              RSR
                                                                                                                                            move
                                                                                                                                                                                       ; else draw what we didn't
              bEQ.s
              bEQ.s
@Return_To_Mainline
              RTS
                                                                                                                             @Update Z Real
                                                                                                                                                          C_Real(A5), D0
Del_C Real(A5), D0
D0, C_Real(A5)
@Setup Next Row
                             Pix Per Pt (A5), D0
D0, Y Current (A5)
                                                                                                                                            BRA
                                                                                                                                                           Do Points
                             C_imag(A5), D0
Del_C_imag(A5), D0
D0, C_imag(A5)
              move.1
                                                                         ; set up Y for next row
                                                                                                                             Get_Pattern
                                                                                                                                                          ; Point to a New PenPat, according to which ; Range the Iter_Count ( DO ) falls in
               add.1
              move.1
              BRA.s
                                                                                                                                                          O+Counts (A5), DO ; >= Black
                             Do_Next_Row
Do Points
                                                                                                                                            add
                                                                                                                                                           2+Counts (A5) . DO : >= DarkGrav
                             C_Real(A5), D5 ; Initialize Z = C for new point C_Imag(A5), D6 

$\frac{1}{1}$, Iter_Count(A5) ; Do up to Counts(A5) times per Point Patterns, A4 ; reset Pattern Ptr
              move 1
                                                                                                                                                           #8. A4
                                                                                                                                            add
                                                                                                                                                           4+Counts (A5), D0 ; >= LtGray
                                                                                                                                                           #8, A4
                                                                                                                                            add
Iterate
                                                                                                                                                           6+Counts (A5), D0 ; >= White
              move.1
                                                                         ; Save Current Z_Real
; Save Current Z_Imag
                                                                                                                                            add
                                                                                                                                                           #8, A4
                                                                                                                             00
              Fix_Squared
Fix_Squared
                                                                         ; Z_Real^2
; Z_Imag^2
                                                                         ; Size^2 = Z_Real^2 + Z_Imag^2
              add.1
                                                                                                                             Open_Params_DLOG
@Test_Size
                                                                                                                                                          -(sp)
#100, -(sp)
ParamsDLOGStorage
#-1, -(sp)
                                                                                                                                                                                       ; space for funct result
                             Iter Count (A5), D0
#$40000, D7
@Plot
              cmp.1
BHI.s
                                                                         ; Size^2 > 4 means TIME TO PLOT
                                                                                                                                            pea
move.1
                                                                                                                                                                                       ; in front of everything
                                                                                                                                           GetNewDialog
move.l (sp)+, d0
RTS
@Test Count
                             #1, D0
D0, Iter Count (A5)
Counts (A5), D0
@Plot
              move
                                                                                                                             Set Radio Buttons
                                                                                                                                           move
                                                                                                                                                           #HiLite On, D3
                             D4. D3
                                                                        ; Z Real = Z Real^2 - Z Imag^2
                                                                                                                                                           Radio_1_State (A5)
              clr.1
                            -(sp)
D5, -(sp)
D6, -(sp)
              move.l
move.l
FixMul
move.l
add.l
move.l
                                                                                                                                                           #Radio_Item_1, D4
                                                                                                                                           move
                            (sp)+, D6
D6, D6
D3, D5
                                                         ; Z_Real * Z_Imag ; Z_Imag = 2 * Z_Real * Z_Imag ; Z_Real
                                                                                                                                                                                                     (continued on page 80)
```





Circle no. 84 on reader service card.

C Bricklin Run

A Primer for Modern Times, or How to Use **C-scape** to Turn Dan Bricklin's Demo Screens into C Code:

1720 Post Road E., Westport, CT 06880

Phone • 203 • 255 • 3400

MCIMAIL . DESKTOPAL

Telex • 6502972226MCI

Jane writes software. Dick is Jane's client. Dick wants his software yesterday. Jane uses Dan Bricklin's Demo Program to prototype Dick's software. That makes Dick and Jane happy.

Now Dick wants the real thing. Jane uses **C-scape's demo2c** utility to turn Bricklin's screens into C code with text, menus, input fields, and colors. Next Jane links with **C-scape's library** to add scrolling and type support.

Jane's program runs. Dick changes specs. Jane fixes the code easily with **C-scape**. See Dick smile. Dick is one happy client.

Look at C-scape. C Bricklin run. See productivity soar.

That's right. Compilable C code created directly from each and every screen you produce using Dan Bricklin's Demo Program. And the procedure is as simple as Dick and Jane. Make **C-scape** your primer.

scrolling

colors

full type support

completely definable keys

fully definable validation

☐ full screen I/O support

fields, menus, prompts, and text flexible, easy to learn and use

Lotus-like and pull-down menus source code included

30-day guarantee: Try C-scape for 30 days and see how it simplifies your development process. Following registration you'll get full source code and support. No run-time license, no royalties. We're developers, too. We know your needs.

\$149.00 C-scape (Lattice 3.0/Microsoft 3.0; others call) \$219.00 C-scape with Dan Bricklin's Demo Program

Please add \$3.00 for shipping. Massachusetts orders please include 5% sales tax.

Another Key to Freedom, from
Oakland Group, Inc.

675 Massachusetts Avenue, Cambridge, MA 02139



For orders and information, call: 617-491-7311 or 800-233-3733

Listing One (Listing continued, text begins on page 42.)

```
HiLite Control
                                                                                                                                                     cmp
bHI
BSR
BRA
                                                                                                                                                                     #Radio Item 3, DO
                                                                                                                                                                     ModalDIOG ; no - wait for 'OK' or 'Quit'
Toggle Radio Buttons ; yes
ModalDIOG ; and wait for 'OK' or 'Quit'
02
               tst.b
                               Radio 2 State (A5)
               RPT.
                               #Radio_Item_2, D4
HiLite_Control
               BRA
                                                                                                                                      Set Exit Flag
                               #Radio Item 3, D4
HiLite Control
HiLite_Control
                                                                                                                                      Toggle Radio Buttons
                               ParamsDLOGStorage
               pea
move
                                                                                                                                                                    DO, D5 ; (D0 gets so standard Tem 1, D4 ; turn off Everything Hilite Control skadio Item 2, D4 HiLite Control skadio Item 3, D4 HiLite_Control
                               D4, -(sp) ; ItemNumber
ItemType
ItemHandle
                                                                                                                                                                                                                   ; (DO gets trashed by ROM calls)
               pea
pea
pea
GetDItem
                                                                                                                                                     move
                                                                                                                                                     move
BSR
                                                                                                                                                      move
                              ItemHandle, -(sp)
               move.1
                                                                                                                                                     BSR
               move D3, -(sp)
_SetCtlValue
                                                                                                                                                     move
BSR
                                                                                                                                                                     Radio 1 State (A5)
Radio 2 State (A5)
Radio 3 State (A5)
                                                                                                                                                     sf
sf
sf
                                                                                                                                                                                                  ; Flag them as OFF
Get Param Items
                                                                                                                                                                     #HiLite_On, D3
                                                                                                                                                     move
                                                                                                                                                                                                                   ; turn ON the Radio Item
; that was Clicked
                               ParamsDLOGStorage ; Select 'X Org' Parameter 

#X Org Item, -(sp) ; for Quick Replacement 

#0, -(sp) 

#32767, -(sp)
                                                                                                                                                                     D5, D4
HiLite Control
                                                                                                                                                     BSR
               move
                                                                                                                                                                     *Radio Item 1, D5 ; and Flag the apt Item
                                                                                                                                                     CMP
BNE
               SelIText
                                                                                                                                                                     Radio_1_State (A5)
                                                                                                                                                     RTS
ModalDLOG
                                                                                                                                      02
                                                                                                                                                                     #Radio Item 2, D5
                               -(sp)
ItemHit
                                                                                                                                                     CMP
BNE
                                                              : no filterProc
               clr.1
                ModalDialog
                                                                                                                                                                    Radio 2 State (A5)
                                                                                                                                                     RTS
                               ItemHit. DO
               move
                                                                                                                                                                    Radio 3 State (A5)
                                                                                                                                                     st
RTS
                tst
                               ModalDIOG
                BEO
                                                              ; Clicked 'OK' = We're Done Dialoging ?
; yes - Validate & Convert numeric entries
; Clicked 'Quit' ?
; yes - tell MainLine
                cmp
BEQ
                               Set Exit Flag
                               #Radio Item 1, DO ; Clicked a Radio Button for penSize ? ModalDIOG; no - wait for 'OK' or 'Quit'
                                                                                                                                                                                                                    (continued on page 82)
```

Full Screen Editor for MS-DOS (PC-DOS)

Looking for an Ultra-Powerful Full-Screen editor for your MS-DOS or PC-DOS system? Are you looking for an editor FULLY COMPATIBLE with the UNIX*VI editor? Are you looking for an editor which not only runs on IBM-PC's and compatibles, but ANY MS-DOS system? Are you looking for an editor which provides power and flexibility for both programming and text editing? If you are, then look no further because PC/VI IS HERE!

The following is only a hint of the power behind PC/VI: English-like syntax in command mode, mnemonic control sequences in visual mode; full undo capability; deletions, changes and cursor positioning on character, word, line, sentence, paragraph or global basis; editing of files larger than available memory; powerful pattern matching capability for searches and substitutions; location marking; joining multiple lines; auto-indentation; word abbreviations and MUCH, MUCH MORE!

The PC/VI editor is available for IBM-PC's and generic MS-DOS based systems for only \$149. For more information call or write:

> Custom Software Systems P.O. Box 678 Natick, MA 01760 617-653-2555

The UNIX community has been using the VI editor for years. Now you can run an implementation of the same editor under MS-DOS. Don't miss out on the power of PC/VI!

*UNIX is a trademark of AT&T Bell Laboratories

PROGRAM WITH POWER ***

PC/POWER

Application Development and Management System

Runs on all 100% PC compatibles!

Supports applications in a variety of languages

- Including C, PASCAL, BASIC and Assembler

- Even different languages in same application
Screen painter - language and program independent screens
Allows programs to pop-up menu/selection windows
Builds indexes of applications and programs for easy use
Supplies EXEC function to pass control between programs

- One language can pass control to another

- One language can even pass data to another

- Inter-language considerations handled by PC/POWER
Run-time supports control of multiple applications with:

- Run-time start-up screen (customizable)

Run-time start-up screen (customizable)

Pop-up application menu

Integrates existing programs into an application Useful development applications included as samples

WITH RUNTIME MANAGER - NO ROYALTIES!

\$95.00 inc. Shipping and Handling

(800) 628-2828 ext. 712 **ORDERS & INQUIRIES**


Beacon Street Software, Inc.

P.O. Box 216 Beacon Hill Boston, MA 02133

ORDER NOW!



Circle no. 267 on reader service card.



VEDIT PLUS

MULTIPLE
WINDOWS

POP-UP
MENUS

KEYSTROKE
MACROS

EXECUTE DOS
PROGRAMS

For over six years VEDIT has been the choice of professionals who demand the most powerful editing software available. CompuView has once again enhanced this power with the latest VEDIT PLUS you can now open windows to simultaneously edit several files, access editing functions with pop-up menus, use keystroke macros to speed editing and run other programs within VEDIT PLUS.

Whether your needs are program development, technical writing or word processing, VEDIT PLUS is your answer. VEDIT PLUS is simple enough to learn for the novice, yet has the speed, flexibility and power to satisfy the most demanding computer professional. Its powerful macro programming language helps you eliminate repetitive editing tasks.

If you take your editing seriously, you need VEDIT PLUS. With over 40,000 users, you can depend on VEDIT PLUS to perform consistently and reliably. As have GE, EDS, U.S. Navy, GM, Sperry and many others. VEDIT PLUS supports color windows on the IBM CGA & EGA and even windows on most CRT terminals. Available for MS-DOS, PCDOS, CP/M-86 and CP/M-80. List price \$185.

"To sum things up, VEDIT PLUS is a small, fast, sophisticated editor with a wealth of features and a good macro language. It offers many rewards for the dedicated programmer."

Computer Language, Chris Wolf, Scott Lewis, Mark Gayman 6/86

"VEDIT PLUS is a wholly remarkable program: blindingly fast, extremely powerful, and highly flexible."

Profiles Magazine, Robert Lavenda 4/86

VEDIT PLUS FEATURES

- · Simultaneously edit up to 37 files of unlimited size.
- · Split the screen into variable sized windows.
- · 'Virtual' disk buffering simplifies editing of large files.
- Memory management supports up to 640K.
- Execute DOS commands or other programs.
- MS-DOS pathname and CP/M user number support.
- Horizontal scrolling edit long lines.
- Flexible 'cut and paste' with 36 text registers.
- Customization determine your own keyboard layout, create your own editing functions, support any screen size, any CRT.
- Optimized for IBM PC/XT/AT. Also 132 column & up to 70 lines.

EASY TO USE

- Interactive on-line help is user changeable and expandable.
- On-line integer calculator (also algebraic expressions).
- Single key search and global or selective replace.
- Pop-up menus for easy access to many editing functions.
- Keystroke macros speed editing, 'hot keys' for menu functions.

FOR PROGRAMMERS

- Automatic Indent/Undent for 'C', PL/I or PASCAL.
- Match/check nested parentheses, i.e. '{' and '}' for 'C'.
- Automatic conversion to upper case for assembly language labels, opcodes, operands with comments unchanged.
- Optional 8080 to 8086 source code translator.

FOR WRITERS

- · Word Wrap and paragraph formatting at adjustable margins.
- Right margin justification.
- · Support foreign, graphic and special characters.
- Convert WordStar and mainframe files.
- Print any portion of file; separate printer margins.

MACRO PROGRAMMING LANGUAGE

- 'If-then-else', looping, testing, branching, user prompts keyboard input, 17 bit algebraic expressions, variables.
- · CRT emulation within windows, Forms entry.
- Simplifies complex text processing, formatting, conversions and translations.
- Complete TECO capability.
- Free macros: Full screen file compare/merge Sort mailing lists Print Formatter Main menu

VEDIT and CompuView are registered trademarks of CompuView Products, Inc. MS-DOS is a registered trademark of Microsoft. CP/M is a registered trademark of Digital Research. WordStar is a registered trademark of MicroPro.

Circle no. 122 on reader service card.



Listing One (Listing continued, text begins on page 42.)

```
Validate Items
                                                                                                                                                                                                                       SelectWindow
                                                                                                                                                                                                                                                                                         ; so _DialogSelect works
                                            #0, D3
Count_Strings, A2
#Count_Item_1, D4
                                                                                      ; Item # of 1st Count (MaxCount)
                                                                                                                                                                                                Draw Patterns
                                            Get_Item_Text
Convert_2_Int
00
                       BSR
                                                                                         ; get the next Item Text
; Convert theString to Integer
                       BSR
                                                                                                                                                                                                                                                                                          ; Save Digit Char Width
; in D4 for Right-Justifying
                                                                                                                                                                                                                                             -(sp)
#'1', -(sp)
                                                                                                                                                                                                                       move f
                                             #10, A2
                                                                                         ; point to next String
                                             #1, D4
#1, D3
#4, D3
@0
                                                                                         ; and its Item Number
; for Next Count Range
; Done all 4 Count Ranges ?
; not yet
                                                                                                                                                                                                                                               (sp)+, D4
                       add
                                                                                                                                                                                                                                              *Count_Str_Y, Legend Y Pos (A5)
                                                                                                                                                                                                                       move
                                                                                                                                                                                                                                              Count_Strings, A3 ; Addr of 1st Count Str
                                                                                                                                                                                                                        lea
                                                                                         ; Return to MainLine
                                                                                                                                                                                                @Draw Counts
Get Item Text
                                            ; A2 points to the String
                                                                                                                                                                                                                                             #Count_Str X, -(sp)
Legend_Y_Pos(A5), -(sp)
                                            ParamsDLOGStorage ; DLOG Ptr
                                                                                                                                                                                                                       MoveTo
                      pea
move
                                            D4, -(sp)
ItemType
ItemHandle
                                                                       ; Item Number
; Not Used
; passed to following ROM call
; Not Used
                      pea
pea
pea
_GetDItem
                                                                                                                                                                                                                                              #Max Count Digits, (A3)
                                                                                                                                                                                                                                                                                                               ; Truncate STRs if too long
                                                                                                                                                                                                                       move.b
                                                                                                                                                                                                                                              #Max Count Digits, (A3)
                                                                                                                                                                                                                                               ; Right-Justify Count_Strings
                                                                                                                                                                                                00
                                                                                                                                                                                                                       clr.1
                                           ItemHandle, -(sp)
                                                                                                                                                                                                                                            MMax Count Digits, 101 (A3), D1 ; Byte Count for String (D1, D0 ; Del Digits = Max Digits - Actual Digits D1, D0 ; times Digit Char Width D0, -(sp) ; = amount to space over ; Relative Move
                                                                                                                                                                                                                       move.b
                       RTS
                                                                                                                                                                                                                       mulu
                                                                                                                                                                                                                       move.1
Move
Convert 2 Int
                                            A2, A0 #StringToNum, -(sp)
                                                                                                                                                                                                                        DrawString
                       move.1
                                                                                                                                                                                                                                                                                          ; Write the Count Range Str
                                                                                        ; Convert Count to Numeric
; Which Count Range ?
; Words => Bytes for Offset
                      Pack7
move
add
lea
                                                                                                                                                                                                                       move.1
                                                                                                                                                                                                                                                                                          ; QD Vars Ptr
                                            D3, D5
D5, D5
Counts (A5),
                                                                                                                                                                                                                                              Gray (A2)
                                                                                                                                                                                                                       pea
PenPat
                                                                                                                                                                                                                                             #SFFFB0006, -(sp) ; Move Up & Over a Bit
                                                                                                                                                                                                                       move.1
                                                                                        ; Index & Save the Count
; ( Ignore the Hi Byte )
                                                                                                                                                                                                                       Move
move.l
Line
PenNormal
                                                                                                                                                                                                                                              ; Draw a Short Gray Line to $$0000000, -(sp) ; separate the Patt_Rects
                       move
                                            DO, 0 (AO, D5)
                       DTC
                                                                                                                                                                                                                                                                                                                 ; Back to Black for Next String
                                                                                                                                                                                                                                              Legend Y Pos (A5), DO ; move down f 
#Pattern Spacing, DO 
DO, Legend Y Pos (A5) 
#Count_Str_SIze, A3; point to Next String
Save Param Items
                                                                                                                                                                                                                                                                                                               ; move down for Next String
                                                                                                                                                                                                                        add
                                            #X Org Item, D4
X Org Str, A2
Get_Item_Text
                                                                                                              ; D3 not used here
                                                                                                               ; Following routine deposits ; DITL text in (A2)
                                                                                                                                                                                                                                              #1, D3
                                                                                                                                                                                                                       add
                                                                                                                                                                                                                                              #4, D3
@Draw_Counts
                       ; A2 (input) points to Decimal DITL String
; D0 (returned) contains Fixed-Point Conversion
                                                                                                                                                                                                                       move
                                                                                                                                                                                                                                              *Pattern Y, Legend Y Pos (A5)
                                            Convert 2 Fixed Point DO, X Origin (A5) ;
                                                                                    Point ; XREF routine to convert from ; STR format to Fixed-Point ; format via SANE intermediary
                                                                                                                                                                                                                       move
                       move.1
                                                                                                                                                                                                                                              Patterns, A3

§Y Org Item, D4
Y Org Str, A2
Cet_Item Text
Convert 2 Fixed Point
                                                                                                                                                                                                  @Draw_Patterns
                                                                                                                                                                                                                                              Legend Y Pos (A5), DO
                                                                                                                                                                                                                       move
                                                                                                                                                                                                                                                                                                                 ; Top
                                                                                                                                                                                                                       swap
                       BSR
                                             DO, Y Origin (A5)
                                                                                                                                                                                                                                              #Pattern X, DO
                                            #Side Length Item, D4
Side Length, A2
Get_Item Text
Convert Z Fixed Point
                                                                                                                                                                                                                       lea
                                                                                                                                                                                                                                             TempRect, A0
DO, (A0)+
                                                                                                                                                                                                                                             #$00130013, D0
D0, (A0) ; Both ;
                                                                                                                                                                                                                       move.1
                       BSR
                                                                                                                                                                                                                         add.1
                                                                                                                                                                                                                                                                                                                  ; 19 X 19
                       BSR
                                                                                                                                                                                                                                                                                          ; BottomRight
                                                                                                                                                                                                                                              TempRect
                                                                                                                                                                                                                       move.1
                                                                                                                                                                                                                                              (sp), -(sp)
(sp), -(sp)
                                                                                                                                                                                                                                                                                                              ; push 2 copies of Rect Addr
                                                                                                                                                                                                                       move.1
                                                                                                                                                                                                                      FrameRect
move.1 #$0001000
InsetRect
move.1 A3, -(sp)
FillRect
Draw Org Strings
                                                                                                                                                                                                                                              #$00010001, -(sp)
                                             *X Org Scr X, -(sp)

*X Org Scr Y, D3

D3, -(sp)
                       move
                         MoveTo
                                                                                                                                                                                                                                              Legend Y Pos (A5), D0 ; move down fo 
#Pattern Spacing, D0 
D0, Legend Y Pos (A5) 
#Pattern SIze, A3 ; point to Next Pattern
                         DrawString
X_Org_Str
                                             'X '
                                                                                                                                                                                                                       move
                                                                                                                                                                                                                                                                                                                 ; move down for Next String
                                                                                                                                                                                                                        add
                                                                                                                                                                                                                        add.1
                       DrawString
                                                                                                                                                                                                                                             #1, D3
#5, D3
@Draw_Patterns
                                            #X_Org_Scr_X, -(selection of the selection of the selecti
                                                                                                                                                                                                                       add
                        move
                         MoveTo
                                              'Y '
                       DrawString
pea Y_Org_Str
DrawString
                                                                                                                                                                                                Draw_Mandel_Window
                                            *X Org Scr X, -(sp)
*Org Spacing, D3
D3, -(sp)
                                                                                                                                                                                                                                             -(sp)
#101, -(sp)
MandelWindStorage
                        move
                         MoveTo 'S
                                                                                                                                                                                                                                              #-1, -(sp)
                                                                                                                                                                                                                       _GetNewWindow
_SetPort
                       pea 's
DrawString
Side_Length
                                                                                                                                                                                                                                                                   ; nuthin hops if we don't do this
                       pea Si
DrawString
                                                                                                                                                                                                                       lea MandelWindStorage, A0
pea portRect(A0)
_EraseRect
                        RTS
                                                                                                                                                                                                                       RTS
 Open Legend DLOG
                       clr.1 -(sp) ; space
move #101, -(sp) ; space
pea LegendDLCGStorage
move.1 #-1, -(sp) ; in fre
_GetNewDlalog
move.1 (sp), -(sp)
_SetPort ; so Title prints
                                                                                    ; space for Funct result
                                                                                                                                                                                                                         InitGraf
                                                                                        ; in front of everything
                                                                                                                                                                                                                         InitFonts
                                                                                                                                                                                                                        InitWindows
                                                                                                                                                                                                                                                                                                                 (continued on page 84)
```

ECOSOFT HOLIDAY SPECIALS





EVERYTHING FOR THE C PROGRAMMER

If you know someone (perhaps yourself!) that wants to learn the C programming language, have we got a deal for you. For a limited time, you get:

Eco-C88 C compiler	\$59.95
CED Program editor	29.95
Developer's Library Source Code	25.00
ISAM File Handler	15.00
Flexi-Graph Graphics Package	39.95
Eco-Lib MSDOS Compatible Librarian	29.95
Ecosoft Windowing Library	29.95
C Programming Guide book (Que Corp)	20.00
C Self Study Guide book (Que Corp)	17.00
C Programmer's Library book (Que Corp)	22.00

Total: \$288.75

Holiday Special: \$175.00

Save Over: \$110.00!!!

The Holiday Special has everything you need for your C programming needs. Eco-C88 is a full K&R C compiler (less bit fields), with over 200 library functions, source code to our cc and mini-make utilities, and generates code rivaling compilers costing 10 times as much. You also get the source code to our library, an MSDOS-obj compatible librarian, one of the neatest graphics packages around, an easy-to-use windowing package plus a library of books to teach you the C language. An unbelievable package at an unbeatable price of only \$175.00.



Microstat Statistics Package

Since 1977, Microstat has been one of the most popular statistics packages available for microcomputers. Just some of its features include:

Data Managment Subsystem
Data transformations
Convert External data
(e.g. Lotus, Dbase 11. etc.)
Descriptive Statistics
Hypothesis Testing
Crosstabs and Chi-Square
ANOVA

Multiple Regression (with Stepwise) Correlation Analysis Time Series Analysis Nonparametrics Probability Distributions Scatterplots Factorials, Permutations

Holiday Special: \$250.00

plus many other unique and easy-to-use features. Microstat is available for all MSDOS machines or any CP/M80 system using a Z80 CPU.

The regular price is a bargain at \$375.00. At the Holiday Special price of \$250.00, it's a steal!

To take advantage of these special prices, we must have your order in our offices by Jan. 15, 1987.

To order, call or write:

1-800-952-0472 (for orders) or 1-317-255-6476 (tech. info.)



Ecosoft Inc. 6413 N. College Ave. Indianapolis, IN 46220







Listing One

(Listing continued, text begins on page 42.)

```
_InitMenus
clr.l -(sp)
_InitDialogs
_TEInit
            InitCursor
RTS
                                     ; the slings and arrows . . .
                 ----- Constants (in Code Space) -----
MBarTitle dc.b
                        'Dr. Dobb''s Mandel Zoom'
ALIGN 2
MandelWindStorage
ParamsDLOGStorage
LegendDLOGStorage
                                      156, 0
170, 0
170, 0
                         dcb.b
ItemHit
                         dc.w
                                      00
ItemType
ItemHandle
ItemBox
theString dcb.b
                         dc.w
dc.l
dcb.l
256, 0
                                                  · Not IIsed
                                                  ; passed from _GetDItem to _GetIText
; Not Used
                                      0 2, 0
                                      ; for dialogPtr returned by IsDialogEvent
theDialog dc.1
X_Org_Str dcb.b
Y_Org_Str dcb.b
Side_Length
                         10, 0
10, 0
dcb.b
                                      10, 0
Count Strings
                                      40, 0
                         dcb.b
                                                  ; 4 X 10 Bytes each
TempRect
                         dcb.1
                                      2, 0
                                                  ; holds the Patt Rects for the Legend
TempSTR
EventRecord
                         dcb.b
                                      0
    Message:
                         dc.1
                                      00
    When:
                         dc.1
    Where: dc.1
    Modifiers:
                         dc.w
                                      n
                         SFFFFFFFF; 4 pixels per 4 = black
                         SFFAAFFAA; 3 pixels per 4 = dark gray
             dc.1
                         $AA00AA00; 1 pixel per 4 = light gray
$AA00AA00
             dc.1
                          $00000000; 0 pixels per 4 = pure white
                          SAA55AA55 : 2 pixels per 4 = gray
             dc.1
                         - Variables ( off A5 ) -----
X_Origin
Y_Origin
                         ds.1
                                                   : Fixed-Pt conversions from
                                                      User Entries in Params DLOG
X Side
Y Side
                                                   ; Set to X_Side for now
                          ds
                                                   ; where Pen first Plots
Num Rows
Num Cols
                          ds
                                                   ; 4 INTEGERs dividing the Iterative
; Domain into 5 Ranges (& Patterns)
                          ds.w
 Tter Count
                          ds.w
 Row Count ds.w
Col_Count ds.w
y_current ds.w
x_current ds.w
                          1
 C_Real
 C imag
                          ds.w
 Z Real
                          ds.w
 Z_imag
Del C Real
Del C imag
 Legend Y Pos
                          ds.w
 Start Time
 Radio 1 State
Radio 2 State
Radio 3 State
                          ds.b
 First Entry
                          ds.b
Mouse Down
First Pt
             END
```

End Listing One

Listing Two

```
Listing Two
; < Str2FP.INC > Thur 10 April '86 h. katz
Mon 14 April '86
  This File is Linked with MandelZoom.ASM to provide String-to Floating-Point
; and Floating-Point to Fixed-Point Conversions for the ; X_Org, Y_Org, and Side_Len DITL Parameters
; At present only Single-Precision SANE Conversions are used
; A2 = ptr to the Decimal String on Input
; D0 = the Fixed-Pt Number for Output
String Format 3
Include MacTraps.D
Include SANEMacs.Txt
YDEE
          Convert 2 Fixed Point
Sign
                                                    ; Byte Offsets in Decimal Record
Exp
                           FOU
FP_Sign
FP_Exp
                                                    ; Bit Offsets in Single-Precision Result
FP Sig
                                        22
                           EOU
SP_Exp_Bias
DP_Exp_Bias
                                                    ; Code for Double-Precision not written
Convert 2 Fixed Point
                           Temp_String, a0 (a2), d0 (a2)+, (a0)+ d0, @0
                                                   ; make a copy of incoming string ; its length
             lea
move.b
              move.b
DBRA
              lea
                           Temp_String, a0
                                                                  ; replace ptr to theString
              BSR
                           Build_Decimal_Record
                            Decimal_Record
              pea
              pea
FDEC2S
                            FP Num
                                                                  ; a SANE 'trap'
              BSR
                            Build_Fixed_Pt
              RTS
                                                                  ; to Mandelbrot
 Build Fixed Pt
              sf
lea
                                                                  ; assume Positive
                           d2
FP_Num, a0
(a0), d1
#1, d1
@1
d2
                                                    ; save the Exponent
              move.1
                                                                  ; shift Sign into Carry
; was Positve
; flag as Negative
              lsl.l
                            dl ; move Exp into Low Word
#8, dl ; shift Exp to Right
#SP_Exp_Bias, dl ; unbias it
 @1
              swap
              lsr.w
              sub.b
                                                   ; move orig FP Num into register
    ; clear Exp
    ; add the leading '1' bit
                            (a0), d0
#$007FFFFF, d0
              and.1
              bset.1
                            #23, d0
              tst.b
                                                                 : num is +
                            #7, d1
 @2
              sub.b
                                                                  : Neg (7-Exp) is amount to shift
              neg.b
                            @Shift Left
              asr.l
bra
                            d1, d0
erts
 @Shift Left
                                                    ; Max Left Shift not checked for vet
 erts
 Build Decimal Record
              ; Strip the Sign Char
; Strip the Decimal Pt and Decrease the Exponent Accordingly
; Finally Strip Leading Zeroes
                           Decimal Record, al ; Zero the Record \emptyset 0, (al)+ Decimal_Record, al
              lea
              move.1
move.1
                            #'+', 1 (a0)
                                                                  ; Strip the Plus Sign, if any
              amo.b
                            @Strip_Minus_Sign
Shift_Count_Byte
Strip_Decimal_Pt
              BSR
bra
 @Strip Minus Sign
                           #'-', 1 (a0)
Strip_Decimal_Pt
#1, Sign(a1)
Shift_Count_Byte
              move.b
                                                                  ; Mark Dec Rec Sign as Negative
              BSR
 Strip_Decimal_Pt
                            (a0), Sig(a1)
                                                                  ; move Count to Decimal Record
                                                                   (continued on page 86)
```

dBASE and Pascal. Together at last.

It had to happen.

They've been going together for years, but always with a lot of "glue, tape and hope" procedures that kept it from being a perfect union.

Announcing a new dBASE® enhancement tool that includes an interface to Turbo Pascal™ and a Pascal library. So you can customize the dBASE standard to your special business and scientific/engineering needs.

Array handling.
Random Number
Generation function.

Variance and coefficient of variance.

Standard deviation function.

Skewness and sample kurtosis.

And business functions like present and future value, net present value, loan


Trademarks/owner: dBASE, Ashton-Tate/Ashton-Tate/Turbo Pascal/Borland International. © 1986 Ashton-Tate. All rights reserved.

amortization, and internal rate of return.

Plus you'll be able to write and store custom functions in the library.

To order, or for more information or the name of your nearest dealer, call the Ashton-Tate® Publishing Group at (800) 437-4329, Ext. 227.

And live happily ever after.



Listing Two (Listing continued, text begins on page 42.)

```
1+Sig(a1), a2
              lea
add.l
clr
                                                                 ; point to 1st Digit
; points to 1st Digit in Src Str
              move.b
                             Sig (a1) . d0
                                                                 ; length of String
                                                                  ; - 1 for DBRA
; Passed Decimal Pt Flag = FALSE
               sub.b
              cmp.b
beq
move.b
tst.b
                             (a0) (Found Decimal Pt (a0)+, (a2)+
00
                                                                 ; shift the digit to Decimal Rec; are we past the Decimal Pt?
                             @Test EOStr
               beq
                             #1, Exp(al)
@Test_EOStr
@Found_Decimal_Pt
               add.l
sub.b
                             #1, a0
#1, Sig(al)
                                                                 ; point past decimal point
; Count := Count - 1
@Test EOStr
              DBRA
Strip_Leading_Zeroes
                             Sig(a1), a0
(a0), d0
#1, d0
d0
              lea
move.b
sub.b
                                                   ; point @ Count Byte in
; Decimal_Record Sig Field
; setup for DBRA
               ext.w
                                                                  ; No Leading Zeroes (yet)
@Loop_1
                             #'0', 1(a0)
@Test_4_Shift
                                                                  ; Encountered a Signif Digit -> Done
               st
BSR
                             Shift_Count_Byte
d0, @Loop_1
@Test 4 Shift
                                                   ; Any Non-Significant Zeroes Found ?
                             Sig(al), al ; point to Sig Count Byte (a0), d0 ; a0 is Count Byte (wherever it is) d0
               lea
               move.b
```

ext.w

```
(a0)+, (a1)+
d0, @Loop_2
                                                  ; shift Count + Digits to Left
             RTS
erts
Shift Count Byte
                         #1, (a0) ; Length = Length - 1
(a0) +, (a0) ; move Count Byte over one
             sub.b
             move.b
FP Num
                                                 ; working space for both ; Single & Double Precision numbers
Decimal Record
                                      0
                                                 ; Sign
                         dc.w
                                     12, 0
Temp String
                         dcb.b
                                     12, 0
```

End Listing Two

A special offer to our readers.

City

A SPECIAL **SOFTSTRIP®** READER OFFER FROM: DR. DOBB'S **JOURNAL OF SOFTWARE TOOLS**

The price: \$199.95 complete

To order: Call toll free 1-800-528-6050 ext. 4001.

Refer to product item #400. Or send this coupon with payment to Dr. Dobb's Journal of Software Tools, 501 Galveston Dr., Redwood City, CA 94063. Please be sure to specify software format (MS/DOS, Macintosh, Apple II). CA residents add appropriate sales tax.

Please specify fo	ormat:
☐ MS-DOS ☐	Macintosh Apple II
☐ Payment enc	losed (check or money order)
☐ VISA	MasterCard
Card No.	Exp. Date
Signature	
Name	
Address	

State

Zip

```
Listing Three
  ManDLOG.R
                         Mon 31 April '86 h. katz
* Output file -
Mandels:Mandel_2
APPLKATZ
Include Mandels: Mandel 2. CodeR
Type WIND
                     ;; Mandelbrot Window
41 6 336 404
Visible NoGoAway
                                      ;; docProc
Type DLOG
                         ;; 'Legend' Dialog
            ,101
no message
30 415 330 500
Visible NoGoAway
                                      :: DBoxProc
0
101
Type DITL
            ,101
                                      ;; 2 Items
Button
240 3 265 83
New Plot
                                      ;; Item #1
                                      ;; Item #2
 Button
270 3 295 83
Quit
                        ;; Parameters Dialog
 Type DLOG
             ,100
 no message
50 100 250 400
 Visible NoGoAway
                                      ;; dBoxProc
 100
 Type DITL
                                       ;; 18 Items
 18
                                       ;; Item #1
 Button
 135 130 160 220
 Button
165 130 190 220
Quit
                                       :: Item #2
 StaticText Disabled ;; Item #3
8 30 25 235
Mandelbrot Parameters
 StaticText Disabled ;; Item #4
 x_origin
 StaticText Disabled ;; Item #5 70 15 86 75
 Y_Origin
 StaticText Disabled ;; Item #6
100 15 116 75
Side
  StaticText Disabled ;; Item #7
  65 180 80 240
  Counts
  StaticText Disabled ;; Item #8 155 15 170 45
  RadioButton
  135 50 150 105
1 X 1
  RadioButton
155 50 170 105
2 X 2
                                        :: Item #10
  RadioButton
175 50 190 105
4 X 4
                                        :: Item #11
  EditText
40 80 55 144
                         ;; Item #12
                                                   x origin
   -2.00
```

EditText 70 80 85 144 -1.25	;; Item #13	Y_Origin
EditText 100 80 115 144 2.500	;; Item #14	Side_Length
EditText	;; Item #15	4 initial Defaults for
20 245 35 280 32		Patt Ranges
EditText 50 245 65 280 12	;; Item #16	
EditText 80 245 95 280 6	;; Item #17	
EditText 110 245 125 280 4	;; Item #18	
TYPE ALRT 140 100 180 400		
1		
1111	;; Default - Item 1	/ Draw Box / 3 Beeps (ALL stages)
	;; 0	/ 1 / 10
TYPE DITL		
Button 100 220 120 270 OK		
StaticText Disabled 40 30 60 290 Numeric Digits Only		

End Listings




- → linear, log, & polar plots
- → bar charts & Smith charts
- → contour plots with labels
- → 3-D curves, 3-D surfaces
- → 4 curve types, 8 markers, errorbars
- → 14 fonts, font editor
- → unlimited levels of superscripts
- → 4096 x 3120 resolution in 16 colors on EGA, Tecmar, Sigma boards
- → zoom, pan, window and merge plots
- → high resolution printer dumps

SOURCE INCLUDED for personal use only

\$350. Demo \$8

256k, IBM, AT&T, Corona PCs, DOS 2.xx, 3.xx Most boards, printers, and plotters supported Microsoft, Lattice, DeSmet, Aztec, C86 compilers







Scientific Endeavors Corporation

Route 4, Box 79 Kingston, TN 37763 (615) 376-4146

Circle no. 210 on reader service card.

DIGITAL DISSOLVE

Listing One (Text begins on page 48.)

```
procedure DissBits (srcB, destB: bitMap; srcR, dstR: rect); external;
  mike morton
  release: 30 june 1986, version 5.3
  this version is formatted for the Lisa Workshop assembler
  differences from version 5.2:
           extraneous code removed from bitwidth routine
            introductory comments are much shorter
            copyright 1984, 1985, 1986 by michael s. morton
  DissBits is freeware. you're welcome to copy it, use it in programs, and to modify it, as long as you leave my name in it. i'd be interested in seeing your changes, especially if you find ways to make the central
  loops faster, or port it to other machines/languages.
  if, for some reason, you only have a hard copy of this and would like a source on a diskette, please contact:
          robert hafer
          the boston computer society
          one center plaza
          boston, mass. 02108
  include files:
         tlasm/graftypes -- definitions of "bitMap" and "rect" tlasm/quickmacs -- macros for quickdraw calls (e.g., _hidecursor)
-nolist
.include tlasm/graftypes
.include tlasm/quickmacs
list
  definitions of the "ours" record: this structure, of which there are
  two copies in our stack frame, is a sort of bitmap:
oRows
          .equ
                                                 (word) number of last row (first is 0)
oCols
          .equ
                       OROWS+2
                                                 (word) number of last column (first is 0)
oIbits
         .eau
                                    ; (word) size of left margin within 1st byte
(word) stride in memory from row to row
(long) base address of bitmap
                       oCols+2
         .equ
oStride
                       oLbits+2
oBase
                       oStride+2;
osize
          .equ
                                              ; size, in bytes, of "ours" record
  stack frame elements:
srcOurs .equ
                       -osize
                                              ; (osize) our view of source bits
dstOurs .equ
                       srcOurs-osize
                                              ; (osize) our view of target bits
sflast
         .equ
                       dstOurs
                                              ; relative address of last s.f. member
sfsize
         .equ
                       -sflast
                                              ; size of s.f. for LINK (must be EVEN!)
         parameter offsets from the stack frame pointer, A6: last parameter is above return address and old s.f.
dRot.r
         .equ
                       4+4
                                              ; ^destination rectangle
sRptr
         .equ
                       dRptr+4
                                                ^source rectangle
dBptr
          .equ
                       sRptr+4
                                                 ^destination bitMap
sBotr
          .equ
                       dBptr+4
                                                ^source bitMap
plast
          .equ
                       sBotr+4
                                              ; address just past last parameter
psize
          .equ
                       plast-dRptr
                                              ; size of parameters, in bytes
  entrance: set up a stack frame, save some registers, hide the cursor.
        dissBits
.proc
                                  ; main entry point
                       A6, #-sfsize
                                              ; set up a stack frame
           movem.1
                      D3-D7/A2-A5, - (SP)
                                  A5,-(SP) ; save registers compiler may need ; don't let the cursor show for now
           hidecurs
  convert source and destination bitmaps and rectangles to a format we prefer.
  we won't look at these parameters after this.
                       sBptr (A6), A0.
           move.1
                                              ; point to source bitMap
           move.1
                       sRotr (A6) . A1
                                              ; and source rectangle
```

(continued on page 90)

C & PASCAL PROGRAMMERS

Blaise Computing provides a broad range of programming tools for Pascal and C programmers, with libraries designed for serious software development. You get carefully crafted code that can be easily modified to grow with your changing needs. Our packages are shipped complete with comprehensive manuals, sample programs and source code.

C TOOLS PLUS

\$175.00

NEW! Full spectrum of general-purpose utility functions; windows that can be stacked, removed, and accept user input; interrupt service routines for resident applications; screen handling including EGA 43-line text mode support and direct screen access; string functions; and DOS file handling.

PASCAL TOOLS/TOOLS 2

\$175.00

Expanded string and screen handling; graphics routines; easy creation of program interfaces; memory management; general program control; and DOS file support.

VIEW MANAGER

\$275.00

Complete screen management; paint data entry screens; screens can be managed by your application program; block mode data entry or field-by-field control. Specify C or IBM/MS-Pascal.

ASYNCH MANAGER

\$175.00

Full featured asynchronous communications library providing interrupt driven support for the COM ports; I/O buffers up to 64K; XON/XOFF protocol; baud rates up to 9600; modem control and XMODEM file transfer. Specify C or IBM/MS-Pascal.

Turbo POWER TOOLS PLUS

\$99.95

NEW! Expanded string support; extended screen and window management including EGA support; pop-up menus; memory management; execute any program from within Turbo Pascal; interrupt service routine support allowing you to write memory resident programs; schedulable intervention code.

Turbo ASYNCH PLUS

\$99.95

Complete asynchronous communications library providing interrupt driven support for the COM ports; I/O buffers up to 64K; XON/XOFF protocol; and baud rates up to 9600.

RUNOFF

\$49.95

NEW! Text formatter written especially for programmers; flexible printer control; user-defined variables; index generation; and general macro facility. Crafted in Turbo Pascal.

EXEC

\$95.00

Program chaining executive. Chain one program from another even if the programs are in different languages. Shared data areas can be specified.

ORDER TOLL-FREE 800-227-8087!



Circle no. 217 on reader service card.

			하실 보다 하는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는데 없어서 그렇게 되었다.
De	Dobb's	Journal	of Software Tools
LI.	DUUUUS	WULLIAL	of boilt ware room

		31	32	33	34	35	36	37	38	39	40
Nama		41	42	43	44	45	46	47	48	49	50
varne		51	52	53	54	55	56	57	58	59	60
Title		61	62	63	64	65	66	67	68	69	70
Company	Phone	71 81	72 82	73 83	74 84	75 85	76 86	77 87	78 88	79 89	90
		91	92	93	94	95	96	97	98	99	100
Address	i il factoria.	101	102	103	104	105	106	107	108	109	110
		100000000							118	000000000	
,		***************************************		000000000000000000000000000000000000000				-	128	00000000000	000000000
November 1986 #121	Expiration Date: February 28, 1987	40000000							138		000000
		20203000000	100000000000000000000000000000000000000	A40400-0000A					148		
Please circle one letter in ea	ich category:	4000000							168		
I. My work is performed:	V. Corporate Purchase Authority:	**********						Antonional	178	00000000000	
A. for in-house use only.	A. Final Decision-maker	181	182	183	184	185	186	187	188	189	19
B. for other companies.	B. Approve/Recommend	191	192	193	194	195	196	197	198	199	20
C. for end users/retailers.	C. No Influence	201							208		Andreas NA
D. in none of the above areas	VI. Personal Computer Users at my Jobsite:	2000000							218		
II. My primary job function:	A. 10.000 or more			about the same					228	*****	
A. Software Project Mgmt/S	DVr B. 500 to 9,999	A444	1000	***************************************					238		
B. Hardware Project Mgmt/S		10/09/2003/00/00			Attabasement				248 258		
C. Computer Consultant	D. 10 to 99	251		100000000000000000000000000000000000000					268		
D. Corporate Consultant	E. less than 10	271							278		
E. Other	VII. On average, I advise others about	281							288	(0.000)	

III. My company department performs:

- A. software development.
- B. computer system integration.
- C. computer manufacturing.
- D. computer consulting.
- E. computer research
- F. none of the above.

IV. This inquiry is for:

- C. product information only.
- A Reader Service number appears on each advertisement. Circle the corresponding numbers at right for more info.

A. a purchase within 1 month. C. write code B. a purchase within 1 to 6 months.

- computers:
- A more than once per day.
- B. once per day.
- C. once per week
- D. less than once per week.
- VIII. In my job function, I:
 - A. design software and/or write code.
 - B. design software.

D. don't design software or write code.

391 392 393 394 395 396 397 398 399 99 Circle 999 to start a 12 month subscription at the price of \$29.97

22 23 24 25

26

291 292 293 294 295 296 297 298 299 30

301 302 303 304 305 306 307 308 309 310

311 312 313 314 315 316 317 318 319 32

321 322 323 324 325 326 327 328 329 330

331 332 333 334 335 336 337 338 339 34

341 342 343 344 345 346 347 348 349 35

351 352 353 354 355 356 357 358 359 36

361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 381 382 383 384 385 386 387 388 389 391

27 28 29

30

TAKE THIS CARD WITH YOU AS YOU READ THROUGH THIS ISSUE OF DR. DOBB'S.



BUSINESS REPLY MAIL

First Class Permit #217, Clinton, Iowa

POSTAGE WILL BE PAID BY ADDRESSEE

Dr. Dobb's Journal of

P.O. Box 2157 Clinton, Iowa 52735-2157

NO POSTAGE **NECESSARY** IF MAILED IN THE UNITED STATES





FIRST CLASS PERMIT #217, CLINTON, IOWA

POSTAGE WILL BE PAID BY ADDRESSEE

Dr. Dobb's Journal of

P.O. Box 2157 Clinton, Iowa 52735-2157

NO POSTAGE NECESSARY IF MAILED IN THE **UNITED STATES**



TAKE THIS CARD WITH YOU AS YOU READ THROUGH THIS ISSUE OF DR. DOBB'S.

11 12 13 14 15 16 17 18 19 20 23 24 25 26 27 28 45 47 51 52 53 54 55 56 57 58 59 60 66 62 63 64 65 67 71 72 73 74 75 76 77 78 79 80 83 84 85 87 86 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 391 392 393 394 395 396 397 398 399 999 Circle 999 to start a 12 month subscription at the price of \$29.97

Dr. Dobb's Journal of Software Tools

Name _ Phone _ Company_ Address _ City/State/Zip_

Expiration Date: February 28, 1987 November 1986 #121

Please circle one letter in each category:

- I. My work is performed:
 - A. for in-house use only. B. for other companies.
 - C. for end users/retailers.
 - D. in none of the above areas.
- II. My primary job function:
 - A. Software Project Mgmt/Spvr B. Hardware Project Mgmt/Spvr C. Computer Consultant
 - D. Corporate Consultant
 - E. Other
- III. My company department performs:
 - A. software development. B. computer system integration.
 - C. computer manufacturing. D. computer consulting.
 - E. computer research
- F. none of the above.
- IV. This inquiry is for:

 - B. a purchase within 1 to 6 months. C. product information only.
- A. a purchase within 1 month.
- VIII. In my job function, I:

B. once per day.

C. once per week

A. design software and/or write code. B. design software.

VII. On average, I advise others about

A. more than once per day.

D. less than once per week.

V. Corporate Purchase Authority:

A. Final Decision-maker

B. Approve/Recommend

VI. Personal Computer Users at my Jobsite:

C. No Influence

A. 10,000 or more

B. 500 to 9,999


E. less than 10

D. 10 to 99

computers:

- D. don't design software or write code.


A Reader Service number appears on each advertisement. Circle the corresponding numbers at left for more info.



NEW! FROM BLAISE COMPUTING

Today's programmers need more than yesterday's tools. Requirements such as removable windows and "sidekickable"

pop-up utilities are changing the face of program design. You need to filter interrupts so that other resident programs still work. You



SOLID LIBRARY SUPPORT

Blaise Computing offers you solid library support that can meet all your demands and more. C TOOLS PLUS embodies the full spectrum of general-purpose utility functions that are critical to today's applications.

Here's just part of the PLUS in C TOOLS PLUS:

- ♦ C TOOLS and C TOOLS 2 compatibility—two packages that receive rave reviews for quality, organization, usability and documentation.
- ♦ FULL SOURCE CODE

C Tools Plus

For The Programmer
Whose Alphabet

Begins & Ends With "C"

- ◆ WINDOWS that are stackable, removable, that support word wrap and that can accept user input.
- ◆ INTERRUPT SERVICE ROUTINE support for truly flexible, robust and polite resident applications.
- ◆ MULTIPLE monitor and display support, including EGA 43-line mode.
- ◆ FAST DIRECT VIDEO ACCESS for efficiency that will not constrain good program design.
- **◆ DOCUMENTATION, TECHNICAL**

SUPPORT and attention to detail that have distinguished Blaise Computing products over the years.

C TOOLS PLUS supports the Microsoft (and IBM) 3.00 and Lattice 3.00 C compilers and is just \$175.00. Also Available Are: C VIEW MANAGER—

A kit for building data entry screens and menus. Begin by designing onscreen what the operator will see; call upon our library functions from your program to display the screens and retrieve the data. Just \$275, in-

cluding all library source code.

CASYNCH MAN-AGER — provides the crucial core of hardware interrupt support needed to build applications that communicate. It

also includes the "XMODEM" file-transfer protocol and support for Hayes-compatible modems. All source code is included for \$175. C TOOLS & C TOOLS 2—an indispensable combination still available at a low price of \$175, including all source code. See review in PC Tech Journal, 6/85.

BLAISE COMPUTING INC.

2560 Ninth Street, Suite 316 Berkeley, CA 94710 (415) 540-5441

ORDER TOLL-FREE 800-227-8087!

NICAL		for
YES, send me the PLU C TOOLS PLUS. (CA orders add \$10.00 for	US I need! Enclosed i residents add 6½% S Federal Express ship!	is \$to. sales Tax. All domestic ping.) none:()
Name: Shipping Address	s: State	: Zip: Exp. Date:
City:		

Circle no. 159 on reader service card.

SOURCE CODE LIBRARIAN & REVISION CONTROL SYSTEM

TLIB™ keeps ALL versions of your program in ONE compact library file, even with hundreds of revisions!

- Super Fast! Updates (deltas) average 5-7 times faster than PC/IX (Unix) SCCS. TLIB updates libraries faster than many editors load and save files!
- · LAN-compatible! Shared libraries with PC Network!
- Synchronized control of multiple related source files.
- Use with floppies or hard disk. TLIB doesn't need big temporary files, so you can maintain a 300K library on one 360K diskette, with room to spare, even with TLIB itself on the same disk. And libraries are more compact than with most other revision management systems.
- Perfect for backup. Date and comments kept with each version. High data integrity because library data, once written, is never modified. Libraries are only appended, to minimize the chance of data loss due to a power glitch or hardware crash. And TLIB isn't copy-protected, either.
- Free copy of Landon Dyer's excellent public domain MAKE utility. With macros, full source code. For DOS & VAXVMS.

PC/MS-DOS 2.x & 3.x Just \$99.95 + \$3 s/h Visa/MC

BURTON SYSTEMS SOFTWARE

P. O. Box 4156, Cary, NC 27511-4156 (919) 469-3068

Circle no. 212 on reader service card.

Edinification .

PC-DOS program lets your PC Read/Write/Format over 275 formats



\$79.95 + \$5.00 S/H Sales Tax if CA.

Upgrades available from previous versions

To Order Contact:



1454 Sixth Street, Berkeley, CA 94710

(415) 525-3113

Circle no. 225 on reader service card.



Over 90 volumes of public domain "C" software including:

- compilers
- editors
- text formatters
- communications packages
- many UNIX-like tools

Write or call for more details

The C Users' Group

Post Office Box 97 McPherson, KS 67460 (316) 241-1065

DIGITAL DISSOLVE

Listing One (Listing continued, text begins on page 48.)

```
srcOurs (A6) . A2
            lea
                                                 ; and our source structure
                        CONVERT
            bsr
                                                 ; convert to our format
            move.1
                         dBptr(A6),A0
                                                 ; point to destination bitMap
            move.1
                        dRptr(A6),A1
                                                 ; and rectangle
                        dstOurs (A6), A2
            lea
                                                 ; and our structure
            bsr
                        CONVERT
                                                 ; convert to our format
: check that the rectangles match in size.
            move.w
                        srcOurs+oRows (A6),D0
                                                       ; pick up the number of rows
                        dstOurs+oRows (A6),D0
                                                 ; same number of rows?
            amp.w
                        ERROR
            bne
            move.w
                         srcOurs+oCols (A6) . DO
                                                        ; check the number of columns
                         dstOurs+oCols(A6),D0
                                                          ; same number of columns, too?
            amp. W
                                                 : that's a bozo no-no
            bne
                        FRROR
; figure the bit-width needed to span the columns, and the rows.
            move.w
                                                 ; get count of columns; make it a longword; figure bit-width
                         srcOurs+oCols(A6),D0
                        DO
            ext.1
                         LOG2
            bsr
                         DO, D1
                                                    set aside that result
            move.w
                                                 ; too small? wimp out and use copyBits
            beg
                         SMALT.
            move.w
                         srcOurs+oRows (A6), DO
                                                        : get count of rows
                                                 ; make it a longword
            ext.1
            bsr
                         TAG2
                                                 ; again, find the bit-width
            tst.w
                         DO
                                                 ; is the result zero?
                         SMALL
                                                 ; if so, our algorithm will screw up
            bea
; set up various constants we'll need in the in the innermost loop
                                                 ; set up...
; ...the bit mask which is...
            move.1
                         #1,D5
                         D1, D5
            lsl.l
            sub.1
                                                  ; ...bit-width (cols) 1's
            add.w
                         D1.D0
                                                  : find total bit-width (rows plus columns)
                         TABLE, AO ; point to the table of XOR masks
            lea
                         #0,D3
                                                 ; clear out D3 before we fill the low byte
            moveq
                         0 (A0, D0), D3
            move.b
                                                 ; grab the correct XOR mask in D3
  table is saved compactly, since no mask is wider than a byte. we have to unpack it so high-order bit of the DO-bit-wide field is on:
UNPACK add.1
                         D3.D3
                                                  ; shift left by one
                                                  ; keep moving until top bit that's on is ; aligned at the top end
            bol.s
                         UNPACK
                                                 ; now swing the top D0 bits around to be ; bottom D0 bits, the mask \,
            rol.1
                         DO. D3
            move.1
                         D3, D0
                                                  ; 1st sequence element is the mask itself
; do all kinds of preparation:
                        srcOurs+oBase (A6),D2 ; set up base ptr for source bits #3,D2 ; make it into a bit address D2,A0 ; put it where the fast loop will use it srcOurs+oLbits (A6),D2 ; now pick up source left margin D2
            move.1
            lsl.l
            move.1
            move.w
            ext.1
                                                 ; make AO useful for odd routine below
            add.1
                         D2.A0
                         dstOurs+oBase(A6),D2 ; set up base pointer for target #3,D2 ; again, bit addressing works out faster D2,A1 ; stuff it where we want it for the loop dstOurs+oLbits(A6),D2 ; now pick up destination left margin D2 ; make it a longword
            move.1
             lsl.l
            move.1
            move.w
            add.1
                         D2, A1
                                                  ; and make Al useful, too
            move.w
                         srcOurs+oCols (A6), A2
                                                       ; pick up the often-used count
                                                              ; of columns
                         srcOurs+oRows (A6), D2
                                                       ; and of rows
            move.w
                                                 ; make row count one-too-high for compares
; and make it a longword
; slide it to line up w/rows part of DO
            add.w
                         #1,D2
             ext.1
                         D1, D2
             lsl.l
                                                  ; and save that somewhere useful
            move.1
                         D2.A4
            move.w
                         D1.D2
                                                  ; put log2 (columns) in a safe place (sigh)
```

(continued on page 92)



LPI-PL/I lets you move your PL/I applications to today's hottest new workstations without going through the agony of re-programming.



LPI-RPGII, LPI-COBOL, LPI-PL/I, LPI-BASIC, LPI-FORTRAN, LPI-PASCAL, LPI-C, LPI-DEBUG LANGUAGE PROCESSORS, INC., 400-1 TOTTEN POND RD., WALTHAM, MA 02154 (617) 890-1155

Circle no. 266 on reader service card.



ADVANTAGE C++ For MS/PC-DOS. Exclusively From LIFEBOAT.

They say you can't be all things to all people. But Lifeboat's ADVANTAGE C++ proves that you can be! This exciting new product, developed by AT&T, represents a major programming breakthrough.

ADVANTAGE C++

- Opens the door to object-oriented programming.
- Allows programs with greater resilience, fewer bugs.
- Lets you write reliable, reusable code that is easier to understand.
- Includes many enhancements to C, yet maintains full compatibility with existing C programs.
- Is the key to developing large and

sophisticated programs more productively.

• Has all the benefits of C, without its limitations.

ADVANTAGE C++ is now available for the most popular C compilers, Lattice C and Microsoft C.

Why be limited to just C ... when you can have all these pluses! To order or obtain a complete technical specification sheet call: 1-800-847-7078

In NY: 914-332-1875.

The Full-Service Source for Programming Software

Circle no. 118 on reader service card.

Complete **C** Programs in Half the Time, with Instant-CTM

You can create programs much faster with Instant-C than with conventional programming tools. How? Because Instant-C is a high-performance interpreter, there are **no compile or link** delays. Change your program, then test it immediately. No matter how large your program, the turnaround time is just seconds.

"Instant-C means instant gratification."—PC Magazine, Editor's Choice for best C interpreter.

Powerful source-level debugging saves your time. Conditional breakpoints, single-stepping by statement, source code backtraces, data monitoring, and many other debugging features make it easy to wipe out bugs quickly. Direct execution of any statement or function makes testing a breeze.

The resulting debugging and testing capabilities are fantastic and the detailed trace/debug/display commands make it easy."—The

Instant-C checks pointer references for reasonableness, and checks that array indexes are within declared bounds. This run-time checking stops your program as soon as errors occur, for easiest debugging.

Not only does Instant-C help you quickly change, test, check and debug your code, but it runs your program fast enough for real-time appli-

"It is much faster than any of the other products mentioned and was the only one able to complete the standard SIEVE in a reasonable time. Clearly, this high speed allows much more complex problems to be attacked with Instant-C than with any of the other products discussed." - Computer Language

Immediate feedback and precise diagnostics make Instant-C great for learning C. Full K&R and the ability to link compiled object code and libraries (Lattice and Microsoft) makes Instant-C compatible with your existing programs.

Instant-C makes all parts of the programming task as fast as possible.

"Clearly, Instant-C is the performance champion."—*PC Tech Journal*

Version 2 works with MS-DOS and PC-DOS, and has a full 31 day money back guarantee. Instant-C is only \$495. Order today! Call or write for full information.

Systems, Inc.

P.O. Box 480 Natick, MA 01760 (617) 653-6194

Circle no. 145 on reader service card.

PROMPT DELIVERY!!! SAME DAY SHIPPING (USUALLY) QUANTITY ONE PRICES SHOWN for SEPT. 21, 1986

OUTSIDE OKLAHOMA: NO SALES TAX					
		YNAM	IC RAM		\$10.00
th 150. Vectra	1Mbit 1	000Kx1	100 ns	\$40.00	\$10
. Se Se	4464	64Kx4	150 ns	4.20	
Zenith : hp Ve	41256	256Kx1	100 ns	4.85	8Mhz 8Mhz
15	41256	256Kx1	120 ns	3.40	8 N 8
TS:	41256	256Kx1	150 ns	2.89	0.0
e ⊼ E ⊗	41128	128Kx1	150 ns	4.99	V20 V30
RD abl	4164	64Kx1	150 ns	1.35	
EPROM					000
AB P	27512	64Kx8	250 ns	\$22.00	12.0
声	27C256	32Kx8	250 ns	6.50	\$132.
E	27256	32Kx8	250 ns	5.25	N
A M	27128	16Kx8	250 ns	3.95	5 Mhz 8Mhz
Kbyte MOTHERE PC XT, Compaq	27C64	8Kx8	200 ns	4.75	5 8 8
A O	2764	8Kx8	250 ns	3.95	æρ
640 I		STATIC			8087 80287-8
~ –	43256L-12	32Kx8	120 ns	\$27.00	808
	6264LP-15	8Kx8	150 ns	3.10	
OPEN 6½ DAYS, 7 AM-9 PM: SHIP VIA FED-EX ON SAT.					

OPEN 6½ DAYS, 7 AM-9 PM: SHIP VIA FED-EX ON SAT. SUNDAYS & HOLIDAYS: SHIPMENT OR DELIVERY, VIA U.S. EXPRESS MAIL

SUNDAYS & HOL

SAT DELIVERY
INCLUDED ON
FED-EX ORDERS
RECEIVED BY:
Th: Std Air \$6/4 lbs
Fr: P-One \$13/2 lbs

MasterCard/VISA or UPS CASH COD Factory New, Prime Parts JIP COD MICROPROCESSORS UNLIMITED, INC. 24,000 S. Peoria Ave.. (918) 267-4961

Please call for current prices because prices are subject to change. Shipping & insurance extra Cash discount prices shown. Orders received by 9 PM CST can usually be delivered to you the next morning, via Federal Express Standard Air @ \$6.00, or Priority One @ \$13.00 in

Circle no. 105 on reader service card.

DATA CONVERSION



TRANSFER DATA BETWEEN OVER 500 DIFFERENT COMPUTER SYSTEMS

WORD PROCESSORS TOO
QUICK TURN-AROUND
PRICES FROM \$9 PER DISK
CALL OR WRITE FOR YOUR

FREE CATALOG

PORT-A-SOFT

555 S. STATE ST., SUITE #12 P.O. BOX 1685, OREM, UT 84057 (801) 226-6704

Circle no. 229 on reader service card.

Dr. Dobb's Journal

Subscription Problems? No Problem!



Give us a call and we'll straighten it out. Today.

Outside California
CALL TOLL FREE: 800-321-3333

Inside California CALL: 619-485-6535 or 6536

DIGITAL DISSOLVE

Listing One (Listing continued, text begins on page 48.)

```
try to reduce the amount we shift down D2. this involves:
    halving the strides as long as each is even, decrementing D2 as we go
    masking the bottom bits off D4 when we extract the row count in the loop
  alas, can't always shift as little as we want. for instance, if we don't
  shift down far enough, row count will be so high as to exceed a halfword,
  and the dread mulu instruction won't work (eats only word operands). we have to have an extra check to take us out of the loop early.
                         move.w
            move.w
                         srcOurs+oRows (A6),D1
             move.w
                                                          ; get row count for klugey check
             tst.w
                                                                ; how's the bitcount?
             beg.s
                         HALFDONE
                                                  ; skip out if already down to zero
HALFLOOP
             btst
                         #0,D4
                                                  : is this stride even?
                         HALFDONE ; nope -- our work here is done
             bne.s
             btst
                                                   ; how about this one?
                         HALFDONE ; have to have both even
             lsl.w
                                                   ; can we keep max row number in a halfword?
                          HALFDONE ; nope -- D2 mustn't get any smaller!
                                                   ; halve each stride...
                          #1.D4
             lsr.w
             lsr.w
                                                   ; ...like this
             sub.W
                         #1,D2 ; and remember not to shift down as far HALFLOOP ; loop unless we're down to no shift at all
             bne.s
HALFDONE
                                       ; no tacky platitudes, please
                         D4,srcOurs+oStride(A6) ; put back source stride
D7,dstOurs+oStride(A6) ; and target stride
             move w
             move.w
; make some stuff faster to access -- use the fact that (An) is faster
to access than d(An). this means we'll misuse our frame pointer, but; don't worry -- we'll restore it before we use it again.
                        srcOurs+oStride (A6), A5 ; make source stride faster
             move.w
                                                   ; to access, too
; save framitz pointer
             move.w
                          dstOurs+oStride(A6),A6 ; pick up destination stride

#0,D6 ; we do only AND.w x,D6 -- but ADD.1 D6,x
             move. 1
             clr.w
                                                   ; reserve room for function result
             bsr
                          MULCHK
                                                   ; go see if strides are powers of two
                          (SP) +
                                                    ; can we eliminate the horrible MULUs?
             tst.w
                                                    ; yes! hurray!
  main loop: map the sequence element into rows and columns, check if it's in bounds and skip on if it's not, flip the appropriate bit, generate the next element in the sequence, and loop if the sequence isn't done.
   check row bounds. note that we can check row before extracting it from D0, ignoring bits at bottom of D0 for the columns. to get these bits to be ignored, had to make A4 1-too-high before shifting up to align it.
LOOP
                                                   ; here for another time around
                          A4. D0
                                                    ; is row in bounds?
             cmp.1
             bge.s
                                                    ; no: clip this
   map it into the column; check bounds.
                                                                 note that we save this check
   for second; it's a little slower because of the move and mask.
   chuck sagely points out that when the "bhi" at the end of the loop takes, we
   know we can ignore the above comparison. thanks, chuck. you're a
   great guy.
LOOPROW
                                                   ; here when we know the row number is OK
             move.w
                          D0, D6
                                                   ; copy the sequence element ; find just the column number
                          D5, D6
             and.w
                          A2.D6
                                                   ; too far to the right? (past oCols?)
                                                   ; yes: skip out
                          DO. D4
                                                   ; we know element will be used; copy it ; remove column's bits
             move. 1
             sub.w
                          D6, D4
             lsr.1
                                                   ; shift down to row, NOT right-justified
```

(continued on page 94)

SCIENTIFIC/ENGINEERING GRAPHICS TOOLS


for the IBM PC

FORTRAN/Pascal tools: **GRAFMATIC** (screen graphics) and **PLOTMATIC** (pen plotter driver)

These packages provide 2D and 3D plotting capabilities for programmers writing in a variety of FORTRAN/Pascal environments. We support MS, R-M and IBM FORTRAN and more. PLOTMATIC supports HP or Houston Instrument plotters.

Don't want to program? Just ask for **OMNIPLOT!** Menudriven, fully documented integrated scientific graphics. Write or call for complete information and ordering instructions.

GRAFMATIC - PLOTMATIC - OMNIPLOT [S] & [P]



Microcompatibles, 301 Prelude Drive, Silver Spring, MD 20901 (301) 593-0683

Circle no. 286 on reader service card.

ELP



is at hand

HELP/Control[™] - an on-line help subsystem for the IBM-PC. Increases the value of your software. Save development time and money.

HELP/Runtime. A few simple subroutine calls add context sensitive on-line help to your application. HELP/Runtime includes tested interfaces for Microsoft C, Lattice C, Turbo Pascal, IBM BASIC (Interpreter and Compiler), Microsoft FORTRAN, IBM COBOL and assembler. It is distributed with demonstration programs in each language.

HELP/Popup. Add a powerful help system to existing applications, even in dBase or 123, without reprogramming, even without a programmer. It may be memory resident, or, installed with an application, it terminates when the application exits, releasing its memory.

HELP/Generation. Use your favorite editor and our concise screen definition language to build your help files. Compile them into a help system usable by either **HELP/Runtime** or **HELP/Popup.** The package includes sources for sample help files illustrating such features as full-sized or windowed screens.

HELP/Convenience. The screens include highlighted captions. The user selects a caption with the cursor control keys and advances to a new screen, just as with 123.

HELP/Documentation. A detailed manual, both on-line and printed, for the documentation writer and programmer includes instructions which may be incorporated into the user manual.

 $\label{eq:help-environment} \begin{array}{lll} \textbf{HELP/Environment.} & \text{PC-DOS} & 2.0 & \text{or} & \text{greater} & \text{is} & \text{required.} \\ \textbf{approximately 9K for code} & \text{and buffers for full size help screens.} \end{array}$

HELP/Pricing. The complete package (software, both manuals, and demo programs) costs \$125.00 and includes a royalty-free license to add HELP/Runtime to your applications and to make 25 copies of HELP/Popup. A demonstration diskette, including the on-line manual, costs \$15.00. A free update to Release 1.1 is available to registered owners. To order, or for more information (including dealer, multiple-copy and site-license pricing) call MDS at 207/772-5436. We accept MasterCard and VISA.



MDS, INC., P.O. BOX 1237, PORTLAND, MAINE 04104



SQL Compatible Query System adaptable to any operating environment.

CQL Query System. A subset of the Structured English Query Language (SEQUEL, or SQL) developed by IBM. Linked files, stored views, and nested queries result in a complete query capability. File system interaction isolated in an interface module. Extensive documentation guides user development of interfaces to other record oriented file handlers.

Portable Application Support System

Portable Windowing System. Hardware independent windowing system with borders, attributes, horizontal and vertical scrolling. User can construct interface file for any hardware. Interfaces provided for PC/XT/AT (screen memory interface and BIOS only interface), MS-DOS generic (using ANSI.SYS), Xenix (both with and without using the curses interface), and C-library (no attributes).

Screen I/O, Report, and Form Generation Systems. Field level interface between application programs, the Query System, and the file system. Complete input/output formatting and control, automatic scrolling on screens and automatic pagination on forms, process intervention points. Seven field types: 8-bit unsigned binary, 16 bit signed binary, 16 bit unsigned binary, 32 bit signed binary, monetary (based on 32 bit binary), string, and date.

\$395.00

C Interpreter. Run the interpreter on any hardware and on any operating system. Develops true intermediate code, allowing full C features in an interpreter. User configurable interface to compiler library allows linkage with compiled routines.

HARDWARE AND FILE SYSTEM INDEPENDENT

Kurtzberg Gomputer Systems

41-19 BELL BLVD. Bayside, N.Y. 11361


VISA/Master Charge accepted (718) 229-4540

*C-tree is a trademark of FairCom

IBM, SEQUEL, PC, XT, AT are trademarks of IBM Corp. MS-DOS and Xenix are trademarks of Microsoft Corp.

 $\ensuremath{\mathsf{CQL}}$ and the $\ensuremath{\mathsf{CQL}}$ Logo are trademarks of Kurtzberg Computer Systems.

Circle no. 294 on reader service card.



If You Could Hear The Language They're Using!

What they're saying would astound you.

They've switched from BASIC, and PASCAL, and a host of other languages and even stand-alone database programs.

They've switched to COMP Computing Standard MUMPS...CCSM, the Database Language.

"The best software product of its kind, that I have come in contact with." Computer Language Magazine

"I've found the best in CCSM...fast in development and fast in execution...no data-typing problems, no concerns for program size, no concerns for file or device opens..." R.D. Ashworth, Ph.D.

"...5 years in Basic, Pascal, C, dBase, and Dataflex... I have never worked with a language/programming environment as responsive, easy to use and as powerful as CCSM" P.K. Wayne, MD, Ph.D.

CCSM, the Database Language is a powerful, flexible string-oriented language, with the features of a complete development and operating system. Typical programs are written in 1/3 to 1/5 the amount of code, compared to BASIC or PASCAL.

Multi-Tasking Available, Too!

CCSM, the Database Language offers a true multi-tasking option. Run multiple, concurrent background processes for data searches, report

Order CCSM, the Database Language today.

In a very short time, you'll be surprised at the language you're using.

IBM's and compatibles...128K min.

1-800-257-8052 in Texas 713-529-2576

MGlobal

1601 Westheimer, Suite 201 Houston, TX 77006

AMEX, VISA AND MC accepted by phone

Single I	_\$ 59.95	
"Coo	\$ 24.95	
SF	ECIAL Single user & "Cookbook"_	\$ 75.90
	Multi-tasking_	\$149.95
Disks are	Programmer's Toolkit I_	_\$ 49.95
not copy	Graphics option_	\$ 49.95
protected	Multi-user_	\$450.00
	MacMUMPS (Macintosh version)_	\$ 89.95
	shipping and handling_	\$ 3.00

Texas residents add 6 1/8% sales tax IBM is a trademark of International Business Machines; Macintosh is a trademark licensed to Apple Computer

Circle no. 197 on reader service card

DIGITAL DISSOLVE

Listing One (Listing continued, text begins on page 48.)

```
get source byte, and bit offset. D4 has the bit offset in rows, and
 D6 is columns.
                                 ; get the stride per row (in bits); stride * row; find source row's offset in bits
           move.w
                      A5, D1
           m11111
                      D4, D1
           add. 1
                      D6.D1
                                  ; add in column offset (bits)
           add.1
                      A0, D1
                                    plus base of bitmap (bits [sic])
           move.b
                      D1, D7
                                 ; save the bottom three bits for the BTST ; while we shift down to a word address
           lsr.l
                      #3,D1
           move.1
                      D1, A3
                                  ; and save that for the test, too
                      D7
           not.b
                                  ; get right bit number (compute #7-D7)
; find the destination bit address and bit offset
           move.w
                                  ; extract cunningly hidden destination stride
                      D1, D4
D6, D4
           mulu
                                  ; stride*row number = dest row's offset in bits
           add.1
                                  ; add in column bit offset
                      A1, D4
           add.1
                                  ; and base address, also in bits
                      D4, D6
                                    set aside the bit displacement
           move.b
           lsr.1
                      #3.D4
                                  ; make a byte displacement
           not b
                                  ; get right bit number (compute #7-D6)
           btst
                      D7, (A3)
                                  ; test the D7th bit of source byte
                                 ; point to target byte (don't lose CC from btst); if on, go set destination on; else clear destination bit
           move. 1
                      D4.A3
           bne.s
                      SETON
                      D6, (A3)
  find the next sequence element. see knuth, vol ii., page 29
  for sketchy details.
                                  ; jump here if DO not in bounds
NEXT
           lsr.l
                       #1.DO
                                    slide one bit to the right
           bhi.s
                      LOOPROW
                                  ; if no carry out, but not zero, loop
                      D3, D0
                                  ; flip magic bits for bitwidth we want ..
           eor.1
           cmp.1
                                       .but has this brought us to square 1?
                                  ; if not, loop back; else...
           bne.s
                       LOOP
           bra.s
                      DONE.
                                  ; ...we're finished
SETON
           bset
                      D6, (A3)
                                 ; source bit was on: set destination on
           flip magic bits..
           eor.1
           amp.1
                                  ; ...but has this brought us to square 1? ; if not, loop back; else fall through
                       D3.D0
           bne.s
  here when done; the (0,0) point has not been done yet. this is really the (0,\text{left margin}) point. also jump here from another copy loop.
DONE
           move.1
                       (SP)+, A6 ; restore stack frame pointer
           move.w
                       srcOurs+olbits (A6), D0
                                                    ; pick up bit offset of left margin
                                              D1 ; and ditto for target
; flip to number the bits for 68000
; ditto
           move.w
                       dstOurs+oLbits (A6),D1
           not.b
            not.b
; alternate, late entrance, when SCREEN routine has already set up D0 and ; D1 (it doesn't want the bit offset negated).
DONEA
                                              ; land here with DO, D1 set
                       srcOurs+oBase (A6), A0
           move.1
                                                   ; set up base ptr for source bits ; and pointer for target
                       dstOurs+oBase (A6), A1
                       D1, (A1)
D0, (A0)
           bset
                                             ; assume source bit was on; set target
           btst
                                             ; was first bit of source on?
           bne.s
                       DONE 2
                                             ; yes: skip out
                       D1, (A1)
                                              ; no: oops! set it right, and fall through
  return
DONE 2
                                             ; here when we're really done
                                              ; we return silently on errors
ERROR
                                  ; let's see this again
            showcurs
                                                                        (continued on page 96)
```

Experience the Future...

Macro Assemblers/ Cross Assemblers for Series 3.0

Series 3 requires at least 256k of memory to run under MSDOS & CP/M86 and 54k TPA of memory to run CP/M80. Series 3 products have: Full Listing Control, Conditional Assembly & Built in Cross Reference. There is Unlimited Program Size, Number of Symbols and Macros. The Linkers output: Intel Hex, Extended Intel Hex, Tektronix Hex, and Motorola S19, S28, S37 formats.

Macro Assemblers/ Cross Assemblers for Series 4.0

Series 4 requires 512k of memory to run. These products have all the features of Series 3 plus: 32 Character Labels and User Defined Sections. There is one Linker on Series 4 which outputs all the same formats as Series 3. Series 4 runs under MSDOS, UNIX, VMS and ULTRIX.

Simulator-Debuggers

The Simulator-Debuggers run with 256k of memory. The Simulator has 16 Breakpoints with optional Counter Field. The Symbol Table is limited only by the amount of memory. Buffers of 256 bytes may be opened for I/O ports. The Simulators are available for MSDOS, UNIX. VMS and ULTRIX.

To order, call toll free in U.S. (including HI, PR and VI):

1 800 843-8144

In Colorado: (303) 369-5001 For more details, ask for a

free brochure.

Expiration Date _

	Macro Assemblers Cross Assemblers			Simulator- Debuggers	
	Series 3 Series 4				
Software Product	CP/M 80 CP/M 86 MSDOS	MSDOS AT&T UNIX	VMS Zeus ULTRIX	MSDOS AT&T UNIX	VMS Zeus ULTRIX
Super 8 Z-8 Z-80 Z-8000 1802	199.50 199.50 299.50 199.50	199.50 199.50 199.50 299.50	995.00 995.00 995.00 1250.00	149.50 149.50 149.50	499.50 499.50 499.50
6301 64180 6501 6502 65c02 65c816	199.50 199.50 199.50 199.50 199.50	199.50 199.50 199.50 199.50 199.50 299.50	995.00 995.00 995.00 995.00 995.00 1250.00	149.50	499.50
6800,2,8 6801,3 6804 6805 6809 68c11 68000,8,10 68020 8400/c00	199.50 199.50 199.50 199.50 199.50 299.50	199.50 199.50 199.50 199.50 199.50 199.50 299.50 399.50	995.00 995.00 995.00 995.00 995.00 1250.00 1500.00 995.00	149.50	499.50
8044/51 80515	199.50	199.50 199.50	995.00 995.00	149.50	499.50
8080 8085 8086/88 8096 80186/286 83c351	199.50 199.50 99.50 199.50 199.50	199.50 199.50 99.50 199.50 199.50 199.50	995.00 995.00 1250.00 1250.00 1250.00 995.00	149.50 149.50	499.50 499.50
8748 V20/30 Cops 400 F8/3870 NCR32 NEC7500	199.50 199.50 199.50 199.50 399.50	199.50 199.50	995.00 1250.00	149.50	499.50
NSC800	199.50	199.50	995.00	149.50	499.50

more formats available

Name	(Please Print)	Product	Operating System
Company		Series	Amount \$
Address		Shipping \$	Total \$
City	State Zip	Signature	
Phone			unit for overseas orders. Toll Free number does 2500AD pays COD charges.)
Check	COD (U.S. Only) □	25004	IDSOFTMAREIN
MC/VISA #			17200 East Obje Drive

17200 East Ohio Drive Aurora, Colorado 80017 (303) 369-5001

Is Your Program HALF-FAST?

Speed it up with



An execution profiler for IBM PCs and compatibles.

Most programs run at less than half the speed that they could. You can optimize almost any code, but where do you start?

A typical program spends 90% of its time in 10% of its code. **The Watcher** identifies that critical 10% for you, so you don't waste your effort on the wrong 90%.

The Watcher is easy to learn and easy to use, and we provide full technical support. Watcher users have increased program performance by as much as 300%. You can get similar results.

The Watcher works with any non-interpretive language on DOS version 2 or 3.

Turbo Pascal users: A special section of our manual is dedicated to you!





\$59.95 Plus \$3.00 Shipping & Handling.

To order or for free information, call or write:

Story Brook INC. SOFTWARE

Forest Road Wilton, New Hampshire 03086 (603) 654-2525


Circle no. 287 on reader service card.

DIGITAL DISSOLVE

Listing One (Listing continued, text begins on page 48.)

```
(SP)+,D3-D7/A2-A5 ; restore lots of registers
            movem.1
            unlk
                        A6
                                                ; restore caller's stack frame pointer
            move.1
                        (SP)+, A0 ; pop return address
                        #psize, SP; unstack parameters
            add.1
            jmp (AO)
                                   ; home to mother
  sleazo code for when we're asked to dissolve very small regions. either dimension of the rectangle is too small, we bag it and just delegate the problem to copyBits. a possible problem with this is
  if someone decides to substitute us for the standard copyBits routine
  -- this case will become recursive...
SMAT.T.
                                                ; here when it's too small
           move. 1
                        sBptr (A6), - (SP)
                                               ; push args: source bitmap
                        dBptr (A6), - (SP)
                                                           destination bitmap
           move.1
                        sRptr (A6) , - (SP)
            move.1
                                                           source rectangle
            move.1
                        dRptr(A6),-(SP)
                                                           destination rectangle
                        #srcCopy, - (SP)
                                                           transfer mode -- source copy
mask region -- NIL
           move.w
            clr.l
                        - (SP)
             copyBits
                                   ; do the copy in quickdraw-land
                                               ; head for home
            bra.s
                       DONE 2
  code identical to the usual loop, but A5 and A6 have been changed to shift counts. other than that, it's the same. really it is! well, wait a minute... because we don't have to worry about the word-size
  mulu operands, we can collapse the shifts and countershifts further
  as shown below:
NOMUT.
                                    ; here for alternate version of loop
                                    ; is right shift zero?
; yes: can't do much more...
; how about one left shift (for source stride)?
            tst.w
                        D2
                        NOMUL2
            beg.s
                        #0,A5
            amp.w
                                      yes: ditto
                        NOMUL2
            beq.s
                                    ; and the other left shift (destination stride)?
            amp.w
                        #0.A6
                        NOMUL2
                                    ; yes: can't do much more ...
            bea.s
            sub.w
                        #1,D2
                                    ; all three ...
            sub. w
                        #1.A5
                                    ; ...are...
                        #1,A6
                                      ...collapsible
            sub.w
            bra.s
                        NOMUL
                                    ; go see if we can go further
  see if we can do the super-special-case loop, which basically is
  equivalent to any rectangle where the source and destination are both exactly the width of the Mac screen.
                                      here when D2, A5, and A6 are all collapsed
did this shift get down to zero?
no: skip to first kludged loop
NOMUL2
            tst.w
                        D2
                        NLOOP
            bne.s
                                                zero?
            amp.w
                         #0,A5
                                    ; no: again, can't make further optimization ; how about this?
            bne.s
                        NTOOP
                        #0.A6
            amp. W
                        NLOOP
                                    ; no: the best-laid plans of mice and men...
            bne.s
                        A2, D5
                                      is there no check on the column?
             amp.w
            bne.s
                        NTOOP
                                    ; not a power-of-two columns; rats!
            move.w
                        A0, D6
                                    ; grab the base address of the source
                                    ; select the low three bits
                         #7,D6
             and.b
                        NLOOP
                                    ; doesn't sit on a byte boundary; phooey
            bne.s
            move.w
                        A1, D6
                                    ; now try the base of the destination
                         #7,D6
                                     ; and select its bit offset
             and.b
             beq.s
                        SCREEN
                                    ; yes! do extra-special loop!
   fast, but not super-fast loop, used when both source and destination
   bitmaps have strides which are powers of two.
                                     ; here for another time around
NTOOP
                                     ; is row in bounds?
             cmp.1
                         A4.D0
                        NNEXT
                                     ; no: clip this
             bge.s
NICOPROW
                          here when we know the row number is OK
             move.w
                         DO, D6
                                       copy the sequence element
                                     ; find just the column number
             and.w
                        D5, D6
                         A2, D6
                                     ; too far to the right? (past oCols?)
             amp.w
                         NNEXT
                                     ; yes: skip out
             move.1
                         DO, D4
                                       we know element will be used; copy it
             sub.w
                         D6, D4
                                       remove column's bits
                                     ; shift down to row, NOT right-justified
             lsr.l
                        D2. D4
                                                                           (continued on page 98)
```





DIGITAL DISSOLVE

Listing One (Listing continued, text begins on page 48.)

```
move.w
                           A5. D7
                                         ; get log2 of stride per row (in bits)
; make a working copy of the row number
                           D4, D1
             move.1
              lsl.l
                           D7, D1
                                           * stride/row is source row's offset in bits
             add. 1
                           D6.D1
                                         ; add in column offset (bits)
             add.1
                           A0, D1
                                         ; plus base of bitmap (bits [sic]) ; save the bottom three bits for the BTST
                           D1, D7
             move.b
                           #3,D1
                                         ; while we shift down to a byte address
              lsr.1
                           D1,A3
D7
                                         ; and save that for the test, too
; get right bit number (compute #7-D7)
             move_1
             not.b
                                         ; extract log2 of destination stride
                           A6, D1
             move.w
              lsl.l
                           D1, D4
                                         ; stride*row number = dest row's offset in bits
             add.1
                           D6, D4
                                         ; add in column bit offset
                                         ; and base address, also in bits; set aside the bit displacement; make a byte displacement
             add.1
                           A1, D4
             move.b
                           D4, D6
             lsr.l
                           #3,D4
                                         ; get right bit number (compute #7-D6)
             not.b
                                         ; test the D7th bit of source byte
; point to target byte (don't ruin CC from btst)
; if on, go set destination on
                           D7, (A3)
             btst
             move.1
                           D4, A3
                           NSETON
             bne.s
                                         : else clear destination bit
             bclr
                           D6, (A3)
NNEXT
                                            jump here if DO not in bounds
             lsr.1
                           #1,D0
                                           slide one bit to the right
                           NLOOPROW; if no carry out, but not zero, loop D3,D0; flip magic bits...
             bhi.s
             eor.1
                                         ; ...but has this brought us to square 1? ; if not, loop back; else...
              cmp.1
                           D3, D0
             bne.s
                           NLOOP
             bra.s
                           DONE
                                         ; ...we're finished
NSETON
                           D6, (A3) ; source bit was on: set destination on 
#1,D0 ; slide one bit to the right 
NLOOPROW ; if no carry out, but not zero, loop
             bset
              lsr.1
             bhi.s
                                         ; flip magic bits...
              eor.1
                           D3, D0
                                         ; ...but has this brought us to square 1? ; if not, loop back; else fall through
              amp.1
                           D3, D0
              bne.s
                           NICOP
                           DONE
                                         ; and finish
              bra.s
   super-special case, which happens to hold for the whole mac screen -
  or subsets of it which are as wide as the screen. here, we've found that the shift counts in D2, A5, and A6 can all be collapsed to zero. and D5 equals A2, so there's no need to check whether D6 is in limits --
   or even take it out of DO! so, this loop is the NLOOP code without
   the shifts or the check on the column number. should run like a bat;
  have you ever seen a bat run?
  one further restriction -- the addresses in AO and Al must point to integral byte addresses with no bit offset. (this still holds for full-screen copies.) because both the source and destination are
   byte-aligned, we can skip the ritual Negation Of The Bit Offset which
; the 68000 usually demands.
SCREEN
              ; here to set up to do the whole screen, or at least its width
                           A0, D6
                                       ; take the base source address...
; ... and make it a byte address
              move.1
              1sr.1
                            #3.D6
              move.1
                            D6, A0
                                         ; replace pointer
              move.1
                                         ; now do the same...
              lsr.l
                            #3,D6
                                         ; ...for...
; ...the destination address
              move.1
                            D6, A1
                            N2LOOP
                                         ; jump into loop
 N2HEAD
                                          : here when we shifted and a bit carried out
              eor.1
                            D3, D0
                                          ; flip magic bits to make the sequence work
 N2LOOP
                                         ; here for another time around
                            A4.D0
                                          ; is row in bounds?
              amp. 1
              bge.s
                            N2NEXT
                                          ; no: clip this
 N2LOOPROW
                              here when we know the row number is OK
0,Dl ; copy row number, shifted up, plus column offset
3,Dl ; while we shift down to a word offset
              1sr.1
                            #3,D1
                            DO, 0 (A0, D1)
              btst
                                                        ; test bit of source byte
                                                       ; if on, go set destination on ; else clear destination bit
              bne.s
                            N2SETON
              bclr
                            DO, 0 (A1, D1)
 N2NEXT
                                                        ; jump here if DO not in bounds
                                                        ; slide one bit to the right
               lsr.1
                            NZICOPROW ; if no carry out, but not zero, loop
NZHEAD ; if carry out, but not zero, loop earlier
NZDONE ; 0 means next sequence element would have been D3
              bhi.s
              bne.s
              bra.s
 N2SETON
```

(continued on page 100)

IN THIS COMPETITIVE WORLD YOU'D BETTER BE USING HALO.

HALO


HALO gives you more than lip service to a "graphics standard", it gives you the power and performance today's

graphics applications demand. Freedom Through Compatibility

The HALO graphics subroutine library also gives you the freedom to choose your programming and implementation environment by providing the widest compatibility among programming languages and graphics devices.

Not only does HALO currently support 14 programming languages and 100 device drivers, but HALO keeps you up-to-date with new advances in technology by supporting the latest languages and graphics devices as they become available.

If you want to reach the largest audience and need protection against technological obsolescence, then the HALO Graphics Kernel System is your answer.



History Of Success

The measure of success is acceptance. HALO is supported by the largest installed base of end users. Independent Software Vendors (ISVs), corporate licensees, and Original Equipment Manufacturers (OEMs) of any product of its type.

Full Support

Media Cybernetics offers an 800 number hotline, classes, and on-sitetraining backed up by comprehensive documentation including the acclaimed interactive LearnHalo tutorial.

Ordering Information

- HALO-Single language, single user license, all device drivers, \$300.
- Additional Language bindings at time of order, \$150.
- Font Packs-set of 10 fonts per pack, \$100 each set.

Circle no. 199 on reader service card.

- Special-Order HALO and one Font Pack and get Dr. HALO II for just \$39.95, a savings of \$100.
- OEM ISV and site licensing available, call for details.

To order or request more information, call or write:

Attn: Randy Cambell

media cybernetics, inc.

8484 Georgia Avenue, Suite 200 Silver Spring, MD 20910 (800) 446-HALO, (301) 495-3305



Graphics tools for professionals.

SEE US AT SIGGRAPH BOOTH 1687

DIGITAL DISSOLVE

Listing One (Listing continued, text begins on page 48.)

```
DO, 0 (A1, D1)
                                              ; source bit was on: set destination on
           lsr.l
                       #1,D0
                                              ; slide one bit to the right
                       N2IDOPROW; if no carry out, but not zero, loop
N2HEAD; if carry out, but not zero, loop earlier; zero means the loop has closed on itself
           bhi.s
           bne.s
; because our bit-numbering isn't like that of the other two loops, we set; up DO and D1 ourselves before joining a bit late with the common code to
N2DONE
                       (SP)+, A6 ; restore the stack frame pointer
           move.1
                       move.w
           move.w
                       DONEA
           bra
; mulchk -- see if we can do without multiply instructions.
  calling sequence:
         A5 holds the source stride
          A6 holds the destination stride
                                             ; reserve room for boolean function return
                       - (SP)
                                              ; go check things out
                       MULCHK
         bsr
                                                 test result
                        (SP) +
          tst.w
                       SHIFT
                                              ; if non-zero, we can shift and not multiply
          (if we can shift, A5 and A6 have been turned into shift counts)
; registers used: none (A5, A6)
MULCHK
                                        ; stack caller's registers
            movem.1
                       DO-D3, - (SP)
                       A5,D0 ; take the source stride
BITWIDTH ; take log base 2
            move.1
            bsr
            move.1
                                              ; pick up a one...
                        #1,D1
                                               ; ...and try to recreate the stride ; does it come out the same?
                        DO, D1
            lsl.l
            cmp.1
                        A5, D1
                        NOMULCHK ; nope -- bag it
            bne s
                                              ; save magic logarithm of source stride
                        D0, D3
            move.w
                       A6,D0 ; yes -- now how about destination stride?
BITWIDTH ; convert that one, also
#1,D1 ; again, try a single bit...
D0,D1 ; ...and see if original # was 1 bit
            move.1
            bsr
            move.1
            lsl.l
                                               ; how'd it come out?
            amp.1
                        A6, D1
                        NOMULCHK ; doesn't match -- bag this
            bne.s
   we can shift instead of multiplying. change address registers & tell
   our caller.
                                               ; set up shift for source stride ; and for destination stride
            move.w
                        DO, A6 ; and for destinati
4+16(SP) ; tell our caller what's what
            move.w
            st
                                               ; and return
NOMULCHK
            sf 4+16 (SP)
                                               ; tell caller we can't optimize
                                               ; here to return; result set
 MULRET
                                               ; pop some registers
            movem.1 (SP)+,D0-D3
 ; table of (longword) masks to XOR in strange Knuthian algorithm.
 ; the first table entry is for a bit-width of two, so the table actually ; starts two bytes before that. hardware jocks among you may recognize
 ; this scheme as the software analog of a "maximum-length sequence
 ; to save a bit of room, masks are packed in bytes, but should be aligned
 ; as described in the code before being used.
 table
                         *-2
           .equ
             .byte
                        30
                                               ; 2
                        30
             .byte
                         30
             .byte
             .byte
                         50
                                                  5
                                                  6
             .byte
                         30
```

(continued on page 102)

At last! - Fast, On-screen

FLOWCHARTS

Finally! An on-screen flowchart processor that knows about flowcharts - not just another "screen draw" program that makes you do most of the work.

Interactive EasyFlow is a powerful full-screen graphics program dedicated to flowcharts and organization charts. With this program you can quickly compose charts on the screen. More important, you can easily modify charts so they are always up to date.

Features: • Text is automatically centered, character by character, within shapes as you type it • Text formatting controls allow you to over-ride the automatic formating where desired • Lines are created by specifying the starting and ending points - the program automatically generates the route • Cut and paste facility allows arbitrary chart fragments to be moved, copied rotated, reflected or sent to/from disk • Shape insert-delete and row/column insertdelete • Charts can be up to 417 characters wide by 225 lines high. Charts too wide for the printer are automatically printed in strips. • Charts can be larger than the screen - the window into the chart scrolls both horizontally and vertically as necessary . Works with many popular matrix printers including Epson, IBM graphics printer and compatibles. Full support for HP LaserJet and LaserJet Plus. Works with

HP 7475A (& compatible) plotters. Can be used with ANY printer when nongraphic (character) output is acceptable · All standard flowcharting shapes included . Most shapes supplied in large, medium and small sizes • Extensive manual (100+ pages) includes many examples • Context sensitive "help" facility provides immediate assistance at any time • Any number of titles can be placed on a chart . Commentary text blocks can be placed anywhere in the chart . Fast: written in assembly language • Plus many more features than we can mention here

Requires at least 320K memory, DOS-2 or higher and an IBM or Hercules compatible graphics card. On EGA, full 640x350 resolution is used.

Order direct for only \$149.95 + \$2.00 S&H (USA/Canada), \$10.00 (foreign). Payment by MO, check, VISA, MasterCard, COD or Company PO. Rush orders accepted (\$15.00 S&H; USA/Canada only). Rush orders received by noon will be delivered the next business day (to most locations).

1-800-267-0668 Order Desk:

The sample screen display shown below is typical of what you see while editing a chart. Other screen displays are provided for entering titles, changing options, getting "help" and so on.

CHART WINDOW gives an overview of your chart; this STATUS BAR (not to be example shows the "normal" view. "Close-up" view shows a confused with a wet bar) tells smaller part of the chart in more detail. "Wide-angle" view you what Interactive EasyFlow shows a larger part of the chart at reduced size. is doing at all times. Shape request - M6 TEXT/MESSAGE WINDOW used to enter D Is entry valid "?" user text and to display messages from Interactive EasyFlow. **CURRENT SHAPE** WINDOW - shows the content of the current flowchart shape (the one under the SHAPE entry valid CURSOR) in complete detail

HavenTree Software Limited P.O. Box 1093-B

Thousand Island Park, NY 13692 Information: (613)544-6035 ext 26

SHAPE CURSOR shows where you are in the chart. Cursor keys move it around; chart window scrolls if you run off the edge of the

Circle no. 176 on reader service card.

MAKE YOUR PC SEEM LIKE AN AT!

MAKE YOUR AT SEEM LIKE A DREAM MACHINE!

FANSI-CONSOLEtm

The Integrated Console Utility™

FAST, POWERFUL ANSI.SYS REPLACEMENT

For the IBM-PC, AT, and clones

New Version 2.00 is MUCH FASTER! Now blink free scrolling on CGA!

GET A BOX FULL OF UTILITIES! MAKE LIFE EASIER FOR ONLY \$75!

- Speed up your screenwriting 2-6x Extend your ANSI.SYS to full VT100
- Add many more escape sequences
- Scroll lines back onto screen
- Save scrolled lines into a file
- Add zip to your cursor keys
- Free your eyes from scroll blinking
- Easy installation
- Get a 43 line screen w/EGA
- Get a 50 line screen w/CGA
- No more annoying typeahead beep Prevent screen phospher burnin
- · Control many programs' use of color
- Generate breakpts from keyboard
 Shorten that annoying bell
- · Over 40 other useful options

"The psychological difference is astonishing

-Lotus June 85 pg 8.

"So many handy functions rolled into one unobtrusivé package -PC-World Feb 86 pg 282.

"The support provided by the publishers is extraordinary -Capital PC Monitor May 86 pg 25.

. . the best choice for improving your

-Capital PC Monitor June 86 pg 282.

400p Manual (w/slip case) & disks \$75.

Satisfaction Guaranteed! Order Yours Today!

HERSEY MICRO CONSULTING

Box 8276, Ann Arbor, MI 48107 (313) 994-3259 VISA/MC/Amex



Circle no. 280 on reader service card

DIGITAL DISSOLVE

Listing One (Listing continued, text begins on page 48.)

```
.byte
           .byte
                       270
                                               ; 8
                                               ; 9
           .byte
                       210
           .byte
                       110
                                               ; 10
           .byte
                                               : 11
                       50
                       1450
           .byte
                                               ; 12
                                               ; 13
           .byte
           .byte
                       650
                                                 14
           .byte
                       30
                                                 15
           .byte
                       550
                                               ; 16
           .byte
                                               ; 17
                       110
                       2010
           .byte
           .byte
                       710
                                               ; 19
           .byte
                                               ; 20
                       110
                                               ; 21
           .byte
                       50
                       30
           .byte
                       410
                                               ; 23
           .bvte
                       330
                                                 24 25
           .byte
           .byte
                       110
                                               ; 25; 26
           .byte
                       1610
                                                  27
                       710
                                                ; 28
            .byte
                       110
                                               ; 29
           .byte
                       50
                       1450
                                                 30
           .byte
           .byte
                       110
                       2430
                                                : 32
           .byte
.align 2
 convert -- convert a parameter bitMap and rectangle to our internal form.
 calling sequence:
         lea
                       bitMap, A0; point to the bitmap
         lea
                       rect, Al
                                               ; and the rectangle inside it ; and our data structure
         lea
                       ours. A2
                       CONVERT
                                               ; call us
         bsr
 when done, all fields of the "ours" structure are filled in:

oBase is address of first byte in which any bits are to be changed
oIbits is number of bits into that first byte which are ignored
           oStride is the stride from one row to the next, in bits oCols is the number of columns in the rectangle
           oRows is the number of rows
  registers used: DO, D1, D2
CONVERT
  save the starting word and bit address of the stuff:
                                               ; pick up top of inner rectangle
; figure rows to skip within bitmap
        move.w
                        top(A1),D0
                        bounds+top(A0),D0
        sub.w
                        rowbytes (A0), D0
                                                ; compute bytes to skip (relative offset)
        mulu
                                                : find absolute address of first row to use
        add. 1
                        baseaddr (AO) . DO
                        move.w
        sub.w
                       D1,D2
#7,D2
        move.w
                                                ; copy that
                                                ; compute bits to skip in first byte
        and.w
                        D2, olbits (A2)
                                                ; save that in the structure
        move.w
                        #3,D1
                                                ; convert column count from bits to bytes
        lsr.w
                                                ; convert to a long value, so we can...
; add to row start in bitmap to find 1st byte
                        D1
        ext.1
        add.1
                        D1, D0
        move.1
                        DO, oBase (A2)
                                                ; save that in the structure
  save stride of bitmap; this is same as for the original, but in bits.
                        rowbytes (A0), D0
                                                ; pick up the stride
        move.w
         lsl.w
                        #3,D0
                                                ; multiply by eight to get a bit stride
; stick it in the target structure
                        DO, oStride (A2)
        move.w
  save the number of rows and columns.
                                                ; get the bottom of the rectangle ; less the top coordinate
                        bottom (A1), DO
            move.w
            sub.w
                        top(A1),D0
                                                ; get number of highest row (1st is zero)
; nothing to do? (note: 0 IS ok)
; save that in the structure
            sub.w
            bmi.s
                        CERROR
            move.w
                        DO, oRows (A2);
                                                ; get the right edge of the rectangle ; less the left coordinate
            move.w
                        right (A1), DO
                        left (A1), DO
            sub.w
                                                ; make it zero-based
            sub.w
                        #1,D0
            bmi
                        CERROR
                                                ; nothing to do here?
            move.w
                        DO, oCols (A2)
                                                ; save that in the structure
```

```
all done. return.
          rts
 error found in CONVERT. pop return and jump to the error routine, such as it is.
CERROR
                                           ; pop four bytes of return address.
          addq.1
                                            return silently
          bra.s
  log2 -- find the ceiling of the log, base 2, of a number.
  bitwidth -- find how many bits wide a number is
  calling sequence:
                     N,DO
                                           ; store the number in DO
         move.1
         bsr
                                             call us
                                           ; DO contains the word result
        move.w
                     DO, ...
 registers used: D2, (D0)
BITWIDTH
                                           ; so 2**n works right (sigh)
           sub.1
                     #1,D0
LOG2
                                           ; did they pass us a zero?
; if DO was one, answer is zero
           tst.l
                     DO
                     LOGDONE
          beq.s
                     #32,D2
                                           ; initialize count
          move.w
LOG2LP
                                           ; slide bits to the left by one
           181.1
                      #1.D0
                     D2, LOG2LP; decrement and loop until a bit falls off
           dbcs
                                           ; else save our value where we promised it ; here with final value in DO
           move.w
LOCDONE
                                           ; and return
           rts
 .end
         ; procedure dissBits
```

End Listing

Up To Your Ears In Alligators?

If that sounds familiar, you need Write-Hand-Man™, the multifunction pop-up desktop organizer that works neatly with existing software for CP/M™ 2.2 and 3.0 systems. Write-Hand-Man eliminates that swamped feeling with tools that will get you organized. Write-Hand-Man comes with a 4-function, floating-point,

14 digit Calculator - Notepad

Two-week Appointment
 Book, File and Directory viewing – Phonebook
 with dialing – Cut and Paste – Key Redefinition –
 ASC II table. Even add your own applications.

Clear the swamp from your desktop. Order Write-Hand-Man today. \$49.95

CA residents add 6.5% tax. Sorry, no credit cards or purchase orders. Specify: 8" or which 5" format CP/M 2.2 or 3.0 format

CP/M 2.2 or 3.0 format 30 day guarantee ™Write-Hand-Man – Poor Person

Software ™ CP/M – Digital Research

Poor Person Software

Dept. 203 3721 Starr King Circle Palo Alto, CA 94306 (415) 493-3735

C and Assembly Language Programmers!!

asmTREE (tm)

- * B+tree relational database development system for C and Assembly Language environments under MS-DOS.
- Multiple keys per data file
- * Temporary indices may be created at run time.
- * Wildcard key value searches
- ASCII, binary, and floating point key values.
- Virtual file handling allows any number of data and index files to be used.
- Source code is available.
- No royalties req'd for your application programs.

... and it's FAST!! Written 100% in Assembly Language for lightning fast execution and small code size.

ASMLIB (tm)

Assembly language development LIBRARY with over 200 functions which give you-Text Windowing, Floating Point Math and Trig., High level graphics, etc....

ASMLIB only \$395.00 COMPLETE only \$149.00 COMPLETE

Requires IBM PC/XT/AT or compatible running under MS-DOS or equivalent.

BC Associates 3261 N. Harbor, Suite B Fullerton, CA 92635

(714) 526-5151

Circle no. 182 on reader service card.

STRUCTURED PROGRAMMING

```
Listing One (Text begins on page 120.)
Listing 1. Using the predefined NUMERIC ERROR Ada exception.
function Power (BASE, EXPONENT : FLOAT) return FLOAT is
begin
   return Exp(Exponent * Ln(Base));
-- This is the area to handle exceptions
exception
   when NUMERIC ERROR =>
      if Base = 0 then
         return 0;
      else -- return "infinity"
        return FLOAT'FIRST;
      end if:
                                                End Listing One
Listing Two
Listing 2. General form of exception handling block.
procedure Big Trouble is
   Negative_Absolute_Temperature,
   Negative Pressure, Negative Volume : exception;
   Temperature, Pressure, Volume : FLOAT;
   -- procedure to calculate temperature, Pressure and volume
      Calculate temperature in Rankin
  if Temperature < 0.0 then
      raise Negative_Absolute_Temperature;
  end if:
     Calculate pressure and volume
  if Pressure < 0.0 then
      raise Negative Pressure;
  if Volume < 0.0 then
      raise Negative_Volume;
  end if:
   -- other procedure statements
 exception -- handling block
    when NUMERIC ERROR =>
         -- handle bad function arguments, underflow or overflow
   when Negative Absolute Temperature =>
         -- handle negative absolute temperature results
   when Negative Pressure | Negative Volume =>
         -- handle negative pressure or volume values
         -- handle all other problems
 end Big trouble:
                                                End Listing Two
```

Listing Three

```
Listing 3. Ada exception handling scope.

procedure The_Boss is
Boss_Angry : exception;

procedure Command_Worker is
begin

-- sequence of statements
    if income < 0.0 then raise Boss_Angry; end if;
-- sequence of statements
    end Command_Worker;

procedure Command_Foreman is
```

```
begin
      -- sequence of statements
     Command Worker:
      -- sequence of statements
   exception
     when Boss Angry =>
         -- Try to deal with the boss
   end Command Foreman;
    - sequence of statements
   Command Worker:
   Command Foreman;
   - sequence of statements
   exception
      when Boss Angry =>
          -- fire foreman
end The Boss;
```

End Listing Three

Listing Four

```
Listing 4. The retry approach with exception handlers.
with TEXT IO; use TEXT IO;
procedure Days_of_our_lives;
   type Day Name is (Sun, Mon, Tue, Wed, Thu, Fir, Sat); package DAY_IO is new TEXT IO.ENUMERATION IO (Day Name);
   use Day_IO;
     - define time-out
   Time_Out : constant integer := 5;
-- define variable
   Day : Day_Name;
     - define exception
   Wrong_Day : exception;
   for Count in 1.. Time_Out loop
       PUT ("What day is it?"): NEW LINE:
       begin -- exception handling block starts here
          GET (Day); NEW LINE;
          PUT ("Have a nice "); PUT (Day); NEW LINE;
          exit; -- exit for loop when answer is correct
       exception
           when CONSTRAINT_ERROR =>
              if Count = Time_Out then
  PUT("Sorry! Loop time-out");
                  raise Wrong Day;
                  PUT("Sorry! No such weekday"); NEW_LINE;
PUT("You have "); PUT(Time_Out - Count);
PUT(" more times to try); NEW_LINE;
                  PUT ("Let us try once more"); NEW LINE;
              end if:
    end; -- end error handler
end loop; -- end for loop
end Days of our lives;
```

End Listing Four

Listing Five

with TEXT_IO; use TEXT_IO;

```
Listing 5. Using an alternative method with exception handlers.
```

```
procedure Root is

Result, Guess1, Guess2, Accuracy : FLOAT;
Max Iter : INTEGER;
Diverge, Fatal_Error : exception;

function F(X : FLOAT) return FLOAT is

begin
    return X * X * X - 5.0;
end F;

procedure Newton (Guess, Accuracy : FLOAT; Max_Iter : INTEGER) is
    -- Newton's method to find the root of a function
```

(continued on page 113)

ATRAINING COURSE FOR PEOPLE WHO LUST AFTER POWER.

Intel is offering three new courses on the world's most powerful 32-bit microprocessor—the 80386. Plus a new intensive course on the 80286.

These in-depth learning sessions are designed for engineers and programmers who want to utilize the full power and potential of these lightning-fast chips.

Lectures are combined with hands-on workshops to provide real-life situations. Allowing you to apply new concepts and techniques immediately.

Courses include: 80386 System Software 80386 Programming using ASM386 High-end Microprocessor Hardware Design

The new 80286 Microprocessor Family Course



The 80386

Complete training sessions and courses can be scheduled at your facility, or at our training centers. In addition to training, Intel offers hardware/software support and

consultants.

For more complete course information and schedules, call toll-free (800) 548-4725.

Or to register now, contact one of the Intel Training Centers listed below.

Intel Training Centers

Boston Area, Westford Corp. Ctr. Three Carlisle Road, 1st Floor Westford, MA 01886 (617) 692-1000

Chicago Area 300 N. Martingale Road, Suite 300 Schaumburg, IL 60194 (312) 310-5700 San Francisco Area 2700 San Tomas Expressway Santa Clara, CA 95051 (408) 970-1700

Washington, D.C. Area 7833 Walker Drive, 5th Floor Greenbelt, MD 20770 (301) 220-3380



68020 and 68881

Development today Just plugs into or clips onto any 68000

68020 and 68881 Take full advantage of the 68020. The new 128K ROMs from Apple and our 68020 board will give you a complete 68020 work station.

Macintosh 20 Megabyte SCSI Hard Drive.

\$705

7,00	
68020 and 68881 board	\$1295
Macintosh Expansion Buss	\$195
Piezo - Electric Fan	\$49
ROM switch board	\$79
512K RAM expansion kits	\$89

(800) 826-5178

(602) 884 - 7402 SPECTRA P.O.Box 41795, Tucson, AZ.85717

Circle no. 106 on reader service card.

MEMORY RESIDENCY MADE EASY

CrackerJack Microsoftware Corporation is proud to introduce "JACK", the Resident Cracker jack Microsoftware Corporation is product in microsoft of the Program Developer's Kit. JACK contains everything you need to create your own RAM resident software without any of the headaches of memory management,

windows, or DOS re-entrancy.

With JACK at your side, creating programs as good as SIDEKICK couldn't be easier !!! Now you can concentrate on how your program should run, instead of worrying about how to make it memory resident.

IACK FEATURES

- Virtually any EXISTING C or ASSEMBLER program can be made memory resident Virtually any EXISTING C or ASSEMBLER program can be made memory resident with no need for modification to the code. [PASCAL will be supported in the near future.]
 Automatic screen save on popping up and restore upon popping down.
 Your choice of Hotkey and interrupt vector for program use.
 You can use DOS function calls in your memory resident program.

- All programs developed with JACK will coexist with each other peacefully. No more system crashes and lost data.
- JACK applications can be loaded in any order and popped-up in any order. Less
- support problems for you and no headaches for the end user.

 Your program will beep if it is not possible for you to pop up at the time desired.

 Since JACK does not make any use of undocumented DOS calls, programs developed with it will not become obsolete when Microsoft releases a new version of DOS. VACK requires DOS Version 2.0 or higher].

Finally, a standard for easily creating memory resident programs has arrived!



To Order, send \$199.95 [US] by certified check or international money

CRACKER ACK

Microsoftware Corporation. 200 Bay Street, PO Box 86, Toronto, Ontario M5J-2J2 Canada. (416) 865-9621.

Please specify your choice of the C or assembler version of JACK and indicate the vendor and version of your

JACK and CRACKERJACK are regimered trademarks of CrackerJack Microsofts Corporation, BORLAND and Sidelack are registered trademarks of BORLAND International, MS-DOS is a registered trademark of Microsoft Corporation

FREE FOR THE ASKING!

We're so confident you'll like the content of Programmer's Journal, that we're willing to give you our current issue **ABSOLUTELY FREE!**

All you have to do is call or write us and ask for one. Then, if you want to subscribe, just use the card in the magazine.

Find out why Peter Norton says:

"For hot programmer tips, look to Dr. Dobb's Journal or the excellent but relatively little known Programmer's Journal." -Inside the IBM PC

CALL: (503) 484-2162

OR WRITE: PROGRAMMER'S JOURNAL 29 West 29th Avenue, Suite 5 Eugene, OR 97405



Circle no. 113 on reader service card.

Symbolic Debugger Turbo Pascal

For PC-DOS and MS-DOS computers.

- Examine and modify variables during program execution.
- · Set breakpoints at procedures, functions and labels by name.
- · Variables are displayed according to their declared types.
- · View Pascal source on the screen or send it to the printer while your program is running.
- · Line-by-line single step.
- Debug window allows debugging of programs without interfering with screen output.
- Much more, including machine-level debugging features.

Suggested retail price: \$59

Our mail order price: \$49

plus Shipping and Handling: \$3 US/Canada, \$11 elsewhere.

VISA and MASTERCARD accepted. Texas residents please add 6.125% sales tax. Unsure? Send \$2 for a demonstration disc, refunded upon purchase.

Kydor Computer Systems 1701 Greenville Avenue Suite 505 Richardson, Texas 75081 (214) 669-1888

Circle no. 238 on reader service card.

Circle no. 275 on reader service card.

DR. DOBB'S CATALOG

featuring:

DR. DOBB'S TOOLBOOK OF 68000 PROGRAMMING

A complete collection of practical programming tips and techniques for the 68000 family, including the best articles from Dr. Dobb's along with much new material!

STAT TOOLBOX FOR TURBO PASCAL

Two statistical packages in one! A reference disk and manual show you the tools you need to build your own statistical applications, while a demonstration disk and manual provide ready-to-use, fully functioning statistical programs.


TAMING DOS

Learn to make DOS work for YOU! Taming DOS takes you beyond the basics so you can customize DOS to fit YOUR needs.

ALSO INSIDE:

A UNIX-LIKE SHELL &
UTILITY PACKAGE FOR MS-DOS
DR. DOBB'S COMPLETE C TOOLBOX
THE TOOLBOOK OF FORTH
Z80 TOOLBOOK











SH: A UNIX-LIKE SHELL FOR MS-DOS

Includes complete source code and documentation

THE SHELL V.2 NEW, UPGRADED VERSION!

The shell is an MS-DOS implementation of the most often used parts of the UNIX C Shell. This package includes an executable version of the Shell, along with **complete source code and full documentation**, by DDJ columnist Allen Holub. If you are a registered user, or have already purchased Version 1 of the Shell from Dr. Dobb's, you can receive the upgrade disk for only \$6. Supported features include:

Editing Command-line editing with the cursors is supported. The line is visible as you edit it.

Aliases Can be used to change the names of commands or as very fast, memory-resident, batch files. Nested aliases are supported.

History You can execute previous commands. The command can be edited before being executed. Version 2 supports imbedded history requests (Bar; !! > foo).

Redirection and Pipes <> >> & >> & :

Pipe temporary files can be put on a RAM disk.

Unix-like Command Syntax / can be used to separate directory names (\ can now be used as well). A 2048-byte commnd line is supported. Command-line wild card expansion. Multiple commands on a line.

DOS-compatible prompt support \$d \$t \$_ \$e \$h \$n \$q \$\$ \$%

C-Shell Based Shell Scripts (batch files) Shell Variables are macros that can be used on the command line. Version 2 supports arithmetic manipulation of shell variables using the @ command. The following C operators are supported: () + - * / % <= >= <> != == ! && !! =

A batch file can call another batch file like a subroutine. Control is passed to the second file and then back to the first when the second is finished. Batch files can return values to the calling file using the exit and \$status mechanisms.

A powerful, interpretive, programming language, based on the UNIX C Shell, is now supported, including:

if/then/else foreach break while switch/case continue All commands can be nested.

The shell runs on IBM PC's and compatibles.

The Shell Upgrade Disk (for owners of the Shell Version 1)

Item #160 \$29.95

Item #160A \$6.00

SAVE OVER 15%! ORDER THE SHELL AND /UTIL TOGETHER FOR ONLY \$50!

Shell / Util Package Item #162 \$50



/UTIL

/Util

/Util is a collection of UNIX-like utility programs for MS-DOS. This package includes updates of the highly acclaimed Dr. Dobb's articles; Grep: a UNIX-like Generalized Regular Expression Processor, and LS and Getargs from DDJ's C Chest.

Source code is included and all programs (and most of the utility subroutines) are fully documented in a UNIX-style manual. You'll find executable versions of:

echo	mv	rm
grep	p	rmdir
Ls	pause	sub
mkdir	printenv	chmod
	grep Ls	grep p Ls pause

TO ORDER: RETURN THE FORM AT THE END OF THE CATALOG, OR CALL TOLL-FREE 1-800-528-6050 EXT 4001

AND REFER TO PRODUCT ITEM NUMBER, TITLE AND DISK FORMAT

Item #161 \$29.95

THE DR. DOBB'S TOOLBOOK SHELF

Z80 TOOLBOOK

David E. Cortesi, longtime Dr. Dobb's columnist brings you:

• a method of designing programs and coding them in assembly language. Cortesi walks through the initial specifications, designing an algorithm and writing the code. He demonstrates the construction of several useful programs.

A MANUAL

- a complete, integrated toolkit of subroutines for arithmetic, for string-handling, and for total control of the CP/M file system. They bring the ease and power of a compiler's runtime library to your assembly language work, without a compiler's size and sluggish code.
- · Every line of the toolkit's source code is there to read.

ORDER THE Z80 SOFTWARE ON DISK!

All the software in Dr. Dobb's Z80 Toolbook—the programs plus the entire toolkit, both as source code and object modules for both CP/M 2.2 and CP/M Plus—is yours on disk! Most of the programs are included in the book, however, the disk is necessary for complete listings. A Z80 microprocessor and a Digital Research International RMAC assembler or equivalent are required.

Dr. Dobb's Z80 Toolbook Item #022 \$25 Dr. Dobb's Z80 Toolbook w/disk Item #022A \$40 Please specify one of the following disk formats: 8" SS/SD, Apple, Osborne, or Kaypro


DR. DOBB'S TOOLBOOK OF FORTH

This comprehensive collection of useful Forth programs and tutorials contains DDJ's best Forth articles, expanded and revised along with new material. In addition, you'll glean important insights about the potential of this increasingly popular language from the many in-depth discussions of advanced Forth topics. You'll find sections on:

Mathematics in Forth, including "Series Expansion in Forth," "Forth Floating-Point Package," and "Signed Integer Division"

Modifications/Extensions, including "A Proposal for Strings in Forth," "Non-Deterministic Control Words," "Some Forth Coding Standards," and "Towards a More Writable Forth Syntax"

Forth Programs, including "GO in Forth," "Elements of a Forth Data-Base Design," "The Forth Sort," "SEND & RECV," "Interface for a Mouse," "Relocating Loader in Forth," "Forth Decompiler," "Screen-Oriented Editor ReVisited," "Evolution of a Video Editor," "H-19 Screen Editor," and "The Conference Tree."



Forth—the language, including "The Forth Philosophy," "Teaching Forth as a First Language," and "Forth-83 and Vocabularies"

Implementing Forth, including "Forth and the Motorola 68000," "A 68000 Forth Assembler," "A Forth Assembler for the 6502," and "Z8000 Forth." You'll also find Appendices that will help you convert fig-Forth to Forth-83, and tell you how to stay up-to-date on the latest developments and refinements of this popular language.

The screens in the book are also available on disk as ASCII files. Receive Dr. Dobb's Toolbook of Forth, along with the software on disk, together for only \$39.95.

Dr. Dobb's Toolbook of Forth Item #030 \$22.95 Dr. Dobb's Toolbook of Forth w/Disk

Item #031 \$39.95

Please specify MS/PC-DOS, Apple II, Macintosh, or CP/M. For CP/M disks, specify Osborne or 8" SS/SD.

TO ORDER: RETURN THE FORM AT THE END OF THE CATALOG, OR CALL TOLL-FREE 1-800-528-6050 EXT 4001

AND REFER TO PRODUCT ITEM NUMBER, TITLE AND DISK FORMAT

DR. DOBB'S C TOOLBOX: POWERFUL

DR. DOBB'S C SOFTWARE TOOLS ON DISK

SERNINI

To complement the *Toolbook*, *Dr. Dobb's* offers the following programs on disk. Documentation and full C source code are included.

Except where indicated, both CP/M and MS/PC-DOS versions are available.

SMALL-C COMPILER

SERNAL

Jim Hendrix's Small-C Compiler is the most popular piece of software published in *Dr. Dobb's* 11-year history. Like a homestudy course in compiler design, the Small-C Compiler and the *Small-C Handbook* provide everything you need but the computer for learning how compilers are constructed, and for learning C at its most fundamental level.

Available for MS/PC-DOS or CP/M systems. Please specify format.

Small-C Compiler

Item #007 \$19.95

SMALL-MAC: AN ASSEMBLER FOR SMALL-C

This assembler features simplicity, portability, adaptability, and educational value. The package includes:

- ·a simplified macro facility
- ·C language expression operators
- ·object file visibility
- descriptive error messages
- ·an externally defined instruction table

You get the macro assembler, linkage editor, load-and-go loader, library manager, CPU configuration utility, and a utility to dump relocatable files. Documentation is also included. For CP/M systems only, Please specify format.

Small-Mac

Item #012A \$29.95

SMALL-TOOLS: PROGRAMS FOR TEXT PROCESSING

This package of programs performs specific, modular operations on text files, including: editing; formatting; sorting; merging; listing; printing; searching; changing; transliterating; copying; concatenating; encrypting and decrypting; replacing spaces with tabs and tabs with spaces; counting characters, words, or lines; and selecting printer fonts.

Small-Tools is supplied in source code form so you can select and adapt these tools to your own purposes. Documentation is also included.

Small-Tools

Item #010A

\$29.95



DR. DOBB'S TOOLBOOK OF C

Over 700 pages of C material, including articles by such C experts as Kernighan and Ritchie, Cain and Hendrix, Skjellum and Holub! The level is sophisticated and pragmatic, appropriate for professional C programmers.

The most valuable part of the *Toolbook* to many will be the hundreds of pages of useful C source code, including:

- •Jim Hendrix's famous Small-C Compiler and New Library for Small C—Also available on disk!
- •NEW! Hendrix's Small Mac: An Assembler for Small C and Small Tools: Programs for Text Processing—Both also available on disk!
- •All of Anthony Skjellum's C Programmer's Notebook columns distilled by Tony into one thoughtprovoking chapter

The accompanying text explains, in the programmers own words, why they did what they did.

You'll find all the best C articles and code published in *Dr. Dobb's* over the years updated for the *Toolbook*, including Ron Cain's original Small-C article.

From M&T Publishing and Brady Communications

Dr. Dobb's Toolbook of C


Item #005 \$29.95



TO ORDER: RETURN THE FORM AT THE END OF THE CATALOG, OR CALL TOLL-FREE 1-800-528-6050 EXT 4001

AND REFER TO PRODUCT ITEM NUMBER, TITLE AND DISK FORMAT

TOOLS FOR SOFTWARE DEVELOPERS



DR. DOBB'S SOURCEBOOK:

THE C PROGRAMMING LANGUAGE REFERENCE

A comprehensive reference manual to new information, products and services, the Sourcebook contains:

- •a bibliography of over 300 articles and books on C
- •a descriptive list of products for C programmers, including compilers, editors, interpreters, and utilities
- •a list of C-related services: classes, seminars, and online services

Dr. Dobb's Sourcebook

Item #004 \$7.95

SPECIAL PACKAGES 20% OFF

Receive a complete set of Dr. Dobb's C programming tools for your MS/PC-DOS or CP/M system for 20 percent off the combined individual prices!

THE SMALL-C HANDBOOK

Jim Hendrix's Small-C Handbook is the reference book on his Small-C Compiler. In addition to describing the operation of the compiler, the book contains complete source listings to the compiler and its library of arithmetic and logical routines. A perfect companion to the Hendrix Small-C Compiler available from DDJ on disk, the Handbook even tells you how to use the compiler to generate a new version of itself!

While both the *Handbook* and the *Toolbook* provide documentation for the Small-C Compiler, the *Handbook* contains a more detailed discussion and is available with addendum for the MS/PC-DOS version.

From M&T Publishing and Brady Communications

The Small-C Handbook Item #006 \$17.95

The Handbook with MS/PC-DOS Addendum Item #006A \$22.95

C DISK FORMATS

When ordering, please indicate MS/PC DOS or CP/M. For CP/M disks, please specify one of the follwing formats: Apple, Osborne, Kaypro, Zenith Z-100 DS/DD, 8" SS/SD. Special order formats are available for an additional \$10 each.

CP/M C PACKAGE

Receive this special package and save \$20! You'll get:

- ·Dr. Dobb's Toolbook for C
- ·The Small-C Handbook
- •The Small-C Compiler on disk
- •The Small-Mac assembler on disk, with documentation
- •The Small-Tools text-processing programs on disk, with documentation all for only \$99.95!

Please specify format.

CP/M C Package

Item #005A \$99.95

MS/PC-DOS C PACKAGE

Save \$20 when you order this special package. You'll receive:

- ·Dr. Dobb's Toolbook of C
- •The Small-C Handbook with the MS/PC DOS Addendum
- •The Small-C Compiler on disk
- •The Small Tools text-processing programs on disk, with manual all for only \$82.95

MS/PC-DOS C Package

Item #005B \$82.95

TO ORDER: RETURN THE FORM AT THE END OF THE CATALOG, OR CALL TOLL-FREE 1-800-528-6050 EXT 4001

AND REFER TO PRODUCT ITEM NUMBER, TITLE AND DISK FORMAT

DR. DOBB'S LATEST RELEASES

DR. DOBB'S TOOLBOOK OF 68000 PROGRAMMING

In this complete collection of practical programming tips and techniques for the 68000 family, you'll find the best articles on 68000 programming ever published in Dr. Dobb's, along with new material from 68000 experts. You'll learn about the most important features of the 68000 microprocessor from a full description and concise discussion of its history and design. And, useful applications and examples will show you why computers using the 68000 family are easy to design, produce and upgrade. Contents include:

an Introduction to the 68000 Family

• 68000 Instruction Set

Development Tools

- Bringing Up the 68000: A First Step
- A 68000 Cross-Assembler

Useful 68000 Routines and Techniques

A Simple Multitasking Kernel for Real-Time Applications

- The Worm Memory Test
- · A Mandelbrot Program for the Macintosh

All programs are available on disk!

In addition, an executable version of the 68000 Cross-Assembler can be purchased along with the source code and documentation for \$25. (Requires one or more disk drives and either CP/M-80, CP/M 2.2 with 64 bytes or MS-DOS with 128 bytes)

Dr. Dobb's 68000 Programming Toolbook Item #040 \$29.95 68000 Toolbook with Disk Item #041 \$49.95

Please specify one of the following disk formats: CP/M 8", Osborne, Macintosh, Amiga, Atari 520st, MS-DOS

68000 Cross-Assembler Item #042 \$25

STAT TOOLBOX FOR TURBO PASCAL

The STAT TOOLBOX is two statistical packages in one! Whether you're a programmer looking for tools to build your own applications, or a user who wants a complete, fully functioning package, the STAT TOOLBOX will bring convenience, power and versatility to your statistics programs! The STAT TOOLBOX is written in Turbo Pascal and includes full source code. It contains two complete packages:

A reference disk and manual

Flexible, time-saving building blocks allow you to customize statistical applications to fit your needs. You'll find:

- · statistical distribution functions:
- random number generation;
- · basic descriptive statistics
- · parametric and non-parametric statistical testing.

- · bivariate linear regression, multiple and polynomial regression
- · automatic best curve selection

A demonstration disk and manual

The demonstration package includes fully functioning statistical programs, and two data management programs. In addition to these practical tools, files containing sample data will help users learn to enter, edit, maintain and manipulate data. High resolution graphics capabilites include drawing histograms and regression lines, and plotting residuals for regression analysis. (Borland's Turbo Graphic's Toolbox is required) For IBM PC's and compatibles. Turbo Pascal version 2.0 or later, and PC-DOS 2.0 or later are required.

Stat Toolbox

Item #050

\$49.95

TAMING DOS BY THOM HOGAN

Learn how to make DOS work for YOU! Taming DOS will take you beyond the basics, picking up where your DOS manual leaves off. You'll find batch files and DOS enhancements that extend the power of DOS so you can work more accurately and efficiently. And, you'll learn how to customize DOS to fit YOUR needs, saving you time and frustration every time you use it. Taming DOS will show you how to create a memory-resident

clock, rename subdirectories and change file attributes. You'll learn more about what's on your disk and how to protect it easily, how to create configurable AUTOEXEC.BAT files and understand redirection and piping. You'll find:

- · how to customize CONFIG.SYS and use ANSI.SYS to change the appearance of DOS
- · extensive batch file coverage

- · example routines using redirection, including redirection operators, filters, and pipes
- · DOS enhancement programs that are ready to use, with executable commands.
- Full source code, allowing you to alter programs and create a custom system.

The book includes assembly language programs that allow you to manipulate DOS at its lowest form. An assembler is not needed to enter the programs; Taming DOS presents an alternative method for anyone with BASIC on their machine. The programs, including batch files and DOS enhancements are also available on disk along with source code.

Taming DOS Taming DOS with disk Item #060

\$19.95

Item #061

\$34.95



TO ORDER: RETURN THE FORM AT THE END OF THE CATALOG, OR CALL TOLL-FREE 1-800-528-6050 EXT 4001 AND REFER TO PRODUCT ITEM NUMBER, TITLE AND DISK FORMAT

ORDER FORM

ORDER NOW!

NAME				
(Please use street add	ress, not P.O. Box)			
ADDRESS			— For Faste	r Service it Card Orders
CITY		STATE ZIP		
DAY PHONE				OLL FREE
	For disk orders, p availability for each	lease indicate format. Refer to ad for standard format product. Special formats available for additional \$10 each.	Ext. 40	efer To Item #
	MS/DOS	□CP/M Zenith Z-100 DS/DD	www.cr	<i>ao</i> 9
		Kaypro Osborne Amiga	MasterCard	AMIESIANI POERIES
Apple		8" SS/SD Apple Atari 520st		/SM DOGRESS
QUANTITY	ITEM #	DESCRIPTION	UNIT PRICE	TOTAL PRICE
La La Carte de la				
			· .	
			SUB-TOTAL	
CA residents mus	t add applicable sale tax	on merchandise total % % T. Dr. Dobb's Sourcebook #004)	→ SALES TAX	
	included with order. See		→ SHIPPING	
			TOTAL ORDER	
			TOTAL ORDER	
] VISA	NAME ON CARD		
	ASTERCARD	ACCOUNT NO.		
☐ AME	CRICAN EXPRESS	EXPIRATION DATE		
□ СНЕСК	(make checks payable to M&T Publishing)	SIGNATURE		-

In U.S. For Bound Volumes, add \$3.25 per book. Add \$8.75 for special C Packages. For other books and disks, add \$2.25 per item.

Outside U.S. For Bound Volumes, add \$6.25 per book surface mail. Add \$18 surface mail for Special C Packages. For other books and disks, add \$5.25 per item surface mail. Foreign airmail rates available on request.

For Faster Service and reduced shipping costs, Europeans may order direct from: Markt & Technik, Buchverlag, Hans-Pinsel-Strasse 2, 8013 Haar bei München. Call Germany 89-4613-221 for prices in Deutch Marks.

PROMPT DELIVERY! DEALER INQUIRY WELCOME!

DR. DOBB'S CATALOG ORDER FORM

Please fold along fold-line and staple or tape closed.



BUSINESS REPLY MAIL

First Class Permit No. 790 Redwood City, CA

Postage Will Be Paid By Addressee

DR.DOBB'S CATALOG

501 GALVESTON DRIVE REDWOOD CITY, CA 94063 No Postage Necessary If Mailed In The United States

Please fold along fold-line and staple or tape closed.

STRUCTURED PROGRAMMING

Listing Five (Listing continued, text begins on page 120.)

```
Funct, Derivative, h, Diff : FLOAT;
begin
   1000
       if ABS (Guess) > 1.0 then h := 0.01 * Guess;
                             else h := 0.01;
       Funct := F (Guess):
       Derivative := (F(Guess + h) - Funct) / h;
       Diff := Funct / Derivative;
       Guess := Guess - Diff:
         x_Iter := Max_Iter - 1;
       if Max_Iter < 0 then raise Diverge;
       if ABS(Diff) <= Accuracy then exit; end if;
   end loop;
    PUT (Guess);
procedure Bisection (A, B, Accuracy : FLOAT; Max_Iter : INTEGER) is
  - Bisection method to find the root of a function
Mean, FA. FB. FM : FLOAT;
    FA := F(A); FB := F(B);
    -- Get midpoint estimate for the root
Mean := (A + B) / 2.0;
    while ABS (A - B) > Accuracy loop
      FM := F (Mean);
      -- Does A and Mean have same function sign?
      if FM * FA > 0.0
         A := Mean; FA := FM;
         B := Mean; FB := FM;
      end if:
      -- Get midpoint estimate for the root
Mean := (A + B) / 2.0;
      Max_Iter := Max_Iter - 1;
if Max Iter < 0 then
           raise Fatal Error;
     end loop;
    PUT (Mean) :
```

```
begin -- Root .
 PUT ("Enter first guess for the root "); GET (Guess1); NEW_LINE;
 PUT("Enter second guess for the root "); GET(Guess2); NEW_LINE; PUT("Enter desired accuracy"); GET(Accuracy); NEW_LINE;
 PUT ("Enter maximum number of iterations "); GET (Max_Iter);
  NEW LINE; NEW LINE;
  PUT ("Root = ");
 begin -- start outer exception handler
     - Try Newton's method first
    Newton (Guess), Accuracy, Max_Iter);
exit; -- terminate program successfully
  exception
    when NUMERIC ERROR | Diverge =>
       begin -- start inner exception handler
           - This method will definitely work, but is slower
         Bisection (Guessl, Guess2, Accuracy);
         exit; -- terminate successfully with second method
        exception
         when others =>
             PUT ("Fatal Error. Cannot recover");
            NEW LINE;
        end; -- inner exception handler
  end; -- outer exception handler
end Root:
                                                     End Listing Five
Listing Six
Listing 6. The clean up method used in exception handlers.
with TEXT IO; use TEXT IO;
procedure Root is
Result, Guess, Accuracy : FLOAT;
Max_Iter : INTEGER)
Diverge : exception;
function F(X: FLOAT) return FLOAT is
   return X * X * X - 5.0;
end F:
procedure Newton (Guess, Accuracy : FLOAT; Max_Iter : INTEGER) is
 - Newton's method to find the root of a function
Funct, Derivative, h, Diff : FLOAT;
      if ABS (Guess) > 1.0 then h := 0.01 * Guess;
                            else h := 0.01;
                                             (continued on next page)
```

Here's why you should choose Periscope as your debugger...

You'll get your programs running fast. "It works great! A problem we had for three weeks was solved in three hours," writes Wade Clark of MPPi, Ltd.

You'll make your programs solid. David Nanian says, "I can't live without it!! BRIEF, a text editor my company wrote, would not be as stable as it is today without Periscope."

You'll protect your investment. We won't forget you after the sale. You'll get regular software updates, including a FREE first update and notice of later updates. You'll get technical help from Periscope's author. And you'll be able to upgrade to more powerful models of Periscope if you need to. One Periscope user writes, "...

your support has won over even the heart of this hardened programmer!"

You deserve the best. Thousands of programmers rely on the only debugger that PC Tech Journal has ever selected as **Product of the Month** (1/86). You owe it to yourself to find out why, first hand.

You can try it at no risk. You get an unconditional 30-Day, Money-Back Guarantee, so you can't lose.

Start saving time and money now — order toll-free, 800/722-7006. Use MasterCard, Visa, COD, or a qualified company purchase order. As one user puts it, Periscope is "one of the rare products, worth every penny!"

Periscope I, software, manual, protected memory board and	
breakout switch	\$295
Periscope II, software, manual, and	
breakout switch	\$145
Periscope II-X,	
software and manual	\$115

Add shipping - \$3 US; \$8 Canada; \$24 elsewhere. Ask about air shipment if you can't wait to get your programs up and running!

PERISCOPE

ру

Data Base Decisions, 14 Bonnie Lane, Atlanta, GA 30328, 404/256-3860

STRUCTURED PROGRAMMING

Listing Six (Listing continued, text begins on page 120.)

```
Derivative := (F(Guess + h) - Funct) / h;
Diff := Funct / Derivative;
       Guess := Guess - Diff;
       Max_Iter := Max_Iter - 1;
if Max_Iter < 0 then
             raise Diverge;
       end if:
       if ABS(Diff) <= Accuracy then exit; end if;
    end loop:
   NEW_LINE; NEW_LINE;
PUT("Root = "); PUT(Guess);
    NEW LINE; NEW LINE;
end Newton:
begin -- Root --
   PUT ("Enter guess for the root "); GET (Guess); NEW_LINE;
  PUT("Enter desired accuracy"); GET(Accuracy); NEW LINE;
PUT("Enter maximum number of iterations "); GET(Max_Iter);
     begin -- start exception handler
         - Try Newton's method first
        Newton(Guess, Accuracy, Max Iter);
exit; -- exit open loop and terminate program successfully
     exception
        when Diverge =>
             PUT ("Enter guess for the root ");
GET (Guess); NEW_LINE;
     end; -- exception handler
   end loop;
end Root:
                                                                  End Listing Six
```

TURBO PASCAL GENERATOR

THE GTP PROFESSIONAL MODEL

Generate error-free Turbo Pascal source code for:

DATA BASES MENUS SCREENS REPORTS

Build complete, working programs in minutes!

FEATURES

- Indexed Data Bases
- Multiple Screens
- **Automatic Updating**
- Built-in Edits
- Retrieval Facility
- Automatic File Build
- Quick Screen Handling
- Speedy DB Access Context Sensitive HELP
- Full Keyboard Support

EASY

- 1. Paint-the-screen
- 2. Define fields & calculations
- 3. Generate, compile & RUN FLEXIBLE

- 100% Turbo Pascal
- Modify in Pascal under Turbo's Editor
- Extensions are easy with 130 page Programmer Reference manual
- 100 documented source code
- routines included

NOT Copy Protected NO Royalty Fees NO Run-time Library Required

Requires: IBM PC (100% compatible) 256K RAM 2 Disk Drives PC-DOS 2.0+ Turbo Pascal 3.0 from Borland International

PRICE \$200.00 CALL FOR QUANTITY DISCOUNTS

VISA/MC — Check — Money Order — No COD or Purchase Orders Texas Residents; add \$12.25 Sales Tax Outside US & Canada; add \$10.00 Air Postage and make payment by credit card or money order in U.S. Funds



ALLEN, EMERSON & FRANKLIN

P.O. Box 928 Katy, TX 77492 (713) 391-8570

Circle no. 219 on reader service card

VAR Last : CARDINAL;

```
Listing Seven
Listing 7. Module SafeLibO, a subset of MathLibO with error
                                                         trapping features.
DEFINITION MODULE SafeLibO:
(* Definition module of SafeLibO, the safer version of MathLibO *)
(* The EXPORT is not needed for new Modula-2 definition *) EXPORT QUALIFIED SQRT, IN, EXP, EXPRANGE;
(* Largest argument for exp(X) that yields exp() = 9.9999E+99 *)
CONST EXPRANGE = 230.26;
PROCEDURE SQRT (X : REAL; VAR ArgumentERROR : BOOLEAN) : REAL;
(* Square root function with an argument error flag *
PROCEDURE IN (X : REAL; VAR Argument ERROR : BOOLEAN) : REAL;
(* Natural logarithm function with an argument error flag *)
PROCEDURE EXP(X : REAL; VAR Argument ERROR : BOOLEAN) : REAL;
(* Exponential function with an argument error flag *)
PROCEDURE GetNext (Current, MaxFlag: CARDINAL;
                   VAR Found : BOOLEAN;
                   ErrorFlag : ARRAY OF BOOLEAN) : CARDINAL
END SafeLibO.
IMPLEMENTATION MODULE SafeLib0:
FROM MathLibO IMPORT sort, exp. ln:
PROCEDURE SQRT (X : REAL; VAR ArgumentERROR : BOOLEAN) : REAL;
(* Square root function with an argument error flag *
   ArgumentERROR := FALSE:
   IF X < 0.0 THEN
       ArgumentERROR := TRUE;
       X := ABS (X)
   RETURN sart (X)
END SORT:
PROCEDURE LN(X : REAL; VAR ArgumentERROR : BOOLEAN) : REAL;
(* Natural logarithm function with an argument error flag *)
                  ELSE X := 10.0
       END;
  END:
   RETURN In (X)
END IN:
PROCEDURE EXP(X: REAL; VAR ArgumentERROR: BOOLEAN): REAL;
(* Exponential function with an argument error flag *)
   ArgumentERROR := FALSE;
   IF X > EXPRANGE
   THEN
      Argument ERROR := TRUE:
RECTN
   ArgumentERROR := FALSE:
   IF X <= 0.0 THEN
       ArgumentERROR := TRUE;
       IF X < 0.0 THEN X := ABS(X)
       X := 1.0 / EXPRANGE
   RETURN exp (X)
END EXP:
PROCEDURE GetNext (Current, MaxFlag : CARDINAL;
                   VAR Found : BOOLEAN;
ErrorFlag : ARRAY OF BOOLEAN) : CARDINAL;
```

```
BEGIN
   Last := HIGH (ErrorFlag) :
   IF MaxFlag > Last THEN MaxFlag := Last END;
   Found := FALSE;
WHILE (Current <= Last) AND (NOT Found) DO
      IF ErrorFlag[Current] THEN Found := TRUE END;
      INC (Current) :
   RETURN Current
END GetNext:
END SafeLibO.
                                                   End Listing Seven
Listing Eight
Listing 8. Module SafeLibl, a second alternate subset of
MathLibO with error trapping features.
DEFINITION MODULE SafeLibl;
(* Definition module of SafeLibl, the safer version of MathLibl *)
 (* The EXPORT is not needed for new Modula-2 definition *)
EXPORT QUALIFIED SQRT, IN, EXP, EXPRANGE, MAXERRORSTACK, Errorstack;
(* Largest argument for \exp(X) that yields \exp() = 9.9999E+99 *) CONST EXPRANGE = 230.26;
      MAXERRORSTACK = 50;
VAR ErrorStack : RECORD
                      HeightErrorStack : [0..MAXERRORSTACK];
FuncName : ARRAY [1..MAXERRORSTACK] OF
                                         ARRAY [0..3] OF CHAR
                   END:
PROCEDURE SQRT (X : REAL) : REAL;
(* Square root function *)
PROCEDURE IN (X : REAL) : REAL:
(* Natural logarithm function *)
PROCEDURE EXP (X : REAL) : REAL;
(* Exponential function *)
END SafeLibl.
IMPLEMENTATION MODULE SafeLibl;
FROM MathLibO IMPORT sqrt, exp, ln;
PROCEDURE SQRT (X : REAL) : REAL;
(* Square root function *)
BEGIN
   IF X < 0. THEN
        PushErrorStack ("SQRT");
        X :- ABS (X);
   RETURN sqrt (X)
END SORT:
PROCEDURE IN (X : REAL) : REAL;
 (* Natural logarit'um function *)
    IF X <= 0.0 THEN
        ArgumentERROR := TRUE;
        IF X < 0.0 THEN X := ABS(X)
ELSE X := 10.0
    END:
    RETURN ln(X)
END IN:
 PROCEDURE EXP (X : REAL) : REAL;
```

(continued on next page)

AT LAST: Professional Typesetting Capability For PC Users

With PCT_{EX}^{TM} — the best-selling full implementation of Professor Don Knuth's revolutionary typesetting program T_{EX} .

FINEST Typeset Quality Printing From:

dot matrix

laser

phototypesetter

$$\sum_{i=1}^{\infty} \frac{1}{i} \quad \begin{pmatrix} a_{11} & \dots & a_{1n} \\ a_{21} & \dots & a_{2n} \\ \vdots & \ddots & \vdots \\ a_{m1} & \dots & a_{mn} \end{pmatrix} \quad \int_{-\infty}^{\infty} e^{-x^2} dx$$

WIDEST Range Of Output Device Drivers:

- Epson FX, LQ
- HP LaserJet*
- Toshiba
- Apple LaserWriter
- Corona LP-300*
- APS-5 phototypesetter
- Screen preview, with EGA or Hercules card

MOST COMPLETE Product Offering:

PC TEX (not copy protected) includes the following:

- Our specially written *PC T_EX Manual*, which enables you to start using T_EX right away.
- Custom "macro packages" that provide formats for letters, manuals, technical documents, etc.
- The LATEX document preparation system, a full-featured macro package for preparing articles, books, reports, etc., and LATEX User's Manual.
- AMS-TEX, developed by the Amer. Math. Society for professional mathematical typesetting.

Site licenses, volume discounts, and interfaces to PC Paintbrush, PC Palette, FancyFont and Fontrix are also available.

PRICED FROM ONLY \$249.00!

(Printer drivers and interfaces additional.)



Laser printer, fonts & software from \$2995.00

For IBM PC/XT, AT or compatible, DOS 2.0 or higher, and 512K RAM. Hard disk required for printer drivers and fonts. *HP LaserJet and Corona require additional interface boards.

For more information call or write: Personal T_EX, Inc.

20 Sunnyside, Suite H, Mill Valley, CA 94941 (415) 388-8853

This ad, with space for the photograph, produced by PC TeX. Typeset on the Epson FX80, the Corona LP-300 laser printer, and the Autologic APS-5 phototypesetter.

 $T_{\rm E}X$ is a trademark of the American Mathematical Society. Manufacturers' product names are trademarks of individual manufacturers.

Exponential function *)

STRUCTURED PROGRAMMING

Listing Eight (Listing continued, text begins on page 120.)

```
BEGIN
   IF X > EXPRANGE
   THEN
       ArgumentERROR := TRUE;
       X := 1.0 / EXPRANGE
   END:
   RETURN exp(X)
END EXP;
PROCEDURE ClearErrorStack;
   ErrorStack.HeightErrorStack := 0
END ClearErrorStack;
PROCEDURE PushErrorStack (Name : ARRAY OF CHAR);
VAR I : CARDINAL;
BEGIN
   WITH ErrorStack DO
      INC (HeightErrorStack);
      WHILE (I <= HIGH(Name)) AND (Name[I] <> OC) DO
         FuncName[HeightErrorStack, I] := Name[I]
      IF I < HIGH (Name) THEN FuncName [I+1] := OC END;
  END; (* WITH *)
 END PushErrorStack;
 PROCEDURE INError () : BOOLEAN;
 BEGIN
   RETURN (ErrorStack.HeightErrorStack > 0)
 END InError;
 BEGIN (* Module initialization *)
   ClearErrorStack
 END SafeLib1.
```

End Listing Eight

Listing Nine

```
Listing 9. Turbo Pascal matrix inversion program using Turbo
Extender utilities

PROGRAM INVERT;

(* Program to test speed of floating point matrix inversion. *)

(* The program will form a matrix with ones' in every member *)

(* except the diagonals which will have values of 2. *)

CONST MAX = 140;
RArowsPerPage = 20;
RApagesPerPage = 20;
RApagesDown = 7;
RApagesBown = 7;
RApagesBown = 7;
RApagesAcross = 7;

TYPE RAelementType = REAL;

(*SI RARRAY.INC*)

VAR J, K, L : INTEGER;
DET, PIVOT, TEMPO : REAL;
A : RAarrayPtr;
CH : CHAR;

PROCEDURE SHOW_MATRIX;

BEGIN

FOR J := 1 TO MAX DO BEGIN
FOR K := 1 TO MAX DO BEGIN
WRITE (getRa(A, K, J));
WRITE(' ');
WRITE(' ');
```

```
WRITELN:
     END:
END:
BEGIN
     setupRa; (* SETUP BIGARRAY *)
     makeRA(A, 1.0, noinit);
        Creating test matrix *)
     FOR J := 1 TO MAX DO BEGIN
FOR K := 1 TO MAX DO
                setRA(A, K, J, 1.0);
          set RA (A, J, J, 2.0)
      (* The test below will ensure that the user does not spend *)
(* a lot of time looking at a rather obvious matrix when its *)
      (* size is large.
      IF MAX <= 10 THEN BEGIN
           WRITELN ('Matrix is ');
           SHOW MATRIX:
           WRITELN; WRITELN;
      END:
      WRITELN('Starting matrix invertion');
      DET := 1.0;
     FOR J := 1 TO MAX DO BEGIN
          PIVOT := getRA(A, J, J);
DET := DET * PIVOT;
           setRA (A, J, J, 1.0);
           FOR K := 1 TO MAX DO
   setRA(A, J, K, (getRA(A, J, K) / PIVOT));
           FOR K := 1 TO MAX DO
IF K <> J THEN BEGIN
                     TEMPO := getRA(A, K, J);
                      setRA(A,K,J,0.0);
FOR L := 1 TO MAX DO
                           setRA(A,K,L, (getRA(A,K,L) - getRA(A,J,L) * TEMPO));
                END;
      END; (* End of outer for-loop *)
WRITELN('PRESS <CR> to view matrix '); READLN(CH); WRITELN;
WRITELN('The inverse matrix is ');
      SHOW MATRIX;
      WRITE ('Determinant = ');
      WRITE (DET) :
      WRITELN; WRITELN;
FND
```

End Listings

PAINLESS WINDOWS.

Windows. Data Entry. Menus. Finally, a C programmers' tool that makes them as easy to use as *printf()*. With Greenleaf DataWindows™, you move in quantum leaps!

Snazzy Window Treatments

DataWindows represents an important breakthrough in C programming tools. It sets you free so you can create exciting programs quickly and easily, saving both time and money! Developed to work with the IBM PC, XT, AT, compatibles, and MSDOS or PCDOS, DataWindows is a carefully tooled system of C functions which will jazz up your programs with unprecedented efficiency.

Greenleaf DataWindows is integrated windows, transaction data entry, pop-up, pull-down, and Lotus style menu systems with:

- Screen Management. You don't have to remember what's on the display or the sequence in which you put it there. DataWindows does the grunt work. There are no restrictions.
- Transaction Data Entry. Data entry windows can have any number of fields with sophisticated options for reading many data types. Calls are made to help, validation, and other functions. Full featured text editing, protected and mandatory fields, dBASE type picture strings, context sensitive help, validation of fields and transactions, redefinable keys, password entry, attribute control, keyboard idle and much more.
- Device Independence. It detects the type of display adapter your computer is using and adjusts to it automatically for CGA, EGA, or monochrome. Logical video attributes are easy to use for color or monochrome.
- Compatibility. Runs with Microsoft Windows and IBM TopView.
- The Greenleaf Tradition of Quality. Reliable products. Professional documentation that gets you up and running quickly and keeps you there. Reference card. Newsletter and Bulletin board.

IBM, Microsoft & dBase, are registered trademarks of International Business Machines, Microsoft Corporation & Ashton-Tate respectively. PCDOS, IBM PC, XT, AT, & TopView are trademarks of IBM; MSDOS and Microsoft Windows are trademarks of Microsoft Corporation.



Stop Window Shopping

Order Today. Or call toll free for a free demo of the windows library that makes all the others obsolete.

Order any of these high performance tools by calling your dealer or 1-800-523-9830 today. Specify compiler when ordering. Add \$8 for UPS second day air, or \$5 for ground. Texas residents add sales tax. MasterCard, VISA, P.O., check, COD. In stock, shipped next day.

Greenleaf DataWindows \$225
DataWindows Source Module \$225
The Greenleaf Comm Library v2.0 \$185
The Greenleaf Functions v3.0 \$185
Digiboard Comm/4-II \$325
Digiboard Comm/8-II \$535



1411 LeMay Drive, Suite 101 Carrollton, TX 75007

Call Toll Free
1-800-523-9830
In Texas and Alaska, call
214-446-8641

■ Simple or Complex Windows. Up to 254 powerful overlaid windows simultaneously, all with just one kind of window to remember! Yet any window can be from one character to 32K!

Window Dressings |

- Easy Window Operations. DataWindows lets you move, zoom, frame, title, change colors, titles, frames, size, location, and make windows visible or invisible at will! Functions set cursor, attributes, and write data to any window or "current window". Word wrap, auto scroll, keyboard functions.
- Write to Any Window Any Time. Windows may be visible, overlaid, or invisible, and you can write to them anyway. What you write will be seen when the windows become visible.
- DataWindows is fast! It writes directly to video memory (in some modes).
- Easy to save! Any window, complete with attributes, can be saved on disk quickly and efficiently.
- Source code available. No royalties.

Also from Greenleaf:

The Greenleaf Functions v3.0

The most complete, mature C language function library for the IBM PC, XT, AT and close compatibles. Includes over 225 functions — DOS, disk, video, color text and graphics, string, time/date, keyboard, disk status and Ctrl-Break functions plus many more.

The Greenleaf Comm Library

Our 2.0 version is the hottest communications facility of its kind. Over 120 functions — ring buffered, interrupt driven asynchronous communications for up to 16 ports simultaneously with XMODEM, XON/XOFF, many many sophisticated features.

We support all popular C compilers for MSDOS/PCDOS: Microsoft, Lattice, Computer Innovations, Aztec, DeSmet, and others.

Circle no. 97 on reader service card.

THE PROGRAMMER'S SHOP

helps save time, money and cut frustrations. Compare, evaluate, and find products.

RECENT DISCOVERY

Baby 34, 36 RPG II by California Software - complete mini RPG environments for PC include compiler, editor (SEU), OCL processor. Screen gen., sort, data exchange, workstation I/O. Separate products for compatibility w/IBM System /38, /36, /34. PC \$1250

AI-Expert System Dev't

Arity System-incorporate with C programs, rule & inheritance MS \$ 295 Experteach - Powerful, no limit on memory size. Samples PC \$ 399 EXSYS - Improved. Debug, file & external program access. MS \$ 339 Insight 2 + - dB2, language. MS \$ 879 LPA MicroProlog Intro w/ APES MS \$ 149 LPA MicroProlog Prof. w/APES MS \$ 595 Others: ESP (\$845), Expert Choice (\$449)

Al-Lisp

BYSO - Common, MacLISP compatible.

250 + functions, fast PC \$ 150
Microsoft MuLisp 85 MS \$ 199
PC Scheme LISP - by TI PC \$ 95
TLC LISP - classes, compiler. MS \$ 225
TransLISP - learn fast MS \$ 85
Others: IQ LISP (\$155), UNX LISP (\$59), IOC LISP (\$269), WALTZLISP (\$149)

AI-Prolog

APT - Active Prolog Tutor - build PC \$ 65 applications interactively ARITY Standard - full, 4 Meg Interpreter - debug, C, ASM PC \$ 350 COMPILER/Interpreter-EXE PC \$ 795 PC \$1250 With Exp Sys, Screen - KIT LPA MacProlog - Complete incremental compiler and an interpreter MAC \$ 295 LPA MicroProlog - intro MS \$ 99 LPA MicroProlog Prof. - full MS \$ 359 memory Prolog-86 - Learn Fast, Standard, tutorials, samples MS \$ Prolog-86 Plus - Develop MS **TURBO PROLOG** by Borland PC \$ 229 Others: Prolog-I (\$95), Prolog-2 (\$859)

Al-Other

METHODS - SMALLTALK has PC \$ 69 objects, windows, PC \$ 600 Personal Consultant by T.I. Q'NIAL - Combines APL with LISP \$ 359 Source or binary. PC \$ 995 PC Smalltalk-80 - Xerox version Smalltalk/V-graphics PC \$ 89

FEATURES

ASMLIB - 170 + Microsoft MASM compatible routines for graphics, floats, trig. Full source. PC \$ 135

Test Software - capture and replay
1 complete successful test session.
Automatically rerun when your code
changes with Showcase. PC \$ 135

Free Literature Compare Products

Evaluate products. <u>Compare</u> competitors. Learn about <u>new alternatives</u>. One <u>free call</u> brings information on just about any programming need. Ask for any "<u>Packet</u>" or Addon Packet □ Al □ ADA, Modula □ BASIC □ "C" □ COBOL □ Editors □ FORTH □ FORTRAN □ PASCAL □ UNIX/PC or □ Debuggers, Linkers.

Our Services:

Programmer's Referral List
 Compare Products
 Help find a Publisher
 Evaluation Literature FREE
 BBS - 7 PM to 7 AM 617-826-4086
 National Accounts Center

Basic

Basic Development System - for BASICA; Adds Renum, more. PC \$ 105 Basic Development Tools by PC \$ 99 Sterling Castle PC \$ 95 Basic Windows by Syscom BetterBASIC - all RAM, modules Structure. Full BASICA PC \$ 165 PC \$ 8087 Math Support 89 \$ 229 PC Run-time Module Better Tools - for Better Basic PC \$ 95 CADSAM FILE SYSTEM - full ISAM in MBASIC source. MS \$ 75 PC \$ 95 GoodBas - maintain code LPI Basic - MS compatible UNIX \$1100 Prof. Basic - Interactive, debug PC \$ 79 8087 Math Support 47 \$ 75 QuickBASIC V2.0-New interface PC \$ 119 TRUE Basic - ANSI PC PC \$ 459 Run-time Module

Cobol

UNIX \$1200 LPI Cobol - ANSI '74 Macintosh COBOL - full MAC \$ 459 MBP - Lev. II, native MS \$ 885 MicroFocus Professional - full PC Call Microsoft Cobol Tools - xref, debugger w/source support. Xenix \$359 PC \$ 219 Microsoft Version II - upgraded. MS \$ 479 Full Lev. II, native, screens. MS \$ 839 Realia - very fast Ryan McFarland COBOL MS \$ 699 COBOL-8X MS \$1049

Editors for Programming

BRIEF Programmer's Editor - undo, windows, reconfigure PC Call EMACS by UniPress - powerful, multifile, windows Source:\$929 \$ 299 Epsilon - like EMACS, full C-like language for macros. PC \$ 169 Lattice Screen Editor - multiwindow, multitasking Amiga \$100 MS \$ 109 PC/VI - Custom Software PC \$ 129 PMATE - power, multitask 80/86 \$ 149

C Libraries-Communications

Asynch by Blaise		PC	\$ 149
Multi-Comm - use	w/Multi-C	PC	\$ 149
Software Horizons	pack 3	PC	\$ 119

Circle no. 141 on reader service card.

RECENT DISCOVERY

Unishell - Bourne UNIX shell script compiler translates to C and runs <u>faster</u>. Portable, hand optimizable <u>code</u>. Use as C program generator.

PC \$395

C Language-Compilers

AZTEC C86 - Commercial PC \$499 C86 by CI - 8087, reliable MS \$299 Datalight C - fast compile, good code, 4 models, Lattice compatible, Lib PC \$ 85 source. Dev'rs Kit PC \$ 85 HOT C - new, intriguing Lattice C - from Lattice MS \$299 MS \$399 Mark Williams - w/debugger Microsoft C 4.0- Codeview MS \$299 Wizard C - Lattice C compatible, MS \$389 full sys. III, lint, fast.

C Language-Interpreters

C-terp by Gimpel - full K & R MS \$239
INSTANT C - Source debug,
Edit to Run-3 seconds, .OBJs MS \$389
Interactive C by IMPACC Assoc.
Interpreter, editor, source,
debug. PC \$225
Introducing C-self paced tutorial
Run/C Professional MS \$189
Run/C Lite - improved MS \$109

C Libraries-General

Blackstar C Function Library PC \$ 79 PC \$ 85 C Essentials - 200 functions MS \$109 C Food by Lattice-ask for source C Scientific Subroutines - Peerless MS \$139 PC \$149 C Tools Plus (1 & 2) C Utilities by Essential - Comprehensive screen graphics, strings, source. PC \$139 C Worthy Library - Complete, machine MS \$269 independent \$119 PC Entelekon C Function Library Entelekon Superfonts for C PC \$ 45 Greenleaf Functions-portable, ASM \$139 PforCe by Phoenix - objects PC \$299

CLibraries-Files


FILES: C Index by Trio - full B +

Tree, vary length field, multi compiler MS \$ 89 /File is object only /Plus is full source MS \$349 MS \$ 99 CBTREE - Source, no royalties MS \$339 CTree by Faircom - no royalties dbVISTA - full indexing, plus optional record types, pointers, Network Object only - MS C, LAT, C86 \$159 Source - Single user MS \$429 MS \$849 Source - Multiuser PC \$ 79 dBASE Tools for C MS \$199 dbc Isam by Lattice

Atari ST & Amiga

We carry full lines of Manx,
Lattice, & Metacomco.
Amiga - LINT by Gimpel Amiga \$ 79
Cambridge LISP Amiga \$200
Lattice C ST, Amiga \$139
Lattice Text Utilities Amiga \$ 75
Megamax - tight, full ST \$200

provides complete information, advice, guarantees and every product for Microcomputer Programming.



SPF/PC - very popular on IBM, TSO, and CMS KEDIT - like the XEDIT editor under IBM VM/CMS PC/EDT - like popular EDT editor for DEC VAX VMS

	List	Before 11/30	After 11/30
SPF/PC	\$195	\$139	\$159
KEDIT	\$125	\$ 99	\$115
PC/EDT	\$250	\$209	\$250
REXX	\$125	\$ 99	\$115

C Support-Systems

and mention this ad for the special prices to the right.

Basic-C Library by C Source	PC \$139
C Sharp - well supported. Source.	,
realtime, tasks, state system	PC \$600
C ToolSet - DIFF, xref, source	MS \$ 95
The HAMMER by OES Systems	PC \$179
Lattice Text Utilities	MS \$ 95
Multi-C - multitasking	PC \$149
PC LINT-Checker. Amiga \$89	MS \$119
SECURITY LIB-add encrypt to N	ASC,
C86 programs. Source \$250	PC \$125

C-Screens, Windows, Graphics

C Power Windows by Entelekon	PC	\$119	
dBASE Graphics for C		\$ 79	
Curses by Lattice	PC	\$109	
ESSENTIAL GRAPHICS - fast,			
fonts, no royalties	PC	\$219	
GraphiC - new color version	PC	\$299	
Multi-Windows - use w/ Multi-C	PC	\$295	
Topview Toolbasket by Lattice	PC	\$209	
View Manager for C by Blaise	PC	\$219	
Vitamin C - screen I/O	PC	\$139	
Windows for C - fast	PC	\$159	
Windows for Data - validation	PC	\$239	
ZView - screen generator	MS	\$199	
Dahumana	7. JUST		

Debuggers

Advanced Trace-86 by Morgan

rid valleed frace oo by Morgan		
Modify ASM code on fly.	PC	\$139
CODESMITH - visual, modify		
and rewrite Assembler	PC	\$109
C SPRITE - data structures	PC	\$139
DSD87 - by Soft Advances		
windowing, 8087	PC	\$ 95
Periscope I - own 16K	PC	\$249
Periscope II - symbolic, "Reset		
Box," 2 Screen	PC	\$119
Pfix-86 Plus Symbolic Debugger		

PC \$249

FEATURE

w/Breakswitch

by Phoenix - windows Software Source by Atron -Lattice, MSC, Pascal, Windows single step, 2 screen, log file. MS \$115

386 Assembler/Linker - Native or Cross Development. Full Microsoft MASM compatible plus 386/387 extensions.

Fortran & Supporting

		nos Juli
ACS Time Series	MS	\$429
Forlib + by Alpha - graphics an	d	
file routines, comm.		\$ 59
MACFortran by Microsoft	MAC	\$229
MS Fortran link to C	MS	\$219
No Limit - Fortran Scientific	PC	\$119
RM/Fortran - enhanced "IBM		
Professional Fortran"	MS	\$395
Scientific Subroutines - Matri	x MS	\$149
Statistician by Alpha	MS	\$259
Strings and Things - register, sh	ell PC	\$ 59

Multilanguage Support

BTRIEVE ISAM	MS	\$199
BTRIEVE/N-multiuser	MS	\$469
CODESIFTER - Profiler.	MS	\$109
HALO Graphics - 115 + device	ces.	
Animation, engineering, bus	iness.	
Any MS language, Lattice, C8		\$219
PANEL - Create screen with ed		

generates code. Full data validation. no royalties. Xenix \$539, MS \$229 PolyLibrarian by Polytron MS \$ 85 PVCS Version Control MS \$329

Rtrieve - Btrieve front end MS \$ 79 Screen Sculptor - slick, thorough, fast, BASIC, PASCAL. PC \$ 99 Xtrieve - organize database MS \$149

ZAP Communications - VT 100, PC \$ 95 TEK 4010 emulation, file xfer.

Pascal and Supporting

ALICE - learn Pascal, Turbo		
compatible, interpreter	-	\$ 79
MetaWINDOW - graphics toolk	it PC	\$139
Microsoft PASCAL - faster		
MICROTEC PASCAL - 5 memo	ory mo	dels,
"Iterators", 65 bit 8087 strings	MS	\$665
Pascal Pac with Tidy - formatter,		
utilities	PC	\$ 69
Pascal Tools - strings, screen	PC	\$109
Pascal Tools 2 - by Blaise	MS	\$ 85
Pfas - Portable Isam		\$185
TurboHALO - 150 routines, IBM	1	
EGA, Hercules, more	PC	\$ 95

Circle no. 133 on reader service card.

MS \$ 69

USCD Pascal - native code

LOOKING FOR

386 Tools - We now carry Beta versions of a MASM superset and linker. Let us know about simulators, compilers, tools. Call "386 specialist."

Other Languages

	THE RESERVE		
APL*PLUS/PC	PC	\$	469
Artek ADA Compiler - DOD sta	andar	d	
minus multitasking	PC	\$	469
CLIPPER-dBASE Compiler	MS	\$	449
Correct FORTH - ROMable	PC	\$	80
ED/ASM - 86 by Oliver	PC	\$	85
Lattice RPG II Compiler	PC	\$	639
MacASM - fast N	AAC	\$	99
MasterForth - Forth '83 MAC	or PC	\$	125
Microsoft MASM - faster	MS	\$	109
Modula 2 by Volition Systems	MS	\$	250
Modula-2/86 Compiler by Logit	tech		
w/8087 (\$105), 512K (\$149).	PC	\$	65
Pasm - by Phoenix	MS	\$	219
SNOBOL4 + - great for strings	MS	\$	85
Turbo Edit/ASM - by Speedware	PC	\$	85
	-	SAVE I	-

Xenix-86 & Supporting


Basic - by Microsoft	\$	279
Cobol - by Microsoft	\$	795
Fortran - by Microsoft		Call
MicroFocus Lev. II Compact COE	BOL\$	899
Xenix Complete Development Syst	tem \$	1149

Other Products

BSW Make - like UNIX make	MS	\$ 85
Dan Bricklin's Demo Program	PC	\$ 65
dBrief - Customize BRIEF for d		
development. with BRIEF \$275	. PC	\$ 95
H Test/H Format - XT Fix	PC	89
Interactive Easyflow-HavenTree	PC	\$ 129
Link & Locate - tools to work wi		
Intel and Tektronix projects.	MS	\$ 329
LMK - like UNIX make	MS	\$ 149
Microsoft Windows	PC	\$ 75
Microsoft Windows Software		
Development Kit	PC	\$ 399
Opt Tech Sort - sort, merge	MS	\$ 119
PMaker - by Phoenix	PC	\$ 99
Polymake by Polytron	MS	\$ 79
PS MAKE by UniPress	MS	\$ 79
SECRET DISK by Lattice	PC	\$ 95
SET:SCIL - manager revisions	PC	\$ 299
Shrink/Shrinkem - put more files	S	
on disk with spacemaker	PC	\$ 150
SoftEst - Manage projects.	MS	\$ 350
Synergy-Create user interfaces	MS	\$ 375
Texsys - control source	MS	\$ 89
Visible Computer: 8088 - Simula	ates	
demos or any .exe. com, Debug		
350 pg. tutorial, unprotected		\$ 69

Note: All prices subject to change without notice Mention this ad. Some prices are specials. Ask about COD and POs. All formats available UPS surface shipping add \$3/item.

Call for a catalog, literature, advice and service you can trust



800-421-8006

THE PROGRAMMER'S SHOP™ 128-D Rockland Street, Hanover, MA 02339 Mass: 800-442-8070 or 617-826-7531 9/86

"It's not often that I receive service from a company that I consider exceptional but you've managed to do it . . . I am impressed that you place the needs of your customer above making a "quick" profit and I hope to have the opportunity to do business with you again in the future.

White Pine Software, Inc.

STRUCTURED PROGRAMMING

Error Handling in Ada and Modula-2, Large Turbo Pascal Matrices

In this issue I will discuss error handling (also known as exceptions) in Ada and Modula-2. In the case of Modula-2, I will concentrate on handling errors for several mathematical functions exported by the standard library *MathLib0*. The Pascal section of the column looks at writing programs to handle matrices with sizes greater than 64K using the Turbo Extender package.


Exceptions in Ada

Ada was designed for numerous applications, including real-time systems. The language's designers chose to tackle error handling effectively rather than pay it lip service as did the designers of standard Pascal and Modula-2. As a result, Ada recognizes an explicit error-handling mechanism, namely, the exception. The basic concept behind exceptions is for a program to detect an error condition and direct the program flow control to resume at the exception handling area. No explicit GOTO statements are used, although their effect is still attained. Thus, programmers are relieved from using "defensive" programming methods, as is the case with standard Pascal and Modula-2.

Ada has five predefined exceptions—the CONSTRAINT_ERROR, NUMERIC _ERROR, PROGRAM_ERROR, STORAGE_ERROR, and TASKING_ERROR. Listing One, page 104, shows the predefined NUMERIC_ERROR exception

by Namir Clement Shammas

in use with a floating-point power function. In this example, the function body consists of one statement followed by the exception handling block. Ada requires that such blocks be placed at the end of a program or routine (more about the scope of exceptions later). Zero or negative values



for the *Base* variable are invalid arguments for the natural logarithm function. The exception handling block examines the value assigned to *Base*. If it equals zero, the function returns a zero; otherwise, it returns the largest negative value that is supported by the implementation. Notice that if the arguments of function *Power* are valid but large in magnitude, an overflow occurs and the largest negative value is also returned.

Ada allows you to define your own exceptions by declaring their names followed by: exception;. To invoke user-defined exceptions, use the raise keyword followed by the corresponding exception name. Listing Two, page 104, gives a general scheme for defining and raising exceptions. Notice that the first when clause in the exception handling block uses the predefined NUMERIC _ERROR exception. The second when clause tackles negative absolute-temperature values, and the third clause deals with both negative pressures and volumes. The last when others clause serves as an otherwise catchall error trap. The listing shows how the if statement is used in raising userdefined exceptions. Notice how this Ada listing handles erroneous values without resorting to a series of nested if statements, as would be the case with Pascal or Modula-2.

Ada enables you to use several exception handlers and control their scope of action and so allows some exceptions to override others. Consider Listing Three, page 104, where procedure *The_Boss* defines the *Boss_Angry* exception and two local

procedures, namely Command Worker and Command_Foreman. There are two exception handlers for Boss_Angrv—the first is located inside procedure Command_Foreman, the other at the end of the main procedure. When the main procedure starts executing, it first calls for procedure Command_Worker. If the Boss_Angry exception is raised during the first direct call, the exception handler in the main procedure is invoked. Assuming, on the other hand, that the above call proceeds smoothly, the main procedure resumes normally and invokes procedure Command_Foreman. The latter calls for procedure Command_Worker. If during this process the Boss_Angry exception is raised, the local handler is used instead of the global one.

The role of exception handlers falls into the following categories:

- 1. Halt program execution.
- 2. Retry the program.
- 3. Employ another method or approach.
- 4. Clean up variables and resume program execution.

Halting the program after displaying an appropriate error message is the least thing a program should do. This course of action uses Ada's exception feature to a minimum because no attempt is made to remedy the error.

The second approach to using exception handlers retries a routine for a fixed number of times to prevent it from being trapped indefinitely. Thus, the program simulates a timeout. Listing Four, page 104, shows a simple example for handling errors associated with enumerated types. The procedure defines a new data type for the weekdays and creates a new set of customized I/O routines. The *Time_Out* constant is defined and set equal to 5, and a user-defined *Wrong_Day* exception is declared.

FORTRAN PROGRAMMERS

Looking for the right PC FORTRAN language system? If you're serious about your FORTRAN programming then you should be using F77L -LAHEY FORTRAN.

"Lahey's F77L FORTRAN is the compiler of choice. It's definitely a 'Programmers FORTRAN,' with features to aid both the casual and the professional programmer... F77L compiled the five files in a total of 12 minutes, which was 4 times as fast as MS FORTRAN and an astounding 6 times as fast as Pro FORTRAN." - PC Magazine

Compare the features and performance of other PC FORTRANs with F77L and you will find that F77L is clearly the superior product.

- Full Fortran 77 Standard (F77L is not a subset) Fast Compile Increases productivity
- Popular Extensions for easy porting of mini and mainframe applications
- COMPLEX+16, LOGICAL+1 and INTEGER+2 Arrays and Commons greater than 64K
- Recursion allocates local variables on the stack
- IEEE Standard Floating Point
- Long variable names 31 characters
- IMPLICIT NONE

- Source On Line Debugger (Advanced
- features without recompiling)
- Clear and Precise English Diagnostics
- Compatibility with Popular 3rd Party Software (i.e. Lattice C)
- Easy to use manual
- Technical Support from LCS

. NEW FEATURE - NAMELIST

F77L - THE PROGRAMMER'S FORTRAN

\$477.00 U.S.

System Requirements: MS-DOS or PC-DOS, 256K, math coprocessor (8087/80287)

FOR MORE INFORMATION: [702] 831-2500



Lahey Computer Systems, Inc. P.O.Box 6091 Incline Village, NV 89450 U.S.A.


International Dealers:

England: Grey Matter Ltd., Tel: (0364) 53499 Denmark: Ravenholm Computing, Tel: (02) 887249 Australia: Computer Transitions, Tel: (03) 537-2786 Japan: Microsoftware, Inc., Tel: (03) 813-8222

SERVING THE FORTRAN COMMUNITY SINCE 1967

MS-DOS & MS FORTRAN are trademarks of Microsoft Corporation.Pro FORTRAN refers to Professional FORTRAN a trademark of International Business Machines

Circle no. 186 on reader service card.



Editor's Choice - PC Magazine

C CODE FOR THE PC

source code, of course



GraphiC 3.0 hi-res color plots .	\$300
QC88 C Compiler	. \$90
Concurrent C	. \$45
Coder's Prolog in C	. \$45
Translate Rules to C	. \$30
LEX	. \$25
YACC & PREP	. \$25
Small-C compiler for 8088	. \$20
tiny-c interpreter & shell	. \$20
Xlisp 1.5a & tiny-Prolog	. \$20
C Tools	. \$15

The Austin Code Works 11100 Leafwood Lane Austin, Texas 78750-3409 (512) 258-0785

-

Free shipping on prepaid orders

No credit cards

Circle no. 250 on reader service card.



Power Tools for system builders™

Call today for our free catalog of design aids, compilers, libraries, debuggers, and support tools for Apple and IBM micro computers. The Power Tools catalog includes product descriptions, warranty and license terms, and all the information you need to make an intelligent purchase decision.

TSF offers technical support, competitive pricing, free UPS shipping on orders over \$100, and a reasonable return policy. Visa, MasterCard, and American Express accepted without surcharge. TSF helps you get your job done.

Sample Prices:

MS Quick Basic \$49.00 Periscope II \$129.00 DS Backup \$64.95 10 Diskette Mailers \$4.95 Gimpel PC Lint \$139.00 PCMacBasic \$100.00

Call Toll Free 24 hrs a day/7 days a week

Ask For Operator 2053

800-543-6277

Calif: 800-368-7600




. Dept. C-2 . 649 Mission Street • San Francisco • CA 94105

• (415) 957-0111

The Software Family™

Circle no. 230 on reader service card.



"Call us. You can get Microsoft C or our comprehensive report on C by the day after tomorrow."

> Bruce Lynch, President The Programmer's Shop

> > THE C TEST

The security of thorough research. It took Bill Davidsen six months to thoroughly evaluate all C products before he selected Microsoft C. For him, its tight code and UNIX System V[™] compatibility were exactly what he needed. And now Version 4.00 includes CodeView,™ a source-level windowing debugger.

Thanks to expert users like Bill, and The Programmer's Shop, you can enjoy that satisfied feeling of thorough

product evaluation in just a few hours.

We recommend evaluating software by also getting detailed information from several different sources, including unbiased reports and reviews. Bill agrees completely.

In fact, he helped us compile the objective opinions of 4 magazines, 14 users and 3 industry analysts in a 16-page report on C: The C Test. It can help you be absolutely sure of making the choice that's best for you. And it's absolutely free.

C for yourself. As an objective evaluation by users and professionals alike, The C Test is one of the most comprehensive and informative reports currently available on

C development tools. It's only available from The Programmer's Shop. And it's yours free for the asking. Here's what you'll find in it:

The C Test • Detailed Tech Specs Benchmark Source Code
 Magazine Reviews • Users' Feedback • Performance Benchmarks • User Study and Profiles • Test Drive Survey Results

37 Compatible Products

And if you're looking for even more C support, Microsoft-compatible libraries for file management, graphics, screen control, object-oriented programming and other tools are ready to ship.

The best programs for less. We think the only way to serve you is to give you the best programming alternatives. The best recommendations for your needs. To deliver immediately. And this is how we do it.

We start by giving you a choice of over 62 programming language implementations and 174 support programs. All from the same source. All competitively priced.

Our informed programmers offer free advice whenever

you call with any questions about any product.

And when you place an order, we can rush it to you in 48 hours or less. That's the kind of service and support our 10,000 customers have come to expect.

Because we've become a success by giving the best

advice for free and selling the best software for less.

To order Microsoft C(\$279) or for your free copy of *The C Test,* simply call the toll-free number below:

1-800-421-8006. In Massachusetts, call 1-800-442-8070.

MICROSOFT. C Compiler Version 4.00

MICROSOFT C COMPILER

 Produces fast executables and optimized code including elimination of common sub-expressions. NEW!

- Implements register variables.
 Small, Medium and Large Memory model libraries.
- Compact and HUGE memory model libraries. NEW! Can mix models with NEAR, FAR and the new HUGE pointers. Library routines implement most of UNIX System V C library.
- Start-up source code to help create ROMable code. NEW!
- Full proposed ANSI C library support (except clock). NEW!
 Link your C routines with Microsoft FORTRAN (version 3.3 or
- higher), Microsoft Pascal (version 3.3 or higher) or Microsoft Macro Assembler.
- Microsoft Windows support and MS-DOS 3.1 networking support.

MICROSOFT PROGRAM MAINTENANCE UTILITY. NEW!

- Rebuilds your applications after your source files have changed.
- Supports macro definitions and inference rules.

OTHER UTILITIES.

- Library Manager.
- Overlay Linker.
- EXE File Compression Utility.
- EXE File Header Utility.

MICROSOFT CodeView WINDOW-ORIENTED SOURCE-LEVEL DEBUGGER. NEW!

- Watch the values of your local and global variables and expressions as you debug.
- Set conditional breakpoints on variables, expressions or memory; trace and single step.
- Watch CPU registers and flags as you execute.
- Debug using your original source code, the resulting disassembly or both intermingled.

Microsoft C comes with a 30-day money-back guarantee from The Programmer's Shop.

UNIX System V is a trademark of AT&T Bell Laboratories.

Microsoft is a registered trademark and CodeView is a trademark of Microsoft Corporation.

THE PROGRAMM

The programmer's complete source for software, services and answers.

128 Rockland Street, Hanover, MA 02339 (617) 826-7531

STRUCTURED PROGRAMMING (continued from page 120)

The for loop contains the main routine body. The first statement inside the loop prompts the user to enter an abbreviated day name. The rest of the loop contains the exception handling block, starting with the GET() procedure. If a correct day name is entered, the program responds with a brief greeting message and exits from the for loop. By contrast, entering an incorrect day name causes a constraint-type error and triggers the exception handling mechanism. The user is given a chance to reenter a correct day name until the loop times out. Notice that one when clause in the exception handler deals with constraint errors. The user-defined Wrong_Day exception is not used in any when clause. Why define it at all? The answer is that it is raised to cause a fatal error and halt the program.

The third approach involves using an alternate method when the first one is plagued by an error. Listing Five, page 104, shows a realistic application for finding the root of a nonlinear function. The main method selected employs the popular and highly efficient Newton's method. This method is vulnerable to functions that have maxima, minima, and saddle points (that is, where the slope is zero) near the root, and so I have used the bisection method (also known as the interval-halving method) as an alternate method. The bisection method is slower but is guaranteed to get a solution on condition that the two supplied guesses form an interval containing the root. The listing shows the use of two nested exception handlers. The first tackles any error generated by Newton's method. This can be a numeric error or divergence error raised by the test for Max_Iter. If an error occurs, the program resorts to the bisection method. If this technique encounters any problem (such as an overflow because of a corrupt function), it invokes its own exception handler and triggers the Fatal_Error exception. Because there is no handler for the latter exception, the program will then halt.

The fourth approach to exception handling uses a cleanup to alter the error-causing values of one or more variables and then resume program execution. I have modified the application in Listing Five to demonstrate a cleanup operation; the modified code is shown in Listing Six, page 113.

Modula-2 Exceptions

Standard Modula-2 does not have Ada-like exceptions, and so programmers must set up their own error-trapping schemes. Several standard Modula-2 libraries defined by Niklaus Wirth include error-flagging Boolean variables. I will focus on the *Math-Lib0* library, which provides mathe-

matical functions with no error trapping. Listing Seven, page 114, shows the definition and implementation modules of *SafeLib0*, a subset library of *MathLib0*. This version offers protection against out-of-range arguments for the square root, exponential, and natural logarithm functions.

The definition module *SafeLib0* exports the upper limit for the exponential function. The exported constant can be increased to reflect higher numeric ranges attained by using the 8087 chip in an IBM PC-based Modula-2 implementation. The

Do You Ever Get the Feeling That No One Speaks Your Language?

Arity/Prolog.
The Language That Spans the Generation Gap.

Arity listens to what you ask for. You want a serious, versatile language that will go the distance for you. There are two very good reasons for you to use Prolog—to do your work smarter and faster. That's exactly what the Arity/Prolog development environment will help you do. Our powerful tools, based on the general purpose programming language Prolog, will significantly reduce your development time and allow you to solve a wide range of application problems.

No translation required Our development environment for the IBM PC family and all MS-DOS compatibles includes the Arity/Prolog Compiler and Interpreter, the Arity/Expert System, and Arity/SQL. And you can tie them all together. You can interface with several other programming languages and build extensions to your existing applications. You'll be truly multilingual—what better way to span the generation gap?

It can take you to new places You'll discover amazing speed, power, and flexibility using the Arity/Prolog programming environment, with its one gigabyte of virtual memory and fast, compact compiled code, for conventional applications. And if you're working in new territories, like expert systems or sophisticated database management systems, you'll be speaking the native tongue.

Speak it freely Our products are not copy protected and we charge no royalties, so you can use them in as many end-user applications as you'd like. Why keep the language of solutions all to yourself?

Join the thousands of assembly and C programmers who already use Arity/Prolog—the language of solutions.

Call 1-800-PC-ARITY Today.

Massachusetts residents call 617-371-1243

ARITY CORPORATION
30 Domino Drive, Concord, MA 01742 U.S.A.
1-800-722-7489 or in Massachusetts call 617-371-1243

Software that roars.

STRUCTURED PROGRAMMING (continued from page 123)

definition module also declares the heading of the exported functions. Notice that each mathematical function has one additional argument compared to functions in the standard MathLibo. This second argument is ArgumentERROR, a Boolean flag to signal that an out-of-range error has occurred. The offending value of the argument is made valid, although the returned function value in the case of argument error is meaningless. I wrote the SafeLib0 module to track argument errors in an expression containing several mathematical functions. I also included function GetNext to return the next error systematically by using an array of Boolean error flags.

Suppose I want to execute the assignment statement shown in Table 1, below. Using *GetNext* allows my application program to pinpoint the particular function and the call (for multiple function calls in an expression).

An alternative method does away with the Boolean out-of-range argu-

ments and instead uses an error stack. Listing Eight, page 115, shows the definition and implementation modules for *SafeLib1*. This version exports a record-typed *ErrorStack* variable. Its structure is composed of a stack height counter and an array of function names. When a mathematical function receives an invalid argument, it pushes its name into the stack and increases the stack height counter.

To use this library, the application program must issue a ClearError-Stack before every assignment that involves the mathematical function in question. Following the assignment statement, the library function InError() will indicate if the function arguments were correct. In case of an error, the height counter returns the number of functions that were supplied with invalid arguments. The stack contains the names of these functions. The only drawback of this method over the first one is the case of multiple calls for the same function in an expression. The problem with this method is that the occurrence of the offending function is not apparent.

REPEAT Pressure := SQRT(Temp,100.,ArgEr[1]) * LN(Volume,22.4,ArgEr[2])

Current := 0;

Current := GetNext(Current, 2, Found, ArgEr)

IF Found THEN

(* statement to trace errors and either adjust values, or recalculate tTemp or Volume*) END:

UNTIL NOT Found;

Table 1: Using GetNext in an assignment statement

Square Matrix Size	Inversion Time (hh:mm:ss.ff)	Comments	
10	00:00:00.71	Turbo Pascal	
20	00:00:05.16	" "	
30	00:00:17.30	" "	
50	00:01:19.42	""	
75	00:04:26.61	" "	
90	00:07:40.33		
100	overflow		
140	01:16:33.47	Turbo Extender 20×20-page size, 7 pages	
140	01:16:32.32	28×28-page size, 5 pages	
140	01:16:33.75	35×35- page size, 4 pages	

Table 2: Matrix-inversion benchmark timings using the 8087 chip

Large Turbo Pascal Arrays

Turbo Pascal (Versions 1.0 through 3.0) imposes a 64K limit on the data segment, but I have found a product that enables programmers to overcome this barrier. Turbo Extender (a product of TurboPower Software) supplies the user with several interesting alternatives to support large matrices of any type. Each method comes with its own include file. Just how big can these matrices be? The maximum number of columns and rows is 32,767, leading to matrices containing one billion elements! Turbo Extender uses a paging technique that maintains part of the matrix in memory and stores the rest.

The memory schemes used for large matrices are:

- 1. RAM-based—This method is able to fit matrices in up to 640K of standard memory. The application program must define the size of the RAM-resident portion of the big matrix. The large matrix is made up of a matrix of pages, and so the number of column and row pages must also be defined. This type of matrix is defined at compile time.
- 2. Disk-based array—This technique stores the matrix in a data file. The application program must specify the same parameters as in the RAM-based version. In addition, the number of pages in RAM must also be defined. Disk-based matrices are defined during program compilation. This alternative applies a virtual-memory method for swapping RAM pages that have been unused for the longest time. The RAM-resident pages' sizes and the number of memory-resident pages determine the speed of accessing the matrix.
- 3. Virtual arrays—These are very similar to disk-based arrays. The difference is that virtual arrays are dynamically allocated at run time.
- 4. Expanded-memory arrays—These are similar to virtual arrays, except they reside in the expanded-memory section. The page size is automatically assigned by the library. The application program needs only to specify the number of rows and columns.
- 5. Sparse arrays—These are dynamically allocated as a linked list. Scanning for sparse matrix elements is done in two phases: the first locates the vicinity of the sought element;

WARP SPEED LIGHT PEN

RUN AUTOCAD AS FAST AS YOU THINK

Light Pens, the natural graphic input device, are finally available for **AUTOCAD**. Light Pens, Software and single pixel, high resolution convertor cards are ready for immediate delivery.

For Information Call:

In Calif. (800) 826-1563

(800) 874-4315

WARP SPEED
COMPUTER PRODUCTS INC.

5555 S. Inglewood Boulevard Los Angeles, California 90230



UARP SPEED

Circle no. 189 on reader service card.

Changing Your Address?

To change your address, attach your address label from the cover of the magazine to this coupon and indicate your new address below.

Name	
Address	
Address	Apt.#
City	State
Zip	
	The same of the sa

Mail to: Dr. Dobb's Journal, PO Box 27809, San Diego, CA 92128

UNIX Tools on DOS

MKSTOOKit

NOW WITH vi

Over 70 programs that perform tasks on machines like the IBM PC, XT, or AT with the ease that one would expect while working under UNIX. Designed especially for those developing software in a DOS environment, these utilities include:

awk — data transformation & report generation language **prof** — give a profile of the execution times of a command

egrep — find a string using full regular expression patterns

diff — find the differences between two files

cat	chmod	cmp	comm	ср	cut	date	dd	dev
df	du	echo	ed	file	find	head	help	join
Ic	line	Is	more	mv	nm	od	paste	pwd
rm	sed	sh	size	sort	split	strings	tail	time
touch	tr	uniq	WC				and mo	ore

The programs come with a shell and complete UNIX-style command-line file name expansion on 3 DSDD 5.25" floppies, load and run under DOS, and are not copyprotected. Phone support is available during business hours. Full documentation is included.

Price: \$139 from:

Mortice Kern Systems Inc., 43 Bridgeport Rd. E., Waterloo, Ontario N2J 2J4

519-884-2251

For information or ordering call collect:

MasterCard & VISA orders accepted. OEM & dealer inquiries invited.
UNIX is a trademark of Bell Labs. MS-DOS is a trademark of Microsoft Corp.

STREAMLINE YOUR PROGRAMMING

Circle no. 249 on reader service card.

COMBINE THE
RAW POWER OF FORTH
WITH THE CONVENIENCE
OF CONVENTIONAL LANGUAGES

HS FORTH

Why HS/FORTH? Not for speed alone, although it is twice as fast as other full memory Forths, with near assembly language performance when optimized. Not even because it gives MANY more functions per byte than any other Forth. Not because you can run all DOS commands plus COM and EXE programs from within HS/FORTH. Not because you can single step, trace, decompile & dissassemble. Not for the complete syntax checking 8086/ 8087/80186 assembler & optimizer. Nor for the fast 9 digit software floating point or lightning 18 digit 8087 math pack. Not for the half megabyte LINEAR address space for quick access arrays. Not for complete music, sound effects & graphics support. Nor the efficient string functions. Not for unrivaled disk flexibility — including traditional Forth screens (sectored or in files) or free format files, all with full screen editors. Not even because I/O is as easy, but far more powerful, than even Basic. Just redirect the character input and/ or output stream anywhere - display, keyboard, printer or com port, file, or even a memory buffer. You could even transfer control of your entire computer to a terminal thousands of miles away with a simple >COM <COM pair. Even though a few of these reasons might be sufficient, the real reason is that we don't avoid the objections to Forth — WE ELIMINATE THEM!

Public domain products may be cheap; but your time isn't. Don't shortchange yourself. Use the best. Use it now!

HS/FORTH, complete system: \$395. with "FORTH: A Text & Reference" by Kelly and Spies, Prentice-Hall and "The HS/FORTH Supplement" by Kelly and Callahan



The Great

awk is now

in the MKS

Toolkit!

Visa

Mastercard




HARVARD SOFTWORKS

PO BOX 69 SPRINGBORO, OH 45066 (513) 748-0390

Circle no. 132 on reader service card.

ISN'T IT A PITY...



Everything Isn't As Accommodating As

c-tree

/ r-tree

REPORT GENERATOR

Performance and Portability

For all the time you devote to developing your new programs, doesn't it make sense to insure they perform like lightning and can be ported with ease?

c-tree: Multi-Key ISAM Functions For Single User, Network, & Multi Tasking Systems

Based on the most advanced B+ Tree routines available today, **c-tree** gives you unmatched keyed file accessing performance and complete C Source Code. Thousands of professional C programmers are already enjoying **c-tree**'s royalty-free benefits, outstanding performance, and unparalleled portability.

Only FairCom provides single and multi-user capabilities in one source code package, including locking routines for Unix, Xenix, and DOS 3.1., for one low price! In addition, **c-tree** supports fixed and variable record length data files; fixed and variable length key values with key compression; multiple indices in a single index file; and automatic sharing of file descriptors.

r-tree: Multi-File Report Generator

r-tree builds on the power of c-tree to provide sophisticated, multi-line reports. Information spanning multiple files may be used for display purposes or to direct records selection. You can develop new reports or change existing reports without programming or recompiling and can use any text editor to

create or modify **r-tree** report scripts including the complete report layout. At your option, end users may even modify the report scripts you provide.

Unlimited Virtual Fields; Automatic File Traversal

r-tree report scripts can define any number of virtual fields based on complex computational expressions involving application defined data objects and other virtual fields. In addition, r-tree automatically computes values based on the MAX, MIN, SUM, FRQ, or AVG of values spread over multiple records. r-tree even lets you nest these computational functions, causing files from different logical levels to be automatically traversed.

Unlike other report generators, **r-tree** allows you to distribute executable code capable of producing new reports or changing existing reports without royalty payments, provided the code is tied to an application. Your complete source code also includes the report script interpreter and compiler.

How To Order

Put FairCom leadership in programmers utilities to work for you. Order **c-tree** today for \$395 or **r-tree** for \$295. (When ordered together, **r-tree** is only \$255). For VISA, MasterCard and C.O.D. orders, call 314/445-6833. For **c-tree** benchmark comparisons, write FairCom, 2606 Johnson Drive, Columbia, MO 65203.



Complete C Source Code & No Royalties!

Xenix is a registered trademark of Microsoft Corp. Unix is a registered trademark of AT&T

Circle no. 93 on reader service card.

STRUCTURED PROGRAMMING (continued from page 124)

the second pinpoints it.

To use a large matrix of any data type, the application program must first initialize its support. The expanded-memory array needs a second initializing procedure. The actual matrices that are accessed by pointers are dynamically created and optionally initialized by library procedures. Other procedures and functions are available to store and recall matrix elements and clear, delete, save, load, and flush virtual arrays. Error handling is supported via a number of Boolean flags defined in the library.

Listing Nine, page 116, shows a Turbo Pascal program that carries out a matrix-inversion benchmark on a matrix of 140 rows and 140 columns. Notice the initialization and matrix-creation procedures. In addition, you can see the numerous calls for the library routines to store and recall matrix elements.

Table 2, page 124, contains the timing results. I tried three different combinations of page size and number of pages and still obtained the same timings. The table also shows the timings of the 8087-support Turbo Pascal version for smaller matrices. The Turbo Extender manual reports a threefold decrease in speed access for *REALs*. The fact that big matrices can be employed is a welcome feature.

Bibliography

Beidler, J. and Jackowitz, P. *Modula-2*. Boston, Mass.: Prindle, Weber & Schmidt, 1986.

Caverly, P. and Goldstein, P. *Introduction to Ada: A Top-Down Approach for Programmers.* Monterey, Calif.: Brooks/Cole, 1986.

Texel, P. Introductory Ada Packages for Programming. Belmont, Calif.: Wadsworth, 1986.

Walker, B. *Modula-2 Programming* with Data Structures. Belmont, Calif.: Wadsworth, 1986.

DDJ

(Listings begin on page 104.)

Vote for your favorite feature/article.

Circle Reader Service No. 8.

C Programmers:
We support every product in this ad & 700 others. Try any product here with a full 31-day money-back guarantee.

Add Efficient MultiTasking to Your C Program with Multi-C

Create, manage, and communicate among tasks with little RAM and processor overhead. Handle multiple users, printers, communications, or just about anything else without complex polling schemes or lockups in your programs.

Multi-C is designed for ease of use in production programming, and cooperates with your operating system, so functions are reliable. 40 + functions use 32,000 priority levels, handle interrupts, control flags, and messages and control queues.

Multi-C is portable because it's written in C; use it for stand-alone systems, or make Multi-C the kernel of your own operating system.

Particularly good for applications in data acquisition, device control, communications and MS C, Lattice, C86. Partial source. No royalties.

MSDOS \$149



Circle no. 301 on reader service card.

Fastest C **Development on Earth:** Instant C version 2.0

Instant C's NEW version 2.0 gives you immediate (2 secs.) compilation and execution of large (15,000 - line) programs, and the ability to link in external (commercial or your own) libraries in an interactive. Lattice 3.0 or Microsoft 3.0 compatible, interpreter-like environment with an integrated full screen editor and source level debugger.
You'll get full K&R standard C

fast (33 second sieve) execution speed, and debugging with source code animation, single-stepping, backtracing, and unlimited conditional breakpoints.

Instant C now supports multiple screens and graphic devices, run-time checking of pointer and arrary references, and includes a new manual, expanded tutorial and reference section, and complete library source.

617-653-6194 **MSDOS \$399**

Rational

Circle no. 302 on reader service card.

A NEW C STANDARD FOR SCREENS AND WINDOWS:

Setting a new standard for screen generation, C-scape turns your Dan Bricklin Demo Program screens into C code instantly. You can capture existing screens from 1-2-3, Turbo, or that old BASIC diehard and convert them to C in seconds. C-scape can save you immense effort and reduce errors for both new program development and language conversion pro-

C-scape is a combination screen generator and library of input/output functions that provides an advanced and powerful ability to create different types of menus, input fields, help screens, and text with unprecedented speed and flexibility. Tiled, pull-down, and pop-up windows of virtually any depth (limited by RAM) are a key feature, along with scrolling, full color and type support, and individual key or field validation.

Because C-scape is based on C's printf statement, you can embed the

commands for screen positioning and field definition right inside your format string. This helps you produce clear, readable code, which is easier to maintain and change.

Since full source code is provided, the standard library routines can be tailored to meet your exact screen layout and keystroke handling requirements.

All C programmers will benefit from C-scape's readable, intuitive syntax, based on an extension of C's printf function. Beginners will learn by studying code generated from captured screens. Advanced programmers will enjoy C-scape's ease of maintenance. Power programmers will appreciate the free source code provided at no additional cost upon registration.

Oakland Group, Inc. features free updates, an on-line bulletin board for users, and toll-free technical support at 800-233-3733 (800-BEE-FREE) or 617-491-7311

Escape the pitfalls of coding from scratch, and free up your time for creativity and productivity. Buy C-scape now and take advantage of the 31-day review period: satisfaction guaranteed or your money back. No royalties. No license fee. Lattice 3.0, Microsoft 3.0 & 4.0.

Oakland Group, Inc.

PCDOS \$149 Circle no. 303 on reader service card.

"cBRIEF"

10,000 senior programmers already use BRIEF. Even if you are a beginning programmer, user surveys indicate that you can become productive with BRIEF in less than 30 minutes.

BRIEF comes tailored for C programming and you can fit BRIEF to

your style. With every feature needed for your programming plus tailoring, you get the productivity improvement of a "syntax-directed" editor without

· AutoCompile - While in BRIEF you can compile with MS C, Lattice, or several other compilers (we'll even help you support any compiler through our 800-line tech support). You save 20 + seconds each compile, and you can automate as with a CC.EXE or MAKE.

AutoIndent - Save keystrokes and increase style consistency. Use the editor's default indentations or modify to suit.

• Template editing - Controversial editing approach gives you the full structure of a programming construct on-screen and moves cursor from one "fill-in-the-blanks" location to the next.

• Error to Error Tracking - Use "next error" to move to next appropriate line. Display error messages in separate window - even when you add or delete code BRIEF knows where to go.

• Multi-Window Editing - Keep different parts of the same file in horizontal or vertical windows. Put header file in one, main function in another, current function in a third. Any size, any number.

• Macro Language - Completely readable, programmable, will be second nature for an experienced C programmer. Or modify the macro source code we include. Up to 10 different macros can each react in turn to every

character you type.

• Want more? Call The Programmer's Shop and ask about "the incredible UNDO" or for a detailed product description.

800-821-2492

PCDOS \$195

Solution 800-821-2492 Circle no. 305 on reader service card.

FAST, Easy-to-Use Graphics, Royalty-Free: **Essential Graphics**

Draw fast dots, lines, circles, arcs, rectangles, and box fills. Draw a bar or exploded pie chart or a shaded line graph with one function call. Use the font and clip-art manipulation routines with the 10 fonts included (up to 8 simultaneously, or choose from over 500 other fonts and clip-art sets available.

Essential Graphics provides fast animation and graphic windowing using GET and PUT, and generates compact code. Demonstration programs and comprehensive manual included.

Supports IBM Color, EGA, and Hercules cards, Epson and Oki printers. Lattice, Aztec, C86, Desmet, MS C, others. No royalties

201-762-6965

PCDOS \$219

Circle no. 304 on reader service card.

C DYNAMO! WINDOWING: Full C Source, No Royalties

Power Windows and C Function Library

Power Windows covers all the bases: overlays, borders, 1-2-3 style or pop-up menus/help windows, zap instantly on/off screen, status lines, horizontal/vertical scrolling, color control or highlighting, word-wrap, files to windows, keyboard to windows. Powerful, easy to use, integrated error messages, thorough documentation. Supports IBM monochrome or color. MSDOS Only \$119

C Function Library - includes 325 fundamental functions with readable source and thorough documentation. MSDOS Only \$119

No matter what you have, you need these. Best value available. Highly 713-468-4412

Entelekon

Circle no. 306 on reader service card.

Call for Your FREE C Programmer's Directory

HOURS

8:30 AM - 8:00 PM EST.


800-421-8006

THE PROGRAMMER'S SHOP™ 128-D Rockland Street, Hanover, MA 02339 Mass: 800-442-8070 or 617-826-7531 8/86

"I would like to mention that I appreciate the way that the Programmer's Shop does business. It is indeed refreshing to be able to call and get answers that you can trust in, to questions on various products.'

Donald E. Winters MIS Software Development Inc.

OF INTEREST



Graphics

Z3D from Computer Graphics Center is a new 3-D graphics program for the Macintosh computer. The program displays shadows cast from 3-D objects created by the user and shades these objects. The program has 12 fonts available, which can also be displayed in 3-D. Entire scenes can be viewed from any angle. Z3D is priced at \$99. Reader Service No. 16. Computer Graphics Center

Inc. 444 High St. Palo Alto, CA 94301 (415) 325-3111

The IB-3D1 3D Graphics Package from SubLOGIC Corp. contains a set of programs for the creation and real-time animation of 3-D objects. The package includes a custom high-speed assembler/linker, a VIEW program to view and animate 3-D databases, and the Real-Time Animation Language (RTAL) graphic drivers that are also used in several flight-simulator programs. The IB-3D1 3D Graphics Package is available for the IBM PC and compatibles and costs \$995. Reader Service No. 17. SubLOGIC Corp. 713 Edgebrook Dr. Champaign, IL 61820

NSI Logic has begun shipping the EVC (Enhanced Video Controller)-315, an advanced graphics chip. The EVC-315 integrates five graphics standards, is user

(217) 359-8482

programmable, and can operate at a high frequency to achieve high resolutions. The chips are available to OEMs, and the prices begin at \$65 per chip for a minimum order of 10,000. Reader Service No. 18.

NSI Logic Inc.
Cedar Hill Business Park
247-B Cedar Hill Bd.

Marlboro, MA 01752

(617) 460-0717

The Inport device interface from Microsoft Corp. is for hardware manufacturers who want to integrate graphics input devices into their products. The interface scheme includes a new, 40-pin, custom integrated circuit and a small, compact 9-pin connector. Together the chip and connector reduce the amount of circuit-board and end-bracket space required to provide a graphics input device for personal computers. Reader Service No. 19. Microsoft Corp. 16011 N.E. 36th Wy. P.O. Box 97017 Redmond. WA 98073-9717

(206) 882-8080

Definicon Systems has announced MMM, a 32-bit graphics board line for IBM PC-compatible personal computers. MMM combines a million bytes of on-line memory, a million pixels on the screen, and a million instructions per second. The three-board product line comprises two computing engines, DSI-020 and DSI-780, which are based on Motorola's 68020 CPU and 68881 FPU, as well as a graphics processor based on Hitachi's 63484 chip. DSI-020 (16 MHz) costs \$1,994, DSI-780 (16 MHz) costs \$3,295, the graphics expander board costs \$1,495, and the 256-color option for the graphics board costs \$400. Reader Service No. 20. Definicon Systems 31324 Via Colinas, Ste. 108 Westlake Village, CA 91362 (818) 889-1646

A new line of single-slot, IBM PC-compatible, add-in graphics boards are available from Pronto Computers. The HR-1200 Series of color graphics boards provide flicker-free graphics on 60-Hz noninterlaced monitors at $1,280 \times 1,024$ pixels with either 8-bit, 256color display or 4-bit, 16-color display from a palette of 4,096 colors. The boards also include a 256 \times 12 color lookup table, three highspeed digital/analog converters, and 1.5-megabyte memory per screen image. The $1,280 \times 1,024$ -pixel version with 256 simultaneous color display capability is priced at \$3,495; the $1,280 \times 1,024$ -pixel board with 16-color capability is 2.795; the 1.024×768 -pixel board with 256-color capability is \$2,895; and the 1,024 × 768-pixel board with 16-color capability is \$2.195. Reader Service No. 21.

Pronto Computers Inc. 3730 Skypark Dr. Torrance, CA 90505 (213) 539-6400

Languages

QuickBASIC 2.0 from Microsoft Corp. is a high-performance BASIC compiler that offers high-speed, in-memory compilation and allows users to create structured and modular programs. In addition, its built-in editor and debugger shorten development time, letting programmers write, compile, and debugtheir programs without

having to leave the programming environment. QuickBASIC 2.0 runs on the IBM PC and compatibles and costs \$99. Reader Service No. 22. Microsoft Corp. 16011 N.E. 36th Wy. P.O. Box 97017 Redmond, WA 98073-9717 (206) 882-8080

UniPress Software has announced UniShell, a Bourne shell script compiler. UniShell analyzes a shell script, translates it into the C language, compiles it using the system C compiler, and then produces an executable program. UniShell programs run faster than shell scripts, can take advantage of the sticky bit and setuid for increased efficiency and security, are portable, and have well-structured and readable C code. Prices vary according to computer system. Source code is available for \$4,995. Reader Service No. 23. **UniPress Software** 2025 Lincoln Hwy. Edison, NJ 08817


A Modula-2 language system is now available from **Djavaheri Bros.** This Modula-2 runs on the MC68020 processor-based Unix system Altos 3068 Computer System. The price for the product is \$495. Reader Service No. 24. Djavaheri Bros. 697 Saturn Ct. Foster City, CA 94404 (415) 341-1768

(201) 985-8000

Allen Systems' CP-97 Pascal Cross Compiler for the 8097 16-bit microcontroller on a chip is a complete programming environment oriented around a subset of the Pascal programming

Breaking the 640K DOS Barrier:

New version of Alsys PC AT Ada* compiler improves speed, adds application developer's guide, brings seven 80286 machines to latest validation status.



Alsys' landmark Ada compiler for the PC AT, the first to bring Ada to popular-priced microcomputers, has been upgraded to Version 1.2 with significant improvements.

The new version compiles faster than its predecessor, is validated for a full range of popular compatibles using the latest AJPO test suite 1.7, and includes a Developer's Guide in the documentation set. The price remains at \$2,995 for single units, including a 4 megabyte RAM board.

Both the original and the newly upgraded versions utilize the inherent capabilities of the 80286 chip and "virtual mode" to eliminate the 640K limitations of DOS. These techniques permit addressing up to 16 MB of memory, under the control of DOS, without changes to DOS in any way!

80286 machines validated in the new release include HP's Vectra, Compaq's Deskpro 286, Sperry's PC/IT, Zenith's 200 series (including the Z-248), Tandy's 3000 HD, the Goupil/40, and the IBM PC AT. The compiler supports DOS 3.0 or higher. Ada programs compiled on the AT will also run on PCs and XTs supporting DOS 2.1 or higher.



ALSYS, INC., 1432 Main Street, Waltham, MA 02154 DDJ 1186 ADA NOW. Tell me more about the PC AT Ada compiler.

Name	
Title	
Company	and the same than
Address	
City	
State/Zip	a the classic length
Phone/Ext	

In the US: Alsys Inc., 1432 Main St., Waltham, MA 02154 Tel: (617) 890-0030

In the UK: Alsys Ltd., Partridge House, Newtown Rd., Henley-on-Thames, Oxon RG9 1EN Tel: 44 (491) 579090

In the rest of the world: Alsys SA, 29, Avenue de Versailles, 78170 La Celle St. Cloud, France Tel: 33 (1) 3918.12.44

*Ada is a registered trademark of the U.S. Government (AJPO). Alsys is the trademark of Alsys, Inc. References to other computer systems use trademarks owned by the respective manufacturers.



OF INTEREST (continued from page 128)

language. The CP (Control Pascal) system is designed to run on IBM PCs and compatibles and includes a screen editor, cross compiler, interpreter, translator, terminal driver, and runtime support software. CP-97 costs \$200. Reader Service No. 25.

Allen Systems 2151 Fairfax Rd. Columbus, OH 43221 (614) 488-7122

The cEnglish Data Base Interface Library from cLine has more than 200 functions that provide easy access to the capabilities of the industry-standard file management system C-ISAM. This library allows C applications to be moved easily between MS-DOS, Xenix, and Unix with 100 percent portability across a wide range of systems. The function library includes a broad inventory of tools for screen and memory management, database interfacing, formatting, and utilities. The C functions are accessed by using an English-like preprocessor that creates Lattice C-compatible source code. Reader Service No. 26.

cLine 3550 Camino del Rio North Ste. 208 San Diego, CA 92108 (619) 281-5593

Cobalt Blue has announced the release of RTC. a Ratfor-to-C translator, in both PC-DOS and VAX-VMS formats. RTC is priced at \$450 for PC-DOS and \$1,950 for VAX-VMS. Reader Service No. 27. Cobalt Blue 1683 Milroy, Ste. 101 San Jose, CA 95124 (408) 723-0474

IntelligenceWare's Intelli-

gence/Compiler is an expert-system development environment and knowledge compiler that provides advanced symbolic computing technology on business and industrial computer systems. The Intelligence/Compiler produces code that allows expert systems to interfaced to conventional languages, applications, and external databases or used on portable computers. Reader Service No. 28. IntelligenceWare Inc. 9800 S. Sepulveda Blvd. Ste. 730 Los Angeles, CA 90045

For the IBM PC

(213) 417-8896

International Battery Corp. (IBC) is now marketing lithium replacement batteries for the IBM PC/AT. The AT's internal real-time clock is maintained by an independent battery located on the motherboard when the power switched off. When this battery fails, the formatting memory of the computer shuts down, requiring total reconfiguration of the hardware. The replacement batteries cost \$27.50 each. Reader Service No. 31.

International Battery Corp. 6860 Canby Ave., Ste. 113 Reseda, CA 91335 (818) 609-0516

The Bubbl-Tec division of PC/M has announced the PC-1 Bubbl-Board, a magnetic-bubble, mass-storage system for the IBM PC, PC/ XT, and PC/AT. The PC-1 provides 1/2 megabyte of magnetic-bubble memory on a single PC adapter card. The system also provides 512K of nonvolatile mass storage and incorporates intelligent control firmware and circuitry that handles bubble-device formatting and control, interfaces the bubble-memory system to the PC's bus structure, and provides for both soft- and hard-error detection and correction. The 512K version of the PC-1 system is priced at \$1,111. Reader Service No. 32. **Bubbl-Tec** 6805 Sierra Ct. Dublin, CA 94568 (415) 829-8700

Sysgen has introduced an internal Winchester subsystem featuring removable hard-disk cartridges for the IBM PC, PC/XT, PC/ AT, and compatibles. Dura-Pak provides PC users with the transportability, security, and unlimited capacity characteristic of removable media. The system is internal, leaving no footprint. The single-drive, 15-megabyte DuraPak system is priced at \$1,295, and the 30megabyte, dual-drive Dura-Pak is priced at \$2,095. Reader Service No. 33. Sysgen Inc. 47853 Warm Springs Blvd. Fremont, CA 94539

(415) 490-6770

A new plug-in board for the IBM PC and compatibles, Microsoft Corp.'s MACH 10 is designed to improve the PC's ability to run the graphical user interface and multitasking features of Microsoft Windows. The board replaces the 8088 processor chip with a 16-bit 8086 that runs at nearly 10 MHz and uses high-speed cache memory to act as a buffer between the processor and the computer's main memory. MACH 10, including the InPort Mouse and Windows, has a suggested retail price of \$549. Reader Service No. 34. Microsoft Corp. 16011 N.E. 36th Wy. P.O. Box 97017 Redmond, WA 98073-9717 (206) 882-8080

For the Atari ST

Abacus Software has announced Introduction to MIDI Programming for the Atari ST by Len Dorfman and Dennis Young. The book includes the source listings for a comprehensive MIDI editor, driver, and animated player for any of the Casio CZ series synthesizers. The source can be modified for other makes and models. The price of the book is \$19.95. Reader Service No. 29. Abacus Software 2201 Kalamazoo SE P.O. Box 7211 Grand Rapids, MI 49510 (616) 241-5510

Mark Williams Co. has begun shipping Mark Williams C for the Atari ST. It features a complete implementation of K & R C plus the recent extensions to C implemented under Unix. It includes a shell, utilities, and a full-screen editor and costs \$179.95. Reader Service No. 30. Mark Williams Co.

1430 W. Wrightwood Ave. Chicago, IL 60614 (312) 472-6659

Networking

A Hayes-compatible 2,400baud modem, one of the L series, is available from Leading Edge Hardware Products. The modem is priced at \$289. Reader Service No. 35.

Leading Edge Hardware Products Inc. 225 Turnpike St. Canton, MA 02021 (617) 828-8150

A linking program from **EKD Computer Sales and** Supplies Corp, pcAnywhere can support up to 19,200 baud, offers conversational and copilot mode, can transfer files bidirectionally, and can be used with 28 popular terminals with customization for

LOGITECH MODULA-2/86


\$89 Price

- Separate Compilation
- Native Code Generation
- Large Memory Model Support
- Multitasking
- Powerful Debugging Tools
- Comprehensive Module Library
- Available for the PC and the VAX Use LOGITECH MODULA-2/86 to decrease your overall development cycle and produce more reliable, more maintainable code.



\$89 Includes Editor, Run Time System, Linker,

8087 Software Emulation, Binary Coded Decimal (BCD) Module, Logitech's comprehensive library, Utility to generate standard .EXE files. AND more!



LOGITECH MODULA-2/86 PLUS \$189


For machines with 512K of RAM. Increases compilation speed by 50%.

RUN TIME DEBUGGER (Source level!)

The ultimate professional's tool! Display source, data, call chain and raw memory. Set break points, variables, pinpoint bugs in your source!

UTILITIES PACKAGE \$49

Features a Post-Mortem Debugger (PMD). If your program crashes at run-time the PMD allows you to analyze the status of the program and locate the error. Also includes a Disassembler, Cross Reference Utility, and Version that allows conditional compilation.



Source code now available for customization or exemplification.



WINDOW PACKAGE

Build windows into your programs. Features virtual screens, color support, overlapping windows and a variety of borders.

MAKE UTILITY

Figures out dependencies and automatically selects modules affected by code changes to minimize recompilation and relinking.

CROSS RUN TIME Debugger and ROM Package

Still available at an introductory price!

TURBO PASCAL to MODULA-2 TRANSLATOR

"Turbo Pascal... is a very good system. But don't make the mistake of trying to use it for large programs.'

Niklaus Wirth*

\$49

S29

Our Translator makes it even easier for Turbo users to step up to Modula-2/86. It changes your Turbo source code into Modula-2/86 source, solves all the incompatibilities, and translates the function calls of Turbo into Modula-2/86 procedures. Implements the complete Turbo libraries!

Call for information about our VAX/VMS version, Site License, University Discounts, Dealer & Distributor pricing.

30 Day Money Back Guarantee! To place an order call our special toll free number:

800-231-7717 in California 800-552-8885

Special Holiday Offer

Step up to the power of LOGITECH MODULA-2/86 at a saving of nearly \$100 off our usual low prices! We're offering a complete tool set including our compiler with 8087 support (for use with or without an 8087), our Turbo to Modula-2/86 Translator, Run Time Debugger, and Utilities in one holiday package at a special price!

YES I want to step up to LOGITECH MODULA-2/86!

LOGITECH MODUL	A-2/00!
Here's the configuration I'd like:	
☐ Special Holiday Package	\$199
☐ Logitech Modula-2/86	\$89
□ with 8087 support	\$129
☐ Plus Package	\$189
☐ Turbo to Modula Translator	849
☐ Run Time Debugger	\$69
☐ Utilities Package	\$49
☐ Library Sources	\$99
☐ Window Package	\$49
☐ Make Utility	\$29
☐ ROM Package	\$199
Add \$6.50 for shipping and handling. residents add applicable sales tax. Pri in U.S. only.	Calif. ces valid
Total Enclosed \$_	
☐ Visa ☐ MasterCard ☐ Check E	nclosed
Card Number Expir	ation Date
Signature	

Name

Address

Phone



Logitech, Inc. 805 Veterans Blvd. Redwood City, CA 94063 Tel: 415-365-9852

State

Zip

In Europe: Logitech SA, Switzerland Tel: 41-21-879656

In Italy: Tel: 39-2-215-5622

OF INTEREST

(continued from page 130)

other terminal types available. It is priced at \$95 for each host machine. The remote computer program ATERM can be copied as many times as required. Reader Service No. 36. **EKD Computer Sales and**

Supplies Corp. 764 Middle Country Rd. Selden, NY 11784 (516) 736-0500

PCC/Systems has introduced cc:Mail, a high-end electronic-mail product. Cc:Mail has a file-server-tofile-server message exchange that can be used on individual networks and between networks that are bridged together. All users of local-area networks can exchange text, graphics, and files with any other PC user who is either within or outside the network. Cc:Mail for LANs sells for \$995 for a ten-user starter package and is available for a variety of networks. Reader Service No. 37.

PCC/Systems 480 California Ave., Ste. 201 Palo Alto, CA 94306

(415) 321-0430

Miscellaneous

Motorola's Microprocessor Products Group has announced the 25-MHz (40nanosecond) version of the MC68020 32-bit microprocessor and the 20-MHz (50nanosecond) version of the MC68881 Floating Point Coprocessor. Prices vary according to quantity and speed. Reader Service No.

Motorola Inc. Microprocessor Products Group P.O. Box 3600 Austin, TX 78764

(512) 928-6000

The Disk Defender from **Director Technologies** is a hardware write-protect device for fixed Winchester disks. The product consists of a circuit board, a control box, and a ribbon cable. The circuit board can be installed in either the short or long slot of the IBM PC, PC/XT, and compatible computers. Using full protection, the entire hard disk is readable but not writable. The suggested retail price is \$185. Reader Service No. 39.

Director Technologies Inc. P.O. Box 7067 Evanston, IL 60204 (312) 475-3070

Burton Systems Software is now shipping TLIB, a source-code-revision control system and librarian for PC-DOS and MS-DOS com-

puters. TLIB works with LANs and handles synchronized control of multiple, related source files. A copy of Landon Dver's MAKE utility is also included. TLIB is not copy-protected and is available for \$99.95. Reader Service No. 40.

Burton Systems Software P.O. Box 4156 Cary, NC 27511-4156 (919) 469-3068

Phoenix Technologies'

PC/AT-compatible ROM BIOS for Intel's 80386 is now available. The Phoenix BIOS includes such features as extended central processor diagnostics, full 32-bit memory testing, support for the 80387 numeric coprocessor, and support for processing speeds up to 20 MHz. Reader Service No. 41.

Phoenix Technologies Ltd. 320 Norwood Park S



On-Line HELP! Function Library

HELP! Fullction Library that gives your software instant, context—sensitive, pop—up HELP! windows at the touch of a key. Link your C code with the HELP! library, tell HELP! which window is current, and HELP! does the rest — fast. HELP! writes directly to video memory with no flicker or snow.

HELP! Runs on PCs and compatibles, B+W or CGA. Source code is available.

HELP! Composer

Compose your HELPI windows interactively. Control HELPI window text, size, colors, position, borders, titles. The HELPI Composer runs as a standalone utility or link it along with your programs to watch each HELPI window take form against the backdrop of your own screen designs. The HELPI Composer builds an ASCII text file to describe all the HELPI windows for each application

Complete Windows and Pop-Down Menu Library

A bonus: Use the window and pop—down menu functions from the HELPI library in your own programs. This is a complete C window package. Open and close windows, fill windows with text, scroll, select with a cursor bar, promote a window from the background, move a window

Use the full-featured, window-oriented HELP! Text Editor to collect text data into your application. Open a window and call the editor.

HELPI links with programs compiled by most MS—DOS C compilers: Aztec, CI—C86, Datalight, DeSmet, Eco—C88, High C, Lattice, Lets C, Microsoft, Whitesmiths, Wizard, Most memory models are supported. The HELPI distribution package includes libraries, a C demo program, and a complete Programmer's Manual.

HELPI: \$49. HELPI with Source Code: \$149. Demo diskette: \$10, deducted from your order. Specify compiler. MasterCard and VISA are accepted. (FL residents add 5% sales tax.)

C SOFTWARE TOOLSET

2983 Newfound Harbor Drive - Merritt Island, FL 32952 - (305) 453-0257

Circle no. 235 on reader service card.

Parallel Programming for "C"

INTERWORK A Concurrent Programming Toolkit

Interwork is a "C" program library which allows you to write your programs as a set of cooperating concurrent tasks. Very useful for simulation, real-time applications, and experimentation with parallel programming.

FEATURES

- · Supports a very large number of tasks (typically more than 100) limited only by available memory. Low overhead per task results in very fast context switching.
- Provides a full set of inter-task communication (ITC) facilities, including shared memory, locks, semaphores, blocking queues, and UNIX*-style signals. Also has building blocks for constructing your own ITC facilities.
- Handles interrupts (DOS version) and integrates them into task scheduling. Supply your own interrupt handlers or block tasks on interrupts.
- Lets you trace task switches and inter-task communication.
- Comes with complete documentation including a user's manual and reference manual of commands.

Interwork is available for the following systems:

Price Operating System Hardware IBM PC, XT, AT PC-DOS 2.0 or later \$129 IBM PC AT XENIX* \$159 DEC VAX*, SUN III UNIX 4.2BSD \$249

PC-DOS version is compatible with DeSmet, Lattice, and Microsoft C compilers.

Please specify hardware and operating system when ordering. Shipping and handling included; COD orders add \$2.50. Send check or money order to:



Block Island Technologies Innovative Computer Software


13563 NW Cornell Road, Suite 230, Portland, Oregon 97229-5892 (503) 241-8971

*Trademarks: UNIX, AT&T Bell Laboratories, Inc.; XENIX, Microsoft, Inc.; VAX, Digital Equipment Corporation

Circle no. 263 on reader service card.

HAUPPAU

Is Getting A Fast Reputation.



ing a fast reputation with their 87 Math Pak, the combination of an 87 chip and 87 Software Pak that's been accelerating PC math since 1982.

Next came their racy 287 FAST/5, a math coprocessor module with its own 5MHz clock, speeding up PC/AT math by 25%. (Pictured above.)

Now, Hauppauge Unveils the 287 FAST/10... Our newest math coprocessor for the PC/AT, the 287 FAST/10 moves out at 10MHz—more than doubling the speed of each floating point math operation. The FAST/10 accelerates AutoCad, 1-2-3, Symphony, Turbo Pascal, Framework and more. The FAST/10 also runs in PC/AT compatibles including the Compaq Deskpro 286, Sperry PC/IT and most 286 accelerator boards.

... And the 87 Software Pak Version 6.0

Designed to steal the heart of programmers, the 87 Software Pak supports IBM's BASIC Compiler 1.0 and 2.0, and Microsoft's QuickBASIC, executing math-intensive programs up to 20 times faster! The 87 Software Pak also performs FFT's and Matrix operations. For example, a PC (or PC/XT) with an 87 Chip and 87 Software Pak can perform a 512-point complex FFT in just 1.1 seconds. What's more, a PC/AT with a FAST/10 inverts a 25 by 25 element matrix in under 1 second.

HAUPPAUGE Math Coprocessors 287 FAST/10 10MHz math coprocessor for PC/AT and compatibles ...\$469 287 FAST/8 8MHz math coprocessor for PC/AT and compatibles ..\$379 287 Chip PC/AT math coprocessor—runs at 4MHz in the old model IBM PC/AT and 5.33 MHz in the new

model PC/AT.....\$219 87 Chip Math coprocessor for IBM PC, PC/XT and compatibles\$129 87 Chip Math coprocessor for 8MHz PC

HAUPPAUGE Math Coprocessor Paks 87 Math Pak V.6.0 87 chip and math coprocessor soft-ware support for IBM BASIC Compiler 1.0, 2.0 and Micro-soft's QuickBASIC. Plus, Matrix and FFT support, one year of free updates, complete source code and "8087 Applica-tions and Programming".....\$279 87 Software Pak V.6.0 Math coprocessor software support as in the 87 Math Pak, but without 87 chip......\$180

Recalc + Math coprocessor support for 1-2-3 version 1A\$ 95 HFT + Complete Hayes Fourier Transform Package....\$125

The 287 FAST/10 Doubles Your PC/AT's Math Speed! Help your PC/AT get a fast reputation with Hauppauge's new 287 FAST/10. Call today, or contact your local computer dealer to learn more about Hauppauge's racy product line. And ask for "87 Q & A," our free booklet on

math coprocessors.

Hauppauge Computer Works, Inc. 358 Veterans Memorial Highway, Suite MSI, Commack, New York, USA 11725 516-360-3827 • TELEX: 262939-HCW

OF INTEREST (continued from page 132)

Norwood, MA 02062 (617) 769-7020

Software Composers has announced Delta Board, a $4\frac{1}{2} \times 6\frac{1}{2}$ -inch circuit board built around the Novix NC4000 single-chip Forth engine. The board provides essentials for immediate application use: stack memory, program RAM, and EPROM with a public-domain Forth interpreter. Delta Board costs \$795. Reader Service No. 42. Software Composers 210 California Ave., Ste. F Palo Alto, CA 94306 (415) 322-8763

The STD bus-based system from **Devtek Systems** supports program development for 8085, Z80, 8086, and 8088 CPUs. An IBM PC or

compatible is used as the system console and for program storage. Programs are downloaded to the STD system where a full complement of debugging utilities can be operated from the PC. The price is \$695. Reader Service No. 43. Devtek Systems P.O. Box 5224

Lancaster, PA 17601

(717) 560-0652

Viasyn Corp. is now shipping the CompuPro 286/80, a multiuser computer. The CompuPro 286/80 includes an 80-megabyte hard disk with a dedicated 512K cache buffer, a 16-slot S-100R motherboard, a built-in tape backup unit, 800K floppy-disk drive, 768K of main memory, and an 8-MHz 80286 central processor. The computer has a suggested list price of \$12,500. Reader Service No.

44. Viasyn Corp. 26538 Danti Ct. Hayward, CA 94545-3999 (415) 786-0909

PCMK from G. W. Glasscock brings MS-DOS programmers the power of the Unix make command. Using information stored in the make file and builtin knowledge, PCMK can automatically construct a program. Features provided by the program are wildcard character expansion, full path-name support, user-defined macros, access to DOS environment via macros, access to internally generated macros, built-in rules defined by users, and direct execution of commands using the environment Path variable. The price is \$21. Reader Service No. 45. G. W. Glasscock

15617 S.E. Fairwood Blvd. Renton, WA 98058 (206) 271-0638

Premier Technologies has announced LiteDrive, a portable internal hard-disk system to enhance the Zenith Data Systems' Z-171 laptop computer. The system adds 27 times the original disk capacity at up to 20 times the access speed. The 10-megabyte system is installed in place of the second floppy and runs on both battery and AC power. Reader Service No. 46. Premier Technologies Inc. 1890 McGraw Ave. P.O. Box 16279 Irvine, CA 92714 (714) 261-1184

DDJ

IQGLISP

THE CLOSEST THING TO COMMON LISP AVAILABLE FOR YOUR PC

RICH SET OF DATA TYPES

Bignums, for high precision arithmetic 8087 support, for fast floating point Arrays, for multidimensional data Streams, for device-independent i/o Packages, for partitioning large systems Characters, strings, bit-arrays

FULL SET OF CONTROL PRIMITIVES

flet, labels, macrolet, for local functions if, when, unless, case, cond, for conditionals Keyword parameters, for flexibility Multiple-valued functions, for clarity Flavors, for object-oriented programming Stacks, for coroutining Closures, for encapsulation

LARGE COMPLEMENT OF FUNCTIONS

Mappers, for functional programming format, for output control sort, for user-specified predicates Transcendental floating point functions String handling functions
Over 400 functions altogether

APPLICATION SUPPORT

Save and restore full environments User-specified initializations Assembly language interface

HARDWARE REQUIREMENTS

8088 or 8086 CPU, MSDOS Operating System 390K RAM or more

IQCLISP

51/4" diskettes and manual

\$300.00

Foreign orders add \$30.00 for airmail.
U.S. Shipping included for prepaid orders.

∫**q** Integral Quality
P.O. Box 31970
Seattle, Washington 98103
(206) 527-2918

Washington State residents add sales tax.
VISA and MASTERCARD accepted.

EXTENDABILITY

defstruct, to add data types
Macros, to add control constructs
Read macros, to extend the input syntax
Extendable arithmetic system
Customizable window system

DEBUGGING SUPPORT

step, for single-stepping trace, for monitoring break, for probing inspect, for exploring Flexible error recovery Customizable pretty-printer

MSDOS INTERFACE

Random access files Hierarchical directory access MSDOS calls

DOCUMENTATION

On-line documentation of functions apropos
300-page indexed reference manual

ADVERTISER INDEX

Read Servi		Read	
No.	No.	No.	Advertiser N
	Advertiser		
296	2500 A.D. Software 95	108	Manx Software Systems
92	Addison Wesley 97	102	Mark Williams Company
19	Allen Emerson & Franklin 114	285	MDS, Inc
178	Alloy Computer Products 34	199	Media Cybernetics
273	Alsys	197	MGlobal
231	Apple Computer 28-29	300	Micro Way
121	Arity Corporation123	286	Microcompatibles
242	Ashton Tate	215	MicroHelp, Inc
248	Ashton Tate 73		Micromint 7
250	Austin Code Works121	84	MicroPlot
115	Barrington Systems, Inc 4-5	154	Microport Systems, Inc 66-
182	BC Associates 103	105	Microprocessors Unlimited
267	Beacon Street Software, Inc 80	*	Microsoft40-
59	Blaise Computing 89		
217	Blaise Computing 88	156 249	Mix Software
63	Block Island Tech 132		Mortice Kern Systems, Inc 1
61	Borland International	220	Nantucket Corporation
12	Burton Systems Software 90	243	Norton Utilities
35	C Software Toolset 132	251	Nostradamus
81	C Users Groups 90	227	Oakland Group, Inc.
79	Carint 72	254	Oasys
307	Cauzin Systems 46-47	200	PC Network 65c-65
*	Cauzin Systems 86	224	Personal Computer Support Group (
22	Compu View 81	76	Personal Tex1
94	Consulair Corporation 60	169	Poor Person Software 10
238	Crackerjack Microsoftware Corp 106	229	Port - A - Soft
*	Creative Programming	129	Programmer's Connection 68-6
268	Custom Software Systems 80	129	Programmer's Connection 70-
14	Data Base Decisions	113	Programmer's Journal10
203 *	Datalight9	174	Programmer's Shop 12
	Desktop A.I 79	133	Programmer's Shop 118-1
87	Digital Research Computers 77	301-	0
27	Digitalk 65a DDJ Allen Holub-Shell 108	306	Programmer's Shop12
•	DDJ C-Products	206	Raima Corporation
*	DDJ Z80 Toolbook	145	Rational Systems
*	DDJ 68000 Toolbook		SAS Institute
*	DDJ Taming Dos	168	Sapiens Software7
*	DDJ Stat Toolbox for Turbo Pascal 112	183	SBC Mart
89	Ecosoft, Inc 83	210	Scientific Endeavors
*	Edward K. Ream 72	85	SemiDisk Systems
73	Entelekon 57	78	
38	Essential Software 58	259	SLR Systems
39	Essential Software 59	218	Software Directions, Inc
93	Fair-Com 126	170	
*	Gimpel Software 26	142	Software Security, Inc
97	Greenleaf Software		Solution Systems
32	Harvard Softworks 125	148	Solution Systems
74	Hauppauge Computer Works 133	152	Solution Systems
76	Haventree Software 101	106	Spectra 10
33	Hawaiian Village Computers 53	287	Stonybrook Software
80	Hersey Micro Consulting101	245/ 279	Tech PC
93	IMSI65b	230	TSF
94	Info Pro Systems 76	119	Turbo Tech Report DDJ Newsletter 3
•	Integral Quality, Inc	176	
90	Intel Corporation 105		Unify Corporation
94	Kurtzberg Computer Systems 93	157	Vermont Creative Software
75	Kydor Computer Systems106	247	Vivid Systems
86	Lahey Computer Systems, Inc 121	189	Warp Speed Light Pen
66	Language Processors, Inc 91	112	Wendin 1
01	Lattice, Inc	282	Whitewater Group (The) 1
18	Lifeboat/Scarborough Systems 91	116	Wizard Systems
	Logitech, Inc	244	Workman & Associates 7
57 35	Lugaru 43	225	Xenosoft

*This advertiser prefers to be contacted directly: see ad for phone number.

ADVERTISING SALES OFFICES

Northern California/Northwest

Southern California/AZ/NM/TX

Michael Wiener (415) 366-3600

Lisa Boudreau (415) 366-3600

Michele Beaty (317) 875-8093

Southeast

Gary George (404) 897-1923

Northeast

Cynthia Zuck (718) 499-9333

Advertising Director Robert Horton (415) 366-3600

It's good for your system.

FULLY Integrated, Data Entry Windows!

- Complete input formatting Unlimited Validation
- Full attribute control
- Multiple virtual windows
- Fully automatic, collision proof overlay and restore
- Print to & scroll background windows
- Animated window "zoom"
- Move, grow, shrink, hide, or show any window
- "Loop function" allows processing while awaiting input

AND MUCH MORE!

Includes 100% source, tutorial, reference manual, examples, and sample programs.

Specify Microsoft, Lattice v2 or v3, Computer Innovations, Aztec, DeSmet, or Mark Williams. Ask about Unix.

100% Money Back Guarantee

NOW ... VCScreen!

Our new interactive screen "painter" actually lets you draw your data entry windows! Define fields, text, boxes & borders. Move them around. Change attributes. Then the touch of a button generates C source code calls to the Vitamin C routines!

Requires Vitamin C Library above. For IBM & compatibles.

For Orders Or Information. (214) 245-6090

Creative Programming Consultants, Inc. Box 112097 Carrollton, TX 75011-2097

Include \$3 ground, \$6 air, \$15 overnight shipping, \$25 if outside USA. Texans add 6 1/8/8 tax. All funds must be in U.S. dollars drawn on a




SWAINE'S FLAMES

peaking of languages that you don't speak of, have you programmed in BASIC lately? BASIC, as everyone knows, is not an appropriate language for serious software development, having been expressly created for teaching beginning programmers to program badly. BASIC is slow. BASIC encourages bad programming practices. BASIC is limited to 64K RAM for data. BASIC does not provide a set of development tools. Consequently DDJ, although founded to put BASIC in the hands of programmers in 1976, has not wasted space on BA-SIC recently.

Now there are those who argue, for their own mercenary purposes no doubt, that BASIC is becoming a serious development language. They point to the impressive compiled-code speed measures turned in by the latest implementations. But should we pay any attention to Hal Hardenbergh's claim that he has benchmarked his own HBASIC (née Halgol) for the Atari ST at speeds more comparable to C code than to ST BASIC code?

They say that the control structures of BASIC have evolved to the point that the language actually encourages structured style, that case statements and multiline if-then-else structures kill the taste for spaghetti code, that with True BASIC and QuickBASIC the language is even getting away from line numbers. They argue that BASIC functions and subroutines are becoming more effective tools for modularizing code, with more flexible parameter-passing techniques and the possibility of defining subroutines to be external or internal. They talk about how the new versions of BASIC offer significant support for function libraries; how QuickBASIC supports separately compiled modules without a linking step; and how Mach 2, a col-



lection of utilities from Microhelp in Marietta, Georgia, embodies a new method for incorporating assemblylanguage routines into interpreted BA-SIC programs.

I think these must be the same people who point out that the 64K memory limitation that has kept BASIC in the toy category for years has been eliminated in the modern BASICs and in products such as Mach 2.

But they really show their ignorance when they point out the ease of use of the new BASICs; how they blend characteristics of a compiler and an interpreter; and how the programming environment provided with, say, QuickBASIC is a dream. Don't they know that serious programming languages should not be easy to use? And then they argue that it's time to take a fresh look at BASIC.

Who do these people think they're talking to? If BASIC had become a serious programming language, don't they think you'd already know about it? Why you'd have been reading articles about it in....

Last month I wrote about Stan Kelly-Bootle's yacc (yet another comment compiler), which ignores the code and compiles the comments. My cousin Corbett tells me that he was reminded of SK-B's yacc this week as he read something Niklaus Wirth said: "Die Grundidee hinter Pascal, wie auch schon bei ALGOL, war, dass man Strukturen einführt, damit

die Sätze der Sprache sich später so präsentieren, dass man beim Lesen die Struktur des Programms erkennen kann." (PC Magazin, vol. 21, no. 22, May 1986.)

Which in real language, Corbett tells me, means something like: "The idea behind Pascal and ALGOL was to invent structures that would allow you to program by writing English sentences that implement the program logic." The goal seems eminently right; it's probably what the designer of COBOL would say she had in mind. Corbett maintains that it is obvious that neither of them did it right. He restates the goal this way: In constructing the syntax of a programming language, how close can we get to the ideal of making the efficient implementation of the program in the language and the clear statement of the algorithm in English identical?

Corbett is now engaged in a massive comment compilation project not connected with Stan Kelly-Bootle's scheme. He argues that if we knew just how programmers wanted to express their algorithms in English, we would have a model for the syntax of the ideal programming language, the one that makes the English description and the code identical. But the kinds of sentences we want to write describing the logic of programs, he claims, are just the ones we are already writing-called commentsonly spelled better. Corbett plans to do a linguistic analysis of programmers' comments-along the lines of the textual analyses used to establish authorship of manuscripts-to determine the kinds of language constructs we really need in the perfect programming language.

Michael Swans

Michael Swaine

MAKE YOUR IBM PC FASTER THAN AT.



IN JUST 5 MINUTES!

DON'T TAKE OUR WORD FOR IT. USE IT FOR 60 DAYS. IF YOU ARE NOT TOTALLY SATISFIED RETURN IT FOR A FULL REFUND.

It sounds great; the idea of a speedup board that you can just plug right in as easily as putting bread in a toaster. How wonderful to be able to convert a PC or XT to a \$4000 AT without the expense. But even when you get ready to spend \$595.00 you want to be sure your choice is the very best.

Here at PCSG we sell our IBM PC disk access speedup software by the thousands. But software doesn't do anything about speeding up the microprocessor (or CPU) speed. As you know the microprocessor is the brain of the computer that controls all the operations like screen updates and calculations like a spreadsheet makes.

Faster and smarter than an AT – PCSG guarantees it.

We wanted to offer a speedup card that would be the complement to our disk speedup software, (incidentally included at no extra charge.) We wanted it to be literally the most advanced, compatible and feature rich board available today. We could only be satisfied with a board that was the finest example of the engineering art.

There is no question we have met our every objective by developing and manufacturing the *BREAKTHRU 286* card. This is the best designed and most functional speed up card available today. We guarantee it.

HERE IS WHAT MAKES IT SO SPECIAL.

First, it installs so easily. It is a half slot card, only five inches in length. You don't even have to give up a full slot. What's more, unlike competing products it works in the Compaq and most clones. The instructions are so simple we considered showing a picture of a child putting it in. Easy diagrams show how you just place the card in an open slot, remove the original processor and connect a single cable. There is no software required. From that moment you are running faster than an AT.

Second, it is advanced. The *BREAKTHRU 286* replaces the CPU of the PC or XT with an 80286 microprocessor that is faster

than the one found in the AT. A 16K cache memory provides zero-wait-access to the most recently used code and data. In benchmark tests the card accelerated software programs—both custom and off-the-shelf anywhere from 200% to as much as 700%. Acceleration factor is up to 7.8x on the Norton SysInfotest! Wow!

Third, you have full compatibility. All existing system RAM, hardware, and peripheral cards can be used without software modification. It operates with LAN and mainframe communication products and conforms to the Lotus/Intel/Microsoft Expanded Memory Specification (EMS). Software compatibility is virtually universal.

Fourth, it is the best there is. There are several other boards on the market. Some are priced about the same as the *BREAKTHRU 286* and some are cheaper. We at PCSG have compared them all, but there simply was no comparison. What we discovered is that many cards being sold offer only a marginal speed up in spite of their claims. We found some to be merely versions of the obsolete 8088 or 8086, and others to be just poorly engineered. The 8MHz *BREAKTHRU 286* is unequivocally the best executed and most completely reliable speedup board manufactured today.

PCSG has since early 1983 dominated the lap portable market with ROM software such a Lucid spreadsheet and Write ROM that reviewers rated as excellent. We were proud to successfully enter the IBM PC market last year with disk access speedup software. Now we are so pleased with the *BREAKTHRU* speedup card. We use them on our own PC's to make them faster than AT's. We are really excited about this product.

PCSG makes the unabashed statement that the *BREAKTHRU* 286 card represents more advanced technology than boards by Orchid, Quadram, Victor, Mountain, P.C. Technologies, Phoenix ... we could go on.

But an ad can't let you experience it for yourself. That's why we sell the *BREAKTHRU* 286 on a 60 day trial. If you aren't completely satisfied return it within 60 days for a full refund. It is priced at \$595. Call today with your MasterCard, Visa, American Express or COD instructions and we will ship your card the very next day.



Circle **no. 224** on reader service card.

PERSONAL COMPUTER SUPPORT GROUP

11035 Harry Hines Blvd. #207 • Dallas, Texas 75229

214-351-0564







Why more than half a million people are using Turbo Pascal

Because Turbo Pascal is faster than any other Pascal compiler—it's become the industry standard. And because Turbo Pascal is backed by a complete range of "tool boxes" that give you most of the programming tools you'll ever need.

> The Turbo Pascal family is never static, but is continuously expanding, with new products like Turbo Editor Toolbox and Turbo Gameworks.

Language deal of the century...Turbo Pascal Jeff Duntemann, PC Magazine Turbo Pascal has got to be the best value in languages on the Jerry Pournelle, BYTE Magazine market today This compiler, produced by Borland International, is one of the best programming tools

presently available for the PC

Michael Covington, PC Tech Journal 99

The secret of software success is not merely low price, but top quality allied with complete documentation, like our 400-page reference manual.

All of which are some of the reasons why Turbo Pascal is clearly the leader, and the recipient of awards like PC Week's "Product of the Year" and PC Magazine's "Award for Technical Excellence.'

TNT* A DYNAMITE DEAL!

*Turbo 'N Tutor Turbo Pascal and Turbo Tutor for only \$125.00. You save nearly \$15.00, and have everything you need to get up and go with



- Turbo Pascal® 3.0 with 8087 and BCD
- Turbo Database Toolbox"
- Turbo Graphix Toolbox *
- Turbo Tutor® 2.0
- Turbo Editor Toolbox"
- Turbo GameWorks®

A whole family of tools

Success breeds success, so the Turbo Pascal family has flourished. Your choices now include:

- ☐ Turbo Pascal 3.0 combines the fastest Pascal compiler with an integrated development environment, and 8087 math co-processor support and Binary Coded Decimals.
- ☐ Turbo Database Toolbox a perfect complement to Turbo Pascal. It includes a complete library of Pascal procedures that allows you to search and sort data and build powerful database applications.
- ☐ Turbo Graphix Toolbox includes a library of graphics routines for Turbo Pascal programs. Lets even beginning programmers create highresolution graphics with an IBM,

NEW! Amazing value! Turbo **Editor Toolbox includes** MicroStar, a full-blown editor that also does windows! You get ready-to-compile source code and a 200-page manual that tells you how to integrate the editor procedures and functions into your programs.

Also includes MicroStar, a complete editor with full windowing capabilities. (You could pay \$100.00 or more for a program like MicroStar, but you get it free as part of our Turbo Editor Toolbox.) You can also use Turbo Editor (which of course integrates with Turbo Lightning*) to build your own word processor!

Turbo GameWorks gives you the games you can play, write, rewrite, bend and amend! Turbo GameWorks reveals the secrets and the strategies of game design. You're given source code, a 200-page manual, and the insight

needed to write and customize your own irresistible games

Also includes ready-to-play Chess, Bridge, and Go-Moku-an ancient Japanese game that can divert you from reality for hours on end

Hercules,™ or compatible graphics adapter. Does complex business graphics, easy windowing, and stores screen images to

☐ Turbo Tutor 2.0 teaches you step-by-step how to use Turbo Pascal, with commented source code for all program examples on diskette.

An offer you can't refuse

You can save \$119.75 when you choose the Turbo Jumbo Pack. Six different Turbo Pascal products for only \$299.95.

You get Turbo Pascal 3.0 and Turbo Editor Toolbox and Turbo Tutor 2.0 and Turbo Graphix Toolbox and Turbo GameWorks and Turbo Database Toolbox!

So act now-rush to your dealer or call us today!

To order by phone. or for a dealer nearest you, call (800) 255-8008 in CA call (800) 742-1133 Turbo Pascal 3 0 w/8087 & BCD ** Turbo Pascal for CP/M-80 Turbo Database Toolbox Turbo Graphix Toolbox* Turbo Tutor 2 0 Turbo GameWorks* 125.00 \$ Turbo Pascal & Turbo Tutor Outside USA add \$10 per copy CA and MA res. add sales tax Amount enclosed Prices include shipping to all US cities Carefully describe your computer system: Mine is: __ 8-bit __ 16-bit I use: __ PC-DOS __ MS-DOS __ CP/M-80 __ CP/M-86 My computer's name and model is: The disk size Luse is: \$\Bigcap 3\% \Bigcap 5\% \Bigcap 8* VISA MC Money Order **TP11** CODs and purchase orders WILL NOT be accepted by Borland 0 Outside USA make payment by bank draft, payable in US dollars drawn on a US bank . NOT COPY PROTECTED **60-DAY MONEY-BACK GUARANTEE** If within 60 days of purchase this product does not perform in accordance with our claims, call our customer service department and we will gladly arrange a refund. All prices are suggested list prices and are subject to change without notice. Minimum System Requirements: Turbo GameWorks, Turbo Graphix Toolbox, Turbo Tutor, & Turbo Editor Toolbox—192K. All other products, 128K.

Vive la différence

4585 SCOTTS VALLEY DRIVE SCOTTS VALLEY, CA 95066 (408) 438-8400 TELEX: 172373

Borland products include Turbo Prolog, Turbo Pascal, Turbo Pascal for the Mac, Turbo Tutor, Turbo Editor Toolbox, Turbo Database, Toolbox, Turbo GameWorks, Turbo Lightning, Lightning, Word Wizard, Reflex, The Analyst, Reflex for the Mac, Reflex Workshop, SideRick, SideRick for the Mac, Taveling SideRick, and SuperRey—all of which are trademarks or repistered trademars of Borland International, Inc. or Borland/Analytica, Inc. Traveling SideRick is not in any way associated with Traveling Software, inc. of Seattle, Washington.

CP/M-80 is a registered trademark of Digital Research, Inc. MS-DOS is a registered trademark of Microsoft Corp. IBM is a registered trademark of International Business Machines Corp. Hercules is a trademark of Hercules Computer Technology.

Copyright 1986 Borland International. BI-1082

Circle no. 161 on reader service card.



*IBM PC, PCir, AT, XT, and true compatibles.